DCI



‹ IMPROVE & MAINTAIN THE DENTAL OFFICE

VOLUME 8

PARTS

PRODUCT CATALOG

ORDER 24 HOURS / DAY

INDEX PAGE 333

www.dcionline.com

customerservice@dcionline.com

503-538-9302

Or place orders from 5:00 A.M. to 5:00 P.M. (PST):

Phone: 800-624-2793
Fax: 503-538-9302
Email: customerservice@dcionline.com

**For specials or custom configuration of standard product, please call or email for price quote.*

DCI OFFERS LOWER SHIPPING COSTS!

Orders received by 4:00 PM PST are typically shipped the same day. Most shipments are sent via UPS 3-Day Delivery. You pay only the UPS Ground rate and DCI pays the difference! Delivery Systems are shipped via UPS Ground or via Freight.

Terms

Net 30 days on approved accounts; Visa, Mastercard or American Express can be used until credit is approved.

NSK + DCI

STRONGER TOGETHER

Our two brands have over 135 years of combined manufacturing experience and a reputation for reliability, craftsmanship, and service. We have a shared dedication to producing long-lasting, feature-rich products for our customers.

- DCI RELIANCE OPERATORY EQUIPMENT — 1-60
- OPERATORY ACCESSORIES — 61-68
- HANDPIECE ACCESSORIES & POWER OPTICS — 69-82
- SYRINGES — 83-96
- VACUUM COMPONENTS — 97-116
- MOUNTS, ARMS & HOLDERS — 117-134
- FOOT CONTROLS — 135-144
- REGULATORS, FILTERS & VALVES — 145-172
- FITTINGS — 173-192
- TUBING — 193-200
- SERVICE, CABINET & ANALGESIA — 201-226
- DELIVERY SYSTEM PARTS — 227-258
- LIGHT PARTS & BULBS — 259-276
- CHAIR PARTS — 277-288
- COMPRESSOR & VACUUM PARTS — 289-308
- STERILIZER PARTS — 309-324
- SCALER PARTS — 325-332
- INDEX — 333-345
- CROSS-REFERENCE — 346-360

CUSTOMER SERVICE & TECHNICAL SERVICE

DCI's Customer & Technical Service Team is committed to providing the best service and solving your challenges quickly. Serving customer needs always comes first. From ensuring on-time delivery to answering product-related questions, we are here to support you.

HOW TO CONTACT US

1-800-624-2793
INTL: 503-538-1735

customerservice@dcionline.com
techsupport@dcionline.com
international@dcionline.com

TEXT 503-376-8440

TECHNICAL SERVICE TEAM



William Boardman
Technical Services Manager
Years in Dental: 28



Jeff Hudson
Years in Dental: 37



Garrett Stevenson
Years in Dental: 28



Walter Beard
Years in Dental: 24



Anthony Sermino
Years in Dental: 14



Esmeralda Tinoco
Years in Dental: 9



Gary Ramos
Years in Dental: 5



Laura Robbins
Years in Dental: 3



Jacob Jeter
Years in Dental: 1

CUSTOMER SERVICE TEAM



Jen Boardman
Customer Service Manager
Years in Dental: 24



Jennifer Hallmark
Customer Service Supervisor
Years in Dental: 25



Jeff Porth
Customer Service Supervisor
Years in Dental: 7



Patricia Basye
Customer Service Supervisor
Years in Dental: 3



Emily Torgerson
Years in Dental: 34



Crystal Schultz
Years in Dental: 19



June Smith
Years in Dental: 19



Monica Salas
Years in Dental: 14



Kimi Williams
Years in Dental: 11



Rosa Gonzalez
Years in Dental: 9



Jess Hodges
Years in Dental: 8



Alison Webber
Years in Dental: 7



Lori Beelart
Years in Dental: 6



Haily Windell
Years in Dental: 4



Harvey Manuel
Years in Dental: 4



Jason Mitchell
Years in Dental: 4



Kevin Carlson
Years in Dental: 4



Kris Tripp
Years in Dental: 4



April Ferris
Years in Dental: 3



Ashley Long
Years in Dental: 3



Ben Vega
Years in Dental: 3



Katie Tucker
Years in Dental: 3



Brittney Revette
Years in Dental: 2



Cerene Adrienne
Years in Dental: 2



Angela Laird
Years in Dental: 1



Izaac Gordon
Years in Dental: 1



Jacki Bailes
Years in Dental: 1

DCI



RELIANCE OPERATORY EQUIPMENT

Retail pricing
available at
dciparts.com

Reliance Operatory Equipment



Chair-Mounted Delivery Systems 2-9

Post Mount Light 10-11

Stools & Carts 12-21

Side Delivery 22-23

Arm & Cabinet Mounted Delivery Systems 24-41

Compact Delivery Units 42-45

Panel & Horizontal Mounted Units 46-49

OEM Replacements 50-52

Auxiliary QD Panel & Lab Kit 53

Dimensional Drawings & Illustrated Parts Breakdown 54-59

CHAIR-MOUNTED DELIVERY SYSTEMS
RELIANCE SWING MOUNT





Configuration shown	
RS4000	Reliance Swing Mount Pole w/ Auto Dental Unit & Light Pole
RP4000	Reliance Post Mount LED Light
R4768	Reliance Light Post Assembly, 24", White
Step 5	Chair Mount Adapter

- Upfit your delivery system with the ability to accommodate left and right-handed dentistry.

✓ - Standard Features ☐ - Choose Your Option

Step 1 Select Your Delivery System & Color		Part Number	
Reliance Swing Mount Pole w/Auto Dental Unit & Accessory Pole Complete Steps 1 thru 5	☐	RS4000	White
	☐	RS4050	Gray
Reliance Swing Mount Pole w/Auto Dental Unit Complete Steps 1, 2, 3, 5	☐	RS4001	White
	☐	RS4051	Gray
Reliance Swing Mount Accessory Pole Only Complete Steps 1, 4, 5	☐	RS4002	White
	☐	RS4052	Gray

Step 2 Configure Your Control Head Options

	*(All tubings are **Sterling**. If nothing is selected - highlighted positions will be used)*	Part Number	Handpiece Positions 0	1	2	3	4
✓	**DCI Precision Comfort Syringe and tubing**						
✓	**HP Tubing 4 Hole Asepsis**						
☐	ISO-C 6-Pin Deluxe 3 HP Illumination System (Includes a 9483 tubing)	9885					
☐	ISO 5-Hole Deluxe 3 HP Illumination System (Includes a 9978 tubing)	9889					
☐	ISO-C 6-Pin Standard 2 HP Illumination System (Includes a 9483 tubing)	9905					
☐	ISO 5-Hole Standard 2 HP Illumination System (Includes a 9978 tubing)	9900					
☐	ISO-C 6-Pin Economy HPIllumination System (Includes a 9483 tubing)	9876					
☐	ISO 5-Hole Economy HP Illumination System (Includes a 9978 tubing)	9881					
☐	Additional ISO-C 6-Pin Tubing Option for Illumination Systems	9483					
☐	Additional ISO 5-Hole Tubing Option for Illumination Systems	9978					
☐	Delete HP Position 3	4344					
☐	Add HP Position (Position 4) Includes Block, Water Valve, Holder & HP Tubing	4467 White/ 4468 Gray					
✓	**Stainless Steel Tray and Non-Skid Pad**						
✓	**Wet/Dry Foot Control**						
✓	**Handpiece Flush**						
☐	Add scaler / chip air button to foot control	4346					

Step 3 Configure Your Utilities Options

		Part Number
Step 3A Configure Your Water System		
✓	**Self-Contained Water System w/ Quick Switch 1L Bottle**	
☐	Delete Self Contained Water System and Bottle	4350
Step 3B Configure Your Junction Box and Utilities		
✓	**6' Umbilical Tubing**	
☐	Additional Umbilical Length Per Foot, includes sheath tubing - Qty___	R24962A
✓	**Asepsis Utility Center and Valves**	
☐	Delete Asepsis Utility Center and Valves	4347

Step 4 Configure Your Accessory Pole

		Part Number
☐	Reliance Post Mount LED Light (Requires Light Post R4768/R4766)	RP4000 White / RP4050 Gray
☐	Reliance Light Post Assembly, 24", w/ Adapter	R4768 White / R4766 Gray
☐	Telescoping Assistant's Arm, 4 Position, (Requires 5380 & 8489/8249)	5377 White / 5376 Gray
☐	Precision Comfort Assistant's Package, HVE, SE, SYR	5380
☐	Additional Extended Vacuum Valve and Tubing	R52892G
☐	Post Top Mount, 2"	8489 White / 8294 Gray
☐	Flat Panel Monitor Top Mount (In place of light)	4924 White / 4824 Gray

Step 5 Select Your Chair Mount Adapter (Required)

		Part Number
☐	To Fit A-dec® Cascade® 1040	R4489
☐	To Fit A-dec® Priority 1005 & 1010	R4498
☐	To Fit A-dec® Decade® 1020, 1021 & 1015	R9246
☐	To Fit Belmont Bel 20/50/Celebrity	R4492
☐	To Fit Belmont AcuTrac	R4501
☐	To Fit Marus™ DC1490, DC1690, DC1700, DC1702	R4491
☐	To Fit Pelton 1500, 1800, 2000, 3000 , 1700	R4491
☐	To Fit DCI Equipment 1235	R4491

- Call Customer Service for Adapters not listed

A-dec®, Cascade®, Decade® and A-dec 500® are registered trademarks of A-dec, Inc. DCI has no affiliation with A-dec and A-dec has not authorized DCI replacement parts to be used on or in connection with A-dec® products.



Configuration shown	
RO4100	Reliance Over the Patient Dental Unit with Cuspidor & PMU
RP4000	Reliance Post Mount LED Light
R4042	Reliance Light Post Assembly, 30"
R52906W	Telescoping Assistant's Arm
Step 5	Chair Mount Adapter

- Upfit your delivery system without the expense of a new chair.
- The Reliance Delivery System is designed to mount to most dental chairs.

✓ - Standard Features ☐ - Choose Your Option

Step 1 Select Your Delivery System & Color		Part Number	
Reliance Over the Patient Dental Unit with Cuspidor & PMU	☐	RO4100	White
	☐	RO4150	Gray
Reliance Over the Patient Automatic Dental Unit with PMU	☐	RO4000	White
	☐	RO4050	Gray

Step 2 Configure Your Control Head Options

	*(All tubings are **Sterling**. If nothing is selected - highlighted positions will be used)*	Part Number	Handpiece Positions 0	1	2	3	4
✓	**DCI Precision Comfort Syringe and tubing**						
✓	**HP Tubing 4 Hole Asepsis**						
☐	ISO-C 6-Pin Deluxe 3 HP Illumination System (Includes a 9483 tubing)	9885					
☐	ISO 5-Hole Deluxe 3 HP Illumination System (Includes a 9978 tubing)	9889					
☐	ISO-C 6-Pin Standard 2 HP Illumination System (Includes a 9483 tubing)	9905					
☐	ISO 5-Hole Standard 2 HP Illumination System (Includes a 9978 tubing)	9900					
☐	ISO-C 6-Pin Economy HP Illumination System (Includes a 9483 tubing)	9876					
☐	ISO 5-Hole Economy HP Illumination System (Includes a 9978 tubing)	9881					
☐	Additional ISO-C 6-Pin Tubing Option for Illumination Systems	9483					
☐	Additional ISO 5-Hole Tubing Option for Illumination Systems	9978					
☐	Delete HP Position 3	4344					
☐	Add HP Position (Position 4) Includes Block, Water Valve, Holder & HP Tubing	4467 White/ 4468 Gray					
✓	**Stainless Steel Tray and Non-Skid Pad**						
✓	**Wet/Dry Foot Control**						
✓	**Handpiece Flush**						
☐	Add scaler / chip air button to foot control	4346					

Step 3 Configure Your Post Mounted Utility Center Options

		Part Number
Step 3A Assistant's Package		
☐	Telescoping Arm w/ 4 Position Holder, 1 Syringe, 1 HVE & 1 SE	R52906W White / R52906G Gray
☐	Additional Extended Vacuum Valve and Tubing	R52892G
☐	Autoclavable Dry Oral Cup	5840
Step 3B Water System		
✓	**Self Contained Water System with 2 Liter Bottle**	
☐	Delete Self Contained Water System and Bottle	4350
✓	**Air QD and Water QD with flow control**	
Step 3C Junction Box and Utilities		
✓	**6' Umbilical Tubing**	
☐	Additional Umbilical Length Per Foot, includes sheath tubing - Qty___	R24875A
✓	**Asepsis Utility Center and Valves**	
☐	Delete Asepsis Utility Center and Valves	4347

Step 4 Configure Your Light

		Part Number
☐	No Light On Unit (Standard)	
☐	Post Mount Reliance LED Light (Requires Light Post)	RP4000 White / RP4050 Gray
☐	Light Post With P&C Bushing , 30"	R4042 White / R4767 Gray

Step 5 Select Chair Mount Adapter

		Part Number
☐	To Fit A-dec® Cascade® 1040	8522
☐	To Fit A-dec® Priority 1005 & 1010	8515
☐	To Fit A-dec® Decade® 1020, 1021 & 1015	8500
☐	To Fit A-dec 500®	8538
☐	To Fit Belmont Bel 20,50/Celebrity/Westar 2001 & 5000/LSM DC-1000 & C0H0	8493
☐	To Fit Belmont AcuTrac	8917
☐	To Fit DentalEZ® E3000	8552
☐	To Fit DentalEZ® Advantage E2000	8919
☐	To Fit Marus™ Pro/DCI Equipment	8561
☐	To Fit Pelton Spirit/Schein Empire	8918
☐	To Fit Royal	8497

- Call Customer Service for Adapters not listed

A-dec®, Cascade®, Decade® and A-dec 500® are registered trademarks of A-dec, Inc. DCI has no affiliation with A-dec and A-dec has not authorized DCI replacement parts to be used on or in connection with A-dec® products.



- Upfit your delivery system without the expense of a new chair.
- The Reliance Delivery System is designed to mount to most dental chairs.

✓ - Standard Features ☐ - Choose Your Option

		Part Number	
Step 1 Select Your Delivery System Color			
Reliance Over the Patient Dental Unit Only	☐	RO4001	White
	☐	RO4051	Gray

Step 2 Configure Your Control Head Options

	*(All tubings are **Sterling**. If nothing is selected - highlighted positions will be used)*	Part Number	Handpiece Positions				
			0	1	2	3	4
✓	**DCI Precision Comfort Syringe and tubing**						
✓	**HP Tubing 4 Hole Asepsis**						
☐	ISO-C 6-Pin Deluxe 3 HP Illumination System (Includes a 9483 tubing)	9885					
☐	ISO 5-Hole Deluxe 3 HP Illumination System (Includes a 9978 tubing)	9889					
☐	ISO-C 6-Pin Standard 2 HP Illumination System (Includes a 9483 tubing)	9905					
☐	ISO 5-Hole Standard 2 HP Illumination System (Includes a 9978 tubing)	9900					
☐	ISO-C 6-Pin Economy HP Illumination System (Includes a 9483 tubing)	9876					
☐	ISO 5-Hole Economy HP Illumination System (Includes a 9978 tubing)	9881					
☐	Additional ISO-C 6-Pin Tubing Option for Illumination Systems	9483					
☐	Additional ISO 5-Hole Tubing Option for Illumination Systems	9978					
☐	Delete HP Position 3	4344					
☐	Add HP Position (Position 4) Includes Block, Water Valve, Holder & HP Tubing	4467 White/ 4468 Gray					
✓	**Stainless Steel Tray and Non-Skid Pad**						
✓	**Wet/Dry Foot Control**						
✓	**Handpiece Flush**						
☐	Add scaler / chip air button to foot control	4346					

Step 3 Configure Your Unit Options

		Part Number
✓	**Self-Contained Quick-Switch Water System w/ 1 Liter Bottle**	
☐	Telescoping Assistant's Arm, 4 Position (Requires 5380)	5377 White/ 5376 Gray
☐	Precision Comfort Assistant's Package, HVE, SE, SYR	5380
☐	Additional Extended Vacuum Valve and Tubing	R52892G
☐	Wall & Cabinet Mount Assistant Instrumentation Premium Precision Comfort	5432

Step 4 Configure Your Light

		Part Number
☐	No Light On Unit (Standard)	
☐	Post Mount Reliance LED Light (Requires Light Post)	RP4000 White / RP4050 Gray
☐	Light Post Extension, 24", Pelton & Crane Bushing	8921 White / 8969 Gray

Step 5 Select Chair Mount Adapter

		Part Number
☐	To Fit A-dec® Cascade® 1040	8522
☐	To Fit A-dec® Priority 1005 & 1010	8515
☐	To Fit A-dec® Decade® 1020, 1021 & 1015	8500
☐	To Fit A-dec 500®	8538
☐	To Fit Belmont Bel 20,50/Celebrity/Westar 2001 & 5000/LSM DC-1000 & C0H0	8493
☐	To Fit Belmont AcuTrac	8917
☐	To Fit DentalEZ® E3000	8552
☐	To Fit DentalEZ® Advantage E2000	8919
☐	To Fit Marus™ Pro/DCI Equipment	8561
☐	To Fit Pelton Spirit/Schein Empire	8918
☐	To Fit Royal	8497

• Call Customer Service for Adapters not listed

A-dec®, Cascade®, Decade® and A-dec 500® are registered trademarks of A-dec, Inc. DCI has no affiliation with A-dec and A-dec has not authorized DCI replacement parts to be used on or in connection with A-dec® products.



Configuration shown	
RO4102	Reliance Post Mount Utilities
RP4000	Reliance Post Mount LED Light
R4042	Reliance Light Post Assembly, 30"
Step 5	Chair Mount Adapter

- Upfit your delivery system without the expense of a new chair.
- The Reliance Delivery System is designed to mount to most dental chairs.

✓ - Standard Features ☐ - Choose Your Option

Step 1 Select Your Delivery System & Color		Part Number	
Reliance Post Mount Utilities, PMU w/Cuspidor	☐	RO4102	White
	☐	RO4152	Gray
Reliance Post Mount Utilities, PMU, No Cuspidor	☐	RO4002	White
	☐	RO4052	Gray

Step 2 Configure Your Post Mounted Utility Center Options

		Part Number
Step 2A Assistant's Package		
☐	Telescoping Arm w/ 4 Position Holder, 1 Syringe, 1 HVE & 1 SE	R52906W White / R52906G Gray
☐	Additional Extended Vacuum Valve and Tubing	R52892G
☐	Autoclavable Dry Oral Cup	5840
Step 2B Water System		
✓	**Self Contained Water System with 2 Liter Bottle**	
☐	Delete Self Contained Water System and Bottle	4350
✓	**Air QD and Water QD with flow control**	
Step 2C Junction Box and Utilities		
✓	**6' Umbilical Tubing**	
☐	Additional Umbilical Length Per Foot, includes sheath tubing - Qty___	R24875A
✓	**Asepsis Utility Center and Valves**	
☐	Delete Asepsis Utility Center and Valves	4347

Step 3 Configure Your Light

		Part Number
☐	No Light On Unit (Standard)	
☐	Post Mount Reliance LED Light (Requires Light Post)	RP4000 White / RP4050 Gray
☐	Light Post With P&C Bushing , 30"	R4042 White / R4767 Gray

Step 4 Select Chair Mount Adapter

		Part Number
☐	To Fit A-dec® Cascade® 1040	8522
☐	To Fit A-dec® Priority 1005 & 1010	8515
☐	To Fit A-dec® Decade® 1020, 1021 & 1015	8500
☐	To Fit A-dec 500®	8538
☐	To Fit Belmont Bel 20,50/Celebrity/Westar 2001 & 5000/LSM DC-1000 & C0H0	8493
☐	To Fit Belmont AcuTrac	8917
☐	To Fit DentalEZ® E3000	8552
☐	To Fit DentalEZ® Advantage E2000	8919
☐	To Fit Marus™ Pro/DCI Equipment	8561
☐	To Fit Pelton Spirit/Schein Empire	8918
☐	To Fit Royal	8497

- Call Customer Service for Adapters not listed



4824/4924



R52906W



R4042 / R4767

A-dec®, Cascade®, Decade® and A-dec 500® are registered trademarks of A-dec, Inc. DCI has no affiliation with A-dec and A-dec has not authorized DCI replacement parts to be used on or in connection with A-dec® products.

POST MOUNT LIGHT
RELIANCE



FEATURES	RELIANCE
LED Technology	X
3rd Axis Head Rotation	X
Reflective Technology	X
Dual Touch Controls	X
Offered in Gray or White	X
3" X 6" Light Pattern	X
5000K Color Temperature	X



- LED Lamp-24Volt, 10 Watts
- Input Voltage - 115V, 50Hz
- Light Intensity (Lux), 35,000 to 17,500
- Focal Length - 27"

RP4000

✓ - Standard Features ☐ - Choose Your Option

		Part Number	Color
Step 1 Choose Your Light Color			
Reliance Post Mount Light, 120 Volt	☐	RP4000	White
	☐	RP4050	Gray

	Step 2 Configure Your Light Post	
☐	Post 48" Long Powdercoat w/ P&C Bushing	8482 White / 4049 Gray
☐	Light Post Extension, 24", P&C Bushing and Clamp	8921 White / 8969 Gray
☐	Light Post Extension, 30", P&C Bushing and Clamp	8463 White / 8986 Gray



8482/4049



8463/8986



8921/8969



✓ - Standard Features ☐ - Choose Your Option		Part Number
Step 1 Select Your Stool		
☐	Doctor's Stool (Cylinder height range 19" to 24")	SDR051
☐	Assistant's Stool with Body Support and Footring (Cylinder height range 23" to 29 1/2")	SAR051

Step 2 Select Your Upholstery		
☐	**Naugasoft Upholstery**	54633
☐	**Ultraleather® Upholstery**	54634
☐	**Non-Standard Upholstery Upcharge per Stool***	54646

*Allow for an additional 2 weeks above standard lead time for all Non-Standard Upholstery. Manufacturer part number required. Contact Customer Service to confirm availability.

Premium Ultraleather® Upholstery

Upcharge per Stool



PEARLIZED



WIRED ULTRALEATHER



Naugasoft Upholstery

Naugasoft included in price for Stools





Our dental cart systems are not only sturdy, but they're also stylish and affordable, perfect to upfit any modern dental practice.

- Sturdy all-metal control head w/ smooth lines for easy cleaning
- Automatic control for 3 handpieces
- Stainless Steel tray (PN 8013) & Non-Skid Pad
- Precision Comfort® Syringe
- Wet/Dry foot control
- 1 1/4" Umbilical, 7 ft.
- Utility center w/ white box
- Variety of tubing color and type to choose from
- Precision Comfort Assistant's Package, 2 HVE & 1 SE (R4540/4542 only)

✓ - Standard Features ☐ - Choose Your Option

Step 1 Select Your Cart System		Part Number	
Reliance Automatic Control Cart for 3 HP	☐	R4511	White
Reliance Automatic Control Cart for 3 HP w/ Premium Vacuum	☐	R4540	White
Reliance Automatic Control Cart for 3 HP, Single Air Source	☐	R4523	White
Reliance Automatic Control Cart for 3 HP w/ Standard Vacuum	☐	4542	White



R4511



R4540



R4523



4542

Step 2 Configure Your Control Head Options

	*(All tubings are **Sterling**. If nothing is selected - highlighted positions will be used)*	Part Number	Handpiece Positions 0	1	2	3	4
✓	**DCI Precision Comfort Syringe and tubing**						
✓	**HP Tubing 4 Hole Asepsis**						
☐	ISO-C 6-Pin Deluxe 3 HP Illumination System (Includes a 9483 tubing)	9885					
☐	ISO 5-Hole Deluxe 3 HP Illumination System (Includes a 9978 tubing)	9889					
☐	ISO-C 6-Pin Standard 2 HP Illumination System (Includes a 9483 tubing)	9905					
☐	ISO 5-Hole Standard 2 HP Illumination System (Includes a 9978 tubing)	9900					
☐	ISO-C 6-Pin Economy HP Illumination System (Includes a 9483 tubing)	9876					
☐	ISO 5-Hole Economy HP Illumination System (Includes a 9978 tubing)	9881					
☐	Additional ISO-C 6-Pin Tubing Option for Illumination Systems	9483					
☐	Additional ISO 5-Hole Tubing Option for Illumination Systems	9978					
☐	Delete HP Position 3	4344					
☐	Add HP Position (Position 4) Includes Block, Water Valve, Holder & HP Tubing	4467 White					
✓	**Stainless Steel Tray and Non-Skid Pad**						
✓	**Wet/Dry Foot Control**						
☐	Add scaler / chip air button to foot control	4346					
✓	**Self contained water system**						
☐	Additional umbilical length per foot includes sheath tubing qty_	R24962A					
✓	**Asepsis Utility center and valves (Not included for R4523)**						
☐	Converter & Adapter, Water Bottle Quick-Switch Kit	8941					
☐	2 Liter Bottle w/ Cap & Pick-Up Tube	8164					



9885 / 9889



9905 / 9900



9876 / 9881



The Reliance Automatic 2 HP Cart system features smooth lines for easy cleaning at an affordable price point.

- Sturdy all-metal control head w/ smooth lines for easy cleaning
- Manual control for 2 handpieces
- Stainless Steel tray (PN 8013) & Non-Skid Pad
- Precision Comfort® Syringe
- 1 1/4" Umbilical, 7 ft.
- Utility center w/ white box
- Precision Comfort® Assistant's Package, 2 HVE & 1 SE (R4240 only)

✓ - Standard Features ☐ - Choose Your Option		Part Number	
Step 1 Select Your Cart System			
Reliance Manual Control Cart for 2 HP	☐	R4245	White
Reliance Manual Control Cart for 2 HP w/Premium Vacuum	☐	R4240	White



R4245



R4240

Step 2 Configure Your Control Head Options

	*(All tubings are **Sterling**. If nothing is selected - highlighted positions will be used)*	Part Number	Handpiece Positions 0	1	2	3	4
✓	**DCI Precision Comfort Syringe and tubing**						
✓	**HP Tubing 4 Hole Asepsis**						
☐	ISO-C 6-Pin Deluxe 3 HP Illumination System (Includes a 9483 tubing)	9885					
☐	ISO 5-Hole Deluxe 3 HP Illumination System (Includes a 9978 tubing)	9889					
☐	ISO-C 6-Pin Standard 2 HP Illumination System (Includes a 9483 tubing)	9905					
☐	ISO 5-Hole Standard 2 HP Illumination System (Includes a 9978 tubing)	9900					
☐	ISO-C 6-Pin Economy HP Illumination System (Includes a 9483 tubing)	9876					
☐	ISO 5-Hole Economy HP Illumination System (Includes a 9978 tubing)	9881					
☐	Additional ISO-C 6-Pin Tubing Option for Illumination Systems	9483					
☐	Additional ISO 5-Hole Tubing Option for Illumination Systems	9978					
✓	**Stainless Steel Tray and Non-Skid Pad**						
✓	**Standard Foot Control**						
☐	Add scaler / chip air button to foot control	4346					
✓	**Self contained water system**						
☐	Additional umbilical length per foot includes sheath tubing qty_	R24962A					
✓	**Asepsis Utility center and valves**						
☐	Converter & Adapter, Water Bottle Quick-Switch Kit	8941					
☐	2 Liter Bottle w/ Cap & Pick-Up Tube	8164					



- Operatory Support Cart w/ U-Frame
- Solid 1" white laminate top w/ gray edge banding
- 19" x 22" work surface
- Precision Comfort® Assistant's Package, 1 SYR, 2 HVE & 1 SE (R4220 only)

✓ - Standard Features ☐ - Choose Your Option		Part Number	
Step 1 Select Your Cart System			
Work Surface w/ U-Frame Assy	☐	R4227	White
Operatory Support Cart w/Assistant's Package U-Frame	☐	R4220	White



R4227



R4220

Step 2 Configure Your Cart Options		
		Part Number
☐	Storage Well w/ Organizers	8400
☐	Utility Center, Premium w/ Frame & Cover, White	8329

Step 3 Configure Your Doctor's Delivery		
		Part Number
Step 3A Choose Doctor's Delivery		
☐	Reliance Cabinet Mount Automatic Control Unit for 3 HP (requires 4289, 8337 & 8336)	4470
☐	Reliance Cabinet Mount Manual Control Unit for 2 HP, 2 Wet (requires 4289, 8337 & 8336)	4521
Step 3B Required with Doctor's Delivery		
☐	Pin Mount Bracket Kit, White	4289
☐	Rigid Arm, 6", White	8337
☐	Control Mount Bracket, White	8336
☐	Additional Extended Vacuum Valve and Tubing	R52892G

OPERATORY SUPPORT CARTS
H-FRAME



- Operatory Support Cart w/ U-Frame
- Solid 1" white laminate top w/ gray edge banding
- 19" x 22" work surface
- Precision Comfort® Assistant's Package, 1 SYR, 1 HVE & 1 SE (R4221 only)

✓ - Standard Features ☐ - Choose Your Option		Part Number	
Step 1 Select Your Cart System			
Work Surface w/ H-Frame Assy	☐	R4228	White
Operatory Support Cart w/ Assistant's Package H-Frame	☐	R4221	White



R4228



R4221

Step 2 Configure Your Cart Options		
		Part Number
☐	Asepsis Self-Contained Deluxe QS Single Water System w/ 2 Liter Bottle & 2" Clamp (Included with R4221)	8928QS
☐	Storage Well w/ Organizers	8400
☐	Utility Center, Premium w/ Frame & Cover, White (Included with R4221)	8329


Step 3 Configure Your Doctor's Delivery		
		Part Number
Step 3A Choose Doctor's Delivery		
☐	Reliance Cabinet Mount Automatic Control Unit for 3 HP (requires 4289, 8337 & 8336)	4470
☐	Reliance Cabinet Mount Manual Control Unit for 2 HP, 2 Wet (requires 4289, 8337 & 8336)	4521
Step 3B Required with Doctor's Delivery		
☐	Pin Mount Bracket Kit, White	4289
☐	Rigid Arm, 6", White	8337
☐	Control Mount Bracket, White	8336
☐	Additional Extended Vacuum Valve and Tubing	R52892G



- Smooth lines for easing cleaning
- Automatic control for 3 handpieces
- Includes a stainless-steel tray (PN 8013)
- Includes 8 Conductor Low Voltage Electrical Cable
- Includes a Precision Comfort® Syringe
- Available in left- or right-hand configuration
- 4-Hole Straight **Sterling** Tubing is Standard

✓ - Standard Features ☐ - Choose Your Option

Step 1 Select Your Delivery System			
Reliance Side Delivery Auto Dental Unit	☐	RW4000	White
	☐	RW4050	Gray





RW4000 / RW4050

Step 2 Configure Your Control Head Options

	*(All tubings are **Sterling**. If nothing is selected - highlighted positions will be used)*	Part Number	Handpiece Positions 0	1	2	3	4
✓	**DCI Precision Comfort Syringe and tubing**						
✓	**HP Tubing 4 Hole Asepsis**						
☐	ISO-C 6-Pin Deluxe 3 HP Illumination System (Includes a 9483 tubing)	9885					
☐	ISO 5-Hole Deluxe 3 HP Illumination System (Includes a 9978 tubing)	9889					
☐	ISO-C 6-Pin Standard 2 HP Illumination System (Includes a 9483 tubing)	9905					
☐	ISO 5-Hole Standard 2 HP Illumination System (Includes a 9978 tubing)	9900					
☐	ISO-C 6-Pin Economy HP Illumination System (Includes a 9483 tubing)	9876					
☐	ISO 5-Hole Economy HP Illumination System (Includes a 9978 tubing)	9881					
☐	Additional ISO-C 6-Pin Tubing Option for Illumination Systems	9483					
☐	Additional ISO 5-Hole Tubing Option for Illumination Systems	9978					
☐	Delete HP Position 3	4344					
☐	Add HP Position (Position 4) Includes Block, Water Valve, Holder & HP Tubing	4467 White/ 4468 Gray					
✓	**Stainless Steel Tray and Non-Skid Pad**						
✓	**Wet/Dry Foot Control**						
☐	Add scaler / chip air button to foot control	4346					

Step 3 Select Your Unit Options

		Part Number
☐	Asepsis Self-Contained Deluxe QS Dual Water System w/ 750 ml Bottle	8178QS
☐	Wall & Cabinet Mount Assistant Instrumentation Premium Precision Comfort®	5432
☐	Precision Comfort® Assistant's Package, HVE, SE, SYR	5380
☐	Vertical Mount Assistant's Holders, 4 Position	5378



- Smooth lines for easing cleaning
- Automatic control for 3 handpieces
- Includes a stainless-steel tray (PN 8013)
- Includes 8 Conductor Low Voltage Electrical Cable
- Includes a Precision Comfort® Syringe
- Available in left- or right-hand configuration
- 4-Hole Straight **Gray** Tubing is Standard


✓ - Standard Features ☐ - Choose Your Option

Step 1 Select Your Delivery System & Color

		Part Number	
Reliance Arm Mounted Automatic Control Unit for 3 HP w/ Flex Arm	☐	4478	White
	☐	4477	Gray

Step 2 Configure Your Control Head Options

	*(All tubings are **Gray**. If nothing is selected - highlighted positions will be used)*	Part Number	Handpiece Positions 0	1	2	3	4
✓	**DCI Precision Comfort Syringe and tubing**						
✓	**HP Tubing 4 Hole Asepsis**						
☐	ISO-C 6-Pin Deluxe 3 HP Illumination System (Includes a 9481 tubing)	9886					
☐	ISO 5-Hole Deluxe 3 HP Illumination System (Includes a 9976 tubing)	9891					
☐	ISO-C 6-Pin Standard 2 HP Illumination System (Includes a 9481 tubing)	9903					
☐	ISO 5-Hole Standard 2 HP Illumination System (Includes a 9976 tubing)	9898					
☐	ISO-C 6-Pin Economy HP Illumination System (Includes a 9481 tubing)	9878					
☐	ISO 5-Hole Economy HP Illumination System (Includes a 9976 tubing)	9883					
☐	Additional ISO-C 6-Pin Tubing Option for Illumination Systems	9481					
☐	Additional ISO 5-Hole Tubing Option for Illumination Systems	9976					
☐	Delete HP Position 3	4344					
☐	Add HP Position (Position 4) Includes Block, Water Valve, Holder & HP Tubing	4467 White/ 4468 Gray					
☐	Sub chassis for accessory integration	4230					
✓	**Stainless Steel Tray**						
✓	**Wet/Dry Foot Control**						
☐	Add scaler / chip air button to foot control	4346					
✓	**50" Flex Arm for 2" Post w/ Air Brake**						





4478 / 4477

Step 3 Configure Your Mounting Options

		Part Number
☐	Wall Mount Bracket	8647 White / 8349 Gray
☐	Top Post Mount Adapter Kit	8923 White/ 8956 Gray
☐	Post, 24", w/ Oilite Bushing	4762 White / 4764 Gray
☐	Post, 30", w/ Oilite Bushing	4763 White / 4765 Gray

Step 4 Select Your Utility Center Options

		Part Number
☐	Asepsis Self-Contained Deluxe QS Single Water System w/ 2 Liter Bottle & 2" Clamp	8928QS
☐	Asepsis Self-Contained Deluxe QS Dual Water System w/ 750 ml Bottle	8178QS
☐	Utility Center w/ White Box & Regulators	8329
☐	Wall & Cabinet Mount Assistant Instrumentation Premium Precision Comfort	5432
☐	Precision Comfort Assistant's Package, 2 HVE, SE, SYR (Requires 5373)	5364
☐	Vertical Mount Assistant's Holders, 4 Position	5373



8923 / 8956



4762 / 4764



8928QS

ARM-MOUNTED DELIVERY SYSTEMS
3 HP AUTOMATIC



- Shown with optional Stainless Steel Tray (PN 8013). Sold separately
- Smooth lines for easing cleaning
- Automatic control for 3 handpieces
- Includes 8 Conductor Low Voltage Electrical Cable
- Includes a Precision Comfort® Syringe
- Available in left- or right-hand configuration
- 4-Hole Straight **Gray** Tubing is Standard

✓ - Standard Features ☐ - Choose Your Option

		Part Number	
Step 1 Select Your Delivery System			
Alternative Arm Mounted Automatic Control Unit for 3 HP w/ Tray & White Flex Arm	☐	4376	White

Step 2 Configure Your Control Head Options

	*(All tubings are **Gray**. If nothing is selected - highlighted positions will be used)*	Part Number	Handpiece Positions 0	1	2	3	4
✓	**DCI Precision Comfort Syringe and tubing**						
✓	**HP Tubing 4 Hole Asepsis**						
☐	ISO-C 6-Pin Deluxe 3 HP Illumination System (Includes a 9481 tubing)	9886					
☐	ISO 5-Hole Deluxe 3 HP Illumination System (Includes a 9976 tubing)	9891					
☐	ISO-C 6-Pin Standard 2 HP Illumination System (Includes a 9481 tubing)	9903					
☐	ISO 5-Hole Standard 2 HP Illumination System (Includes a 9976 tubing)	9898					
☐	ISO-C 6-Pin Economy HP Illumination System (Includes a 9481 tubing)	9878					
☐	ISO 5-Hole Economy HP Illumination System (Includes a 9976 tubing)	9883					
☐	Additional ISO-C 6-Pin Tubing Option for Illumination Systems	9481					
☐	Additional ISO 5-Hole Tubing Option for Illumination Systems	9976					
☐	Delete HP Position 3	4344					
☐	Stainless Steel Tray	8013					
✓	**Disc-Type Foot Control**						
☐	Add scaler / chip air button to foot control	4346					
✓	**50" Flex Arm for 2" Post w/ Air Brake**						



4376

Shown with optional Stainless Steel Tray (PN 8013). Sold separately.

Step 3 Configure Your Mounting Options

		Part Number
☐	Wall Mount Bracket	8647 White
☐	Top Post Mount Adapter	8923 White
☐	Post, 24" White, w/ Oilite Bushing	4762
☐	Post, 30" White, w/ Oilite Bushing	4763

Step 4 Select Your Utility Center Options

		Part Number
☐	Asepsis Self-Contained Deluxe QS Single Water System w/ 2 Liter Bottle & 2" Clamp	8928QS
☐	Asepsis Self-Contained Deluxe QS Dual Water System w/ 750 ml Bottle	8178QS
☐	Utility Center w/ White Box & Regulators	8329
☐	Wall & Cabinet Mount Assistant Instrumentation Premium Precision Comfort	5432
☐	Precision Comfort Assistant's Package, 2 HVE, SE, SYR (Requires 5373)	5364
☐	Vertical Mount Assistant's Holders, 4 Position	5373



8329



5432



5373 / 5364





- Shown with optional Stainless Steel Tray (PN 8013). Sold separately
- Smooth lines for easing cleaning
- Automatic control for 2 handpieces
- Includes 8 Conductor Low Voltage Electrical Cable
- Includes a Precision Comfort® **Gray**
- Available in left- or right-hand configuration
- 4-Hole Straight **Gray** Tubing is Standard

✓ - Standard Features ☐ - Choose Your Option

		Part Number	
Step 1 Select Your Delivery System & Color			
Reliance Arm Mounted Manual Control Unit for 2HP, 2 Wet w/ Flex Arm	☐	4530	White
	☐	4528	Gray
Reliance Arm Mounted Manual Control Unit for 2HP, 1 Wet & 1 Dry w/ Flex Arm	☐	4529	White
	☐	4526	Gray

	Step 2 Configure Your Control Head Options							
	*(All tubings are **Gray**. If nothing is selected - highlighted positions will be used)*	Part Number	Handpiece Positions				
			0	1	2	3	4
✓	**DCI Precision Comfort Syringe and tubing**						
✓	**HP Tubing 4 Hole Asepsis**						
☐	ISO-C 6-Pin Standard 2 HP Illumination System (Includes a 9481 tubing)	9903					
☐	ISO 5-Hole Standard 2 HP Illumination System (Includes a 9976 tubing)	9898					
☐	ISO-C 6-Pin Economy HP Illumination System (Includes a 9481 tubing)	9878					
☐	ISO 5-Hole Economy HP Illumination System (Includes a 9976 tubing)	9883					
☐	Additional ISO-C 6-Pin Tubing Option for Illumination Systems	9481					
☐	Additional ISO 5-Hole Tubing Option for Illumination Systems	9976					
☐	Stainless Steel Tray	8013					
✓	**Disc-Type Foot Control**						
☐	Add scaler / chip air button to foot control	4346					
✓	**50" Flex Arm for 2" Post w/ Air Brake**						







4530 / 4528
4529 / 4526

Shown with optional Stainless Steel Tray (PN 8013). Sold separately.

Step 3 Configure Your Mounting Options		
		Part Number
☐	Wall Mount Bracket	8647 White / 8349 Gray
☐	Top Post Mount Adapter	8923 White / 8956 Gray
☐	Post, 24", w/ Oilite Bushing	4762 White / 4764 Gray
☐	Post, 30", w/ Oilite Bushing	4763 White / 4765 Gray

Step 4 Select Your Utility Center Options		
		Part Number
☐	Asepsis Self-Contained Deluxe QS Single Water System w/ 2 Liter Bottle & 2" Clamp	8928QS
☐	Asepsis Self-Contained Deluxe QS Dual Water System w/ 750 ml Bottle	8178QS
☐	Utility Center w/ White Box & Regulators	8329
☐	Wall & Cabinet Mount Assistant Instrumentation Premium Precision Comfort	5432
☐	Precision Comfort Assistant's Package, 2 HVE, SE, SYR (Requires 5373)	5364
☐	Vertical Mount Assistant's Holders, 4 Position	5373



8923 / 8956



4762 / 4764



8928QS



- Shown with optional Stainless Steel Tray (PN 8013). Sold separately
- Smooth lines for easing cleaning
- Automatic control for 2 handpieces
- Includes 8 Conductor Low Voltage Electrical Cable
- Includes a Precision Comfort® Syringe
- Available in left- or right-hand configuration
- 4-Hole Straight **Gray** Tubing is Standard

✓ - Standard Features ☐ - Choose Your Option

Step 1 Select Your Delivery System		Part Number	
Alternative Arm Mounted 2 Wet w/ Tray & White Flex Arm	☐	4129	White
Alternative Arm Mounted Manual Control, 1 Wet & 1 Dry w/ Tray & White Flex Arm	☐	4128	White

	Step 2 Configure Your Control Head Options							
	*(All tubings are **Gray**. If nothing is selected - highlighted positions will be used)*	Part Number	Handpiece Positions				
			0	1	2	3	4
✓	**DCI Precision Comfort Syringe and tubing**						
✓	**HP Tubing 4 Hole Asepsis**						
☐	ISO-C 6-Pin Standard 2 HP Illumination System (Includes a 9481 tubing)	9903					
☐	ISO 5-Hole Standard 2 HP Illumination System (Includes a 9976 tubing)	9898					
☐	ISO-C 6-Pin Economy HP Illumination System (Includes a 9481 tubing)	9878					
☐	ISO 5-Hole Economy HP Illumination System (Includes a 9976 tubing)	9883					
☐	Additional ISO-C 6-Pin Tubing Option for Illumination Systems	9481					
☐	Additional ISO 5-Hole Tubing Option for Illumination Systems	9976					
☐	Stainless Steel Tray	8013					
✓	**Standard Foot Control**						
☐	Add scaler / chip air button to foot control	4346					
✓	**50" Flex Arm for 2" Post w/ Air Brake**						



4128 / 4129

Shown with optional Stainless Steel Tray (PN 8013). Sold separately.

Step 3 Configure Your Mounting Options

		Part Number
☐	Wall Mount Bracket	8647 White
☐	Top Post Mount Adapter	8923 White
☐	Post, 24" White, w/ Oilite Bushing	4762
☐	Post, 30" White, w/ Oilite Bushing	4763

Step 4 Select Your Utility Center Options

		Part Number
☐	Asepsis Self-Contained Deluxe QS Single Water System w/ 2 Liter Bottle & 2" Clamp	8928QS
☐	Asepsis Self-Contained Deluxe QS Dual Water System w/ 750 ml Bottle	8178QS
☐	Utility Center w/ White Box & Regulators	8329
☐	Wall & Cabinet Mount Assistant Instrumentation Premium Precision Comfort	5432
☐	Precision Comfort Assistant's Package, 2 HVE, SE, SYR (Requires 5373)	5364
☐	Vertical Mount Assistant's Holders, 4 Position	5373



8329



5432



5373 / 5364

CABINET-MOUNTED DELIVERY SYSTEMS
2 & 3 HP W/ ASSISTANT'S PACKAGE



- Precision Comfort® Syringe
- Wet/Dry Foot Control
- Stainless-steel tray (PN 8013) and holder
- 7 ft. of 5/8" umbilical
- 4-Hole Straight **Gray** Tubing is Standard, with other tubing styles and colors available upon request.
- Economy Self-Contained Deluxe Water System w/ 2L Bottle

✓ - **Standard Features** ☐ - **Choose Your Option**

		Part Number
Step 1 Select Your Delivery System		
Reliance Cabinet Mount Automatic Control Unit for 3 HP, w/ Asst. Pkg	☐	4469
Reliance Cabinet Mount Manual Control Unit for 2 HP, w/ Asst. Pkg	☐	4521L

	Step 2 Configure Your Control Head Options *(All tubings are **Gray**. If nothing is selected - highlighted positions will be used)*	Part Number	Handpiece Positions 0	1	2	3	4
✓	**DCI Precision Comfort Syringe and tubing**						
✓	**HP Tubing 4 Hole Asepsis**						
☐	ISO-C 6-Pin Deluxe 3 HP Illumination System (Includes a 9481 tubing)	9886					
☐	ISO 5-Hole Deluxe 3 HP Illumination System (Includes a 9976 tubing)	9891					
☐	ISO-C 6-Pin Standard 2 HP Illumination System (Includes a 9481 tubing)	9903					
☐	ISO 5-Hole Standard 2 HP Illumination System (Includes a 9976 tubing)	9898					
☐	ISO-C 6-Pin Economy HP Illumination System (Includes a 9481 tubing)	9878					
☐	ISO 5-Hole Economy HP Illumination System (Includes a 9976 tubing)	9883					
☐	Additional ISO-C 6-Pin Tubing Option for Illumination Systems	9481					
☐	Additional ISO 5-Hole Tubing Option for Illumination Systems	9976					
☐	Delete HP Position 3	4344					
☐	Add HP Position (Position 4) Includes Block, Water Valve, Holder & HP Tubing	4467 White					
☐	Sub chassis for accessory integration (For 4469 Only)	4230					
✓	**Stainless Steel Tray**						
✓	**Disc-Type Foot Control**						
☐	Add scaler / chip air button to foot control	4346					
✓	**Economy Self-Contained Deluxe Water System w/ 2 Liter Bottle**	8143					




4469



4521L

Step 3 Configure Your Mounting Style		
		Part Number
☐	Horizontal Mount, 1/2", White	8379
✓	**Vertical Mount, 1/2" Pin, White**	**8378**
☐	Post Mount, 2", White	8259
✓	**Rigid Arm, 6", White (qty 2)**	**8337**
✓	**Rigid Arm, 8", Dual Pivot Arm, White**	**8338**



8379



8259



8337





- Automatic control for 3 handpieces
- Precision Comfort® Syringe
- Wet/Dry Foot Control
- 7 ft. of 5/8" umbilical
- 4-Hole Straight **Gray** Tubing is Standard, with other tubing styles and colors available upon request.


✓ - Standard Features ☐ - Choose Your Option

Step 1 Select Your Delivery System		Part Number	
Reliance Cabinet Mount Automatic Control Unit for 3 HP	☐	4470	White

Step 2 Configure Your Control Head Options								
	*(All tubings are **Gray**. If nothing is selected - highlighted positions will be used)*	Part Number	Handpiece Positions					
			0	1	2	3	4	
✓	**DCI Precision Comfort Syringe and tubing**							
✓	**HP Tubing 4 Hole Asepsis**							
☐	ISO-C 6-Pin Deluxe 3 HP Illumination System (Includes a 9481 tubing)	9886						
☐	ISO 5-Hole Deluxe 3 HP Illumination System (Includes a 9976 tubing)	9891						
☐	ISO-C 6-Pin Standard 2 HP Illumination System (Includes a 9481 tubing)	9903						
☐	ISO 5-Hole Standard 2 HP Illumination System (Includes a 9976 tubing)	9898						
☐	ISO-C 6-Pin Economy HP Illumination System (Includes a 9481 tubing)	9878						
☐	ISO 5-Hole Economy HP Illumination System (Includes a 9976 tubing)	9883						
☐	Additional ISO-C 6-Pin Tubing Option for Illumination Systems	9481						
☐	Additional ISO 5-Hole Tubing Option for Illumination Systems	9976						
☐	Delete HP Position 3	4344						
☐	Add HP Position (Position 4) Includes Block, Water Valve, Holder & HP Tubing	4467 White						
☐	Sub chassis for accessory integration	4230						
✓	**Wet/Dry Foot Control**							
☐	Add scaler / chip air button to foot control	4346						







4470



4470

Step 3 Configure Your Mounting Style

		Part Number
☐	Control Mount Bracket (for use with rigid arms)	8336 White / 8634 Gray
☐	Rigid Arm, 6"	8337 White / 8303 Gray
☐	Rigid Arm, 8", Dual Pivot Arm	8338 White / 8304 Gray
☐	Rigid Arm, 12"	8356 White / 8306 Gray
☐	Rigid Arm, 16"	8357 White / 8307 Gray
☐	Surface mount bracket vertical (for use with rigid arms)	8378 White / 8308 Gray
☐	Surface mount bracket horizontal (for use with rigid arms)	8379 White / 8309 Gray
☐	Surface mount bracket under counter mount (for use with rigid arms)	4289 White / 4291 Gray
☐	Post Mount, 2" (for use with rigid arms)	8259 White / 8253 Gray
☐	Post Top Mount, 2" (for use with rigid arms)	8489 White / 8294 Gray

Step 4 Select Your Utility Center Options

		Part Number
☐	Economy clean water system	8139QS
☐	Asepsis Dual clean water system	8178QS



8634, 8303, 4291



8634, 8304, 8294



8634, 8304, 8308

- Other mounting combinations possible



- Automatic control for 3 handpieces
- Precision Comfort® Syringe
- Wet/Dry Foot Control
- 7 ft. of 5/8" umbilical
- 4-Hole Straight **Gray** Tubing is Standard, with other tubing styles and colors available upon request.

✓ - Standard Features ☐ - Choose Your Option

Step 1 Select Your Delivery System		Part Number	
Alternative Cabinet or Wall Mount Automatic Control 3 HP	☐	4370	White

Step 2 Configure Your Control Head Options							
	*(All tubings are **Gray**. If nothing is selected - highlighted positions will be used)*	Part Number	Handpiece Positions				
			0	1	2	3	4
✓	**DCI Precision Comfort Syringe and tubing**						
✓	**HP Tubing 4 Hole Asepsis**						
☐	ISO-C 6-Pin Deluxe 3 HP Illumination System (Includes a 9481 tubing)	9886					
☐	ISO 5-Hole Deluxe 3 HP Illumination System (Includes a 9976 tubing)	9891					
☐	ISO-C 6-Pin Standard 2 HP Illumination System (Includes a 9481 tubing)	9903					
☐	ISO 5-Hole Standard 2 HP Illumination System (Includes a 9976 tubing)	9898					
☐	ISO-C 6-Pin Economy HP Illumination System (Includes a 9481 tubing)	9878					
☐	ISO 5-Hole Economy HP Illumination System (Includes a 9976 tubing)	9883					
☐	Additional ISO-C 6-Pin Tubing Option for Illumination Systems	9481					
☐	Additional ISO 5-Hole Tubing Option for Illumination Systems	9976					
☐	Delete HP Position 3	4344					
✓	**Wet/Dry Foot Control**						
☐	Add scaler / chip air button to foot control	4346					



4370

Step 3 Configure Your Mounting Style		
		Part Number
☐	Control Mount Bracket (for use with rigid arms)	8336 White / 8634 Gray
☐	Rigid Arm, 6"	8337 White / 8303 Gray
☐	Rigid Arm, 8", Dual Pivot Arm	8338 White / 8304 Gray
☐	Rigid Arm, 12"	8356 White / 8306 Gray
☐	Rigid Arm, 16"	8357 White / 8307 Gray
☐	Surface mount bracket vertical (for use with rigid arms)	8378 White / 8308 Gray
☐	Surface mount bracket horizontal (for use with rigid arms)	8379 White / 8309 Gray
☐	Surface mount bracket under counter mount (for use with rigid arms)	4289 White / 4291 Gray
☐	Post Mount, 2" (for use with rigid arms)	8259 White / 8253 Gray
☐	Post Top Mount, 2" (for use with rigid arms)	8489 White / 8294 Gray
Step 4 Select Your Additional Options		
		Part Number
☐	Economy clean water system	8139QS
☐	Asepsis Dual clean water system	8178QS



8634, 8303, 8294



8634, 8303, 8308



8634, 8303, 8308

- Other mounting combinations possible



- Manual control for 2 handpieces
- Precision Comfort® Syringe
- Standard Foot Control
- 7 ft. of 5/8" umbilical
- 4-Hole Straight **Gray** Tubing is Standard, with other tubing styles and colors available upon request.

✓ - Standard Features ☐ - Choose Your Option

Step 1 Select Your Delivery System		Part Number
Reliance Cabinet Mount Manual Control Unit for 2 HP, 2 Wet	☐	4521
Reliance Cabinet Mount Manual Control Unit for 2 HP, 1 Wet & 1 Dry	☐	4520

Step 2 Configure Your Control Head Options								
	*(All tubings are **Gray**. If nothing is selected - highlighted positions will be used)*	Part Number	Handpiece Positions				
			0	1	2	3	4
✓	**DCI Precision Comfort Syringe and tubing**						
✓	**HP Tubing 4 Hole Asepsis**						
☐	ISO-C 6-Pin Standard 2 HP Illumination System (Includes a 9481 tubing)	9903					
☐	ISO 5-Hole Standard 2 HP Illumination System (Includes a 9976 tubing)	9891					
☐	ISO-C 6-Pin Economy HP Illumination System (Includes a 9481 tubing)	9903					
☐	ISO 5-Hole Economy HP Illumination System (Includes a 9976 tubing)	9898					
☐	Additional ISO-C 6-Pin Tubing Option for Illumination Systems	9481					
☐	Additional ISO 5-Hole Tubing Option for Illumination Systems	9976					
✓	**Standard Foot Control**						
☐	Add scaler / chip air button to foot control	4346					



4520 / 4521

Step 3 Configure Your Mounting Style

		Part Number
☐	Control Mount Bracket (for use with rigid arms)	8336 White / 8634 Gray
☐	Rigid Arm, 6"	8337 White / 8303 Gray
☐	Rigid Arm, 8", Dual Pivot Arm	8338 White / 8304 Gray
☐	Rigid Arm, 12"	8356 White / 8306 Gray
☐	Rigid Arm, 16"	8357 White / 8307 Gray
☐	Surface mount bracket vertical (for use with rigid arms)	8378 White / 8308 Gray
☐	Surface mount bracket horizontal (for use with rigid arms)	8379 White / 8309 Gray
☐	Surface mount bracket under counter mount (for use with rigid arms)	4289 White / 4291 Gray
☐	Post Mount, 2" (for use with rigid arms)	8259 White / 8253 Gray
☐	Post Top Mount, 2" (for use with rigid arms)	8489 White / 8294 Gray

Step 4 Select Your Additional Options

		Part Number
☐	Economy clean water system	8139QS
☐	Asepsis Dual clean water system	8178QS



8634, 8303, 8306, 8253



8634, 8304, 8303, 8308



8634, 8303, 8306, 4291

- Other mounting combinations possible

CABINET-MOUNTED DELIVERY SYSTEMS
2 HP MANUAL



- Manual control for 2 handpieces
- Precision Comfort® Syringe
- Standard Foot Control
- 7 ft. of 5/8" umbilical
- 4-Hole Straight **Gray** Tubing is Standard, with other tubing styles and colors available upon request.

✓ - Standard Features ☐ - Choose Your Option

Step 1 Select Your Delivery System		Part Number
Alternative Cabinet or Wall Mount Manual Control, 1 Wet & 1 Dry	☐	4120
Alternative Cabinet or Wall Mount Manual Control, 2 Wet	☐	4121

Step 2 Configure Your Control Head Options								
	*(All tubings are **Gray**. If nothing is selected - highlighted positions will be used)*	Part Number	Handpiece Positions				
			0	1	2	3	4
✓	**DCI Precision Comfort Syringe and tubing**						
✓	**HP Tubing 4 Hole Asepsis**						
☐	ISO-C 6-Pin Standard 2 HP Illumination System (Includes a 9481 tubing)	9903					
☐	ISO 5-Hole Standard 2 HP Illumination System (Includes a 9976 tubing)	9898					
☐	ISO-C 6-Pin Economy HP Illumination System (Includes a 9481 tubing)	9878					
☐	ISO 5-Hole Economy HP Illumination System (Includes a 9976 tubing)	9883					
☐	Additional ISO-C 6-Pin Tubing Option for Illumination Systems	9481					
☐	Additional ISO 5-Hole Tubing Option for Illumination Systems	9976					
✓	**Standard Foot Control**						
☐	Add scaler / chip air button to foot control	4346					



4120 / 4121

Step 3 Configure Your Mounting Style		
		Part Number
☐	Control Mount Bracket (for use with rigid arms)	8336 White / 8634 Gray
☐	Rigid Arm, 6"	8337 White / 8303 Gray
☐	Rigid Arm, 8", Dual Pivot Arm	8338 White / 8304 Gray
☐	Rigid Arm, 12"	8356 White / 8306 Gray
☐	Rigid Arm, 16"	8357 White / 8307 Gray
☐	Surface mount bracket vertical (for use with rigid arms)	8378 White / 8308 Gray
☐	Surface mount bracket horizontal (for use with rigid arms)	8379 White / 8309 Gray
☐	Surface mount bracket under counter mount (for use with rigid arms)	4289 White / 4291 Gray
☐	Post Mount, 2" (for use with rigid arms)	8259 White / 8253 Gray
☐	Post Top Mount, 2" (for use with rigid arms)	8489 White / 8294 Gray
Step 4 Select Your Additional Options		
		Part Number
☐	Economy clean water system	8139QS
☐	Asepsis Dual clean water system	8178QS



8634, 8303, 4291



8634, 8303, 8294



8634, 8304, 8308

- Other mounting combinations possible



- 2 Handpiece Flex Arm System
- Can mount on 2" Post
- Choose between Automatic or Manual
- Precision Comfort® Syringe
- 6 ft. ½" Umbilical
- 4-Hole Straight **Gray** Tubing is Standard, with other tubing styles and colors available upon request.

✓ - Standard Features ☐ - Choose Your Option

Step 1 Select Your Delivery Unit		Part Number	
DCI III Automatic control for 2 Handpiece, 2 Wet	☐	4506	White
DCI III Manual control for 2 Handpiece, 1 Wet & 1 Dry	☐	4502	White

Step 2 Configure Your Control Head Options								
	*(All tubings are **Gray**. If nothing is selected - highlighted positions will be used)*	Part Number	Handpiece Positions					
			0	1	2	3	4	
✓	**DCI Precision Comfort Syringe and tubing**							
✓	**HP Tubing 4 Hole Asepsis**							
☐	ISO-C 6-Pin Standard 2 HP Illumination System (Includes a 9481 tubing)	9903						
☐	ISO 5-Hole Standard 2 HP Illumination System (Includes a 9976 tubing)	9898						
☐	ISO-C 6-Pin Economy HP Illumination System (Includes a 9481 tubing)	9878						
☐	ISO 5-Hole Economy HP Illumination System (Includes a 9976 tubing)	9883						
☐	Additional ISO-C 6-Pin Tubing Option for Illumination Systems	9481						
☐	Additional ISO 5-Hole Tubing Option for Illumination Systems	9976						
✓	**Individual Drive air controls**							
✓	**Foot Control**							
✓	**6 foot of 1/2" Umbilical**							
☐	Add scaler / chip air button to foot control	4346						



4506 / 4502

Step 3 Configure Your Mounting Style		
		Part Number
☐	Control Mount Bracket (for use with rigid arms)	8336 White / 8634 Gray
☐	Rigid Arm, 6"	8337 White / 8303 Gray
☐	Rigid Arm, 8", Dual Pivot Arm	8338 White / 8304 Gray
☐	Rigid Arm, 12"	8356 White / 8306 Gray
☐	Rigid Arm, 16"	8357 White / 8307 Gray
☐	Surface mount bracket vertical (for use with rigid arms)	8378 White / 8308 Gray
☐	Surface mount bracket horizontal (for use with rigid arms)	8379 White / 8309 Gray
☐	Surface mount bracket under counter mount (for use with rigid arms)	4289 White / 4291 Gray
☐	Post Mount, 2" (for use with rigid arms)	8259 White / 8253 Gray
☐	Post Top Mount, 2" (for use with rigid arms)	8489 White / 8294 Gray

Step 4 Select Your Additional Options			
☐	Economy clean water system	8139QS	
☐	Asepsis Dual clean water system	8178QS	



8634, 8303, 4291



8634, 8304, 8294



8634, 8304, 8308

- Other mounting combinations possible



- Can mount on 2" Post
- Precision Comfort® Syringe
- 6 ft. ½" Umbilical
- 4-Hole Straight **Gray** Tubing is Standard, with other tubing styles and colors available upon request.
- Dimensions: 6" x 4 1/4" x 2 1/4"

✓ - Standard Features ☐ - Choose Your Option

Step 1 Select Your Delivery Unit		Part Number	
DCI II manual control for 2 handpiece, 2 Wet	☐	4106	White
DCI II manual control for 2 handpiece 1 Wet & 1 Dry	☐	4102	White

	Step 2 Configure Your Control Head Options *(All tubings are **Gray**. If nothing is selected - highlighted positions will be used)*	Part Number	Handpiece Positions 0	1	2	3	4
✓	**DCI Precision Comfort Syringe and tubing**						
✓	**HP Tubing 4 Hole Asepsis**						
☐	ISO-C 6-Pin Standard 2 HP Illumination System (Includes a 9481 tubing)	9903					
☐	ISO 5-Hole Standard 2 HP Illumination System (Includes a 9976 tubing)	9898					
☐	ISO-C 6-Pin Economy HP Illumination System (Includes a 9481 tubing)	9878					
☐	ISO 5-Hole Economy HP Illumination System (Includes a 9976 tubing)	9883					
☐	Additional ISO-C 6-Pin Tubing Option for Illumination Systems	9481					
☐	Additional ISO 5-Hole Tubing Option for Illumination Systems	9976					
✓	**Individual Drive air controls**						
✓	**Economy Foot Control**						
✓	**6 foot of 1/2" Umbilical**						
☐	Add scaler / chip air button to foot control	4346					



4102 / 4106

Step 3 Configure Your Mounting Style		
		Part Number
☐	Control Mount Bracket (for use with rigid arms)	8336 White / 8634 Gray
☐	Rigid Arm, 6"	8337 White / 8303 Gray
☐	Rigid Arm, 8", Dual Pivot Arm	8338 White / 8304 Gray
☐	Rigid Arm, 12"	8356 White / 8306 Gray
☐	Rigid Arm, 16"	8357 White / 8307 Gray
☐	Surface mount bracket vertical (for use with rigid arms)	8378 White / 8308 Gray
☐	Surface mount bracket horizontal (for use with rigid arms)	8379 White / 8309 Gray
☐	Surface mount bracket under counter mount (for use with rigid arms)	4289 White / 4291 Gray
☐	Post Mount, 2" (for use with rigid arms)	8259 White / 8253 Gray
☐	Post Top Mount, 2" (for use with rigid arms)	8489 White / 8294 Gray

Step 4 Select Your Additional Options			
☐	Economy clean water system	8139QS	
☐	Asepsis Dual clean water system	8178QS	



8634, 8303, 8306, 8253



8634, 8308



8634, 8304, 8303, 8308



- Individual drive air & water coolant controls
- Precision Comfort® Syringe
- Wet/Dry foot control
- Control dimensions: 8 1/2" x 1 3/4" x 5"
- Cut-out dimensions: 7 1/2" x 1 1/2"
- Horizontal system can be mounted to top or bottom of surface
- 4-Hole Straight **Gray** Tubing is Standard, with other tubing styles and colors available upon request.

✓ - Standard Features ☐ - Choose Your Option

Step 1 Select Your Delivery Unit		Part Number	
Panel Mount Automatic Control for 3 HP	☐	4415	White
Horizontal Mount Automatic Control for 3 HP	☐	4416	White

Step 2 Configure Your Control Head Options			Handpiece Positions				
	*(All tubings are **Gray**. If nothing is selected - highlighted positions will be used)*	Part Number	0	1	2	3	4
✓	**DCI Precision Comfort Syringe and tubing**						
✓	**HP Tubing 4 Hole Asepsis**						
☐	ISO-C 6-Pin Deluxe 3 HP Illumination System (Includes a 9481 tubing)	9886					
☐	ISO 5-Hole Deluxe 3 HP Illumination System (Includes a 9976 tubing)	9891					
☐	ISO-C 6-Pin Standard 2 HP Illumination System (Includes a 9481 tubing)	9903					
☐	ISO 5-Hole Standard 2 HP Illumination System (Includes a 9976 tubing)	9898					
☐	ISO-C 6-Pin Economy HP Illumination System (Includes a 9481 tubing)	9878					
☐	ISO 5-Hole Economy HP Illumination System (Includes a 9976 tubing)	9883					
☐	Additional ISO-C 6-Pin Tubing Option for Illumination Systems	9481					
☐	Additional ISO 5-Hole Tubing Option for Illumination Systems	9976					
✓	**Individual Drive air & water coolant controls**						
✓	**Wet/Dry Foot Control**						
✓	**6 foot of 1/2" Umbilical**						
☐	Add scaler / chip air button to foot control	4346					







4415



4416

Step 3 Select Your Additional Options		
☐	Holder Bar, Under Counter Swing Mount, White	4445
☐	Asepsis Dual clean water system	8178QS
☐	Economy clean water system	8139QS
☐	Wall & Cabinet Mount Assistant's Instrumentation Premium Precision Comfort	5432
☐	Precision Comfort Assistant's Package, 2 HVE, SE, SYR	5364
☐	Vertical Mount Assistant's Holders, 4 Position	5373



4445



8178QS



8139QS



- Individual drive air & water coolant controls
- Precision Comfort® Syringe
- Economy foot control
- Control dimensions: 8 1/2" x 1 3/4" x 5"
- Cut-out dimensions: 7 1/2" x 1 1/2"
- Horizontal system can be mounted to top or bottom of surface
- 4-Hole Straight **Gray** Tubing is Standard, with other tubing styles and colors available upon request.

✓ - Standard Features ☐ - Choose Your Option		Part Number	
Step 1 Select Your Delivery Unit			
Panel Mount Manual Control for 2 HP	☐	4400	White
Horizontal Mount Manual Control for 2 HP	☐	4401	White

Step 2 Configure Your Control Head Options								
	*(All tubings are **Gray**. If nothing is selected - highlighted positions will be used)*	Part Number	Handpiece Positions				
			0	1	2	3	4
✓	**DCI Precision Comfort Syringe and tubing**						
✓	**HP Tubing 4 Hole Asepsis**						
☐	ISO-C 6-Pin Standard 2 HP Illumination System (Includes a 9481 tubing)	9903					
☐	ISO 5-Hole Standard 2 HP Illumination System (Includes a 9976 tubing)	9898					
☐	ISO-C 6-Pin Economy HP Illumination System (Includes a 9481 tubing)	9878					
☐	ISO 5-Hole Economy HP Illumination System (Includes a 9976 tubing)	9883					
☐	Additional ISO-C 6-Pin Tubing Option for Illumination Systems	9481					
☐	Additional ISO 5-Hole Tubing Option for Illumination Systems	9976					
✓	**Individual Drive air & water coolant controls**						
✓	**Economy Foot Control**						
✓	**6 foot of 1/2" Umbilical**						
☐	Add scaler / chip air button to foot control	4346					







4400



4401

Step 3 Select Your Additional Options		
☐	Holder Bar, Under Counter Swing Mount, White	4445
☐	Asepsis Dual clean water system	8178QS
☐	Economy clean water system	8139QS
☐	Wall & Cabinet Mount Assistant's Instrumentation Premium Precision Comfort	5432
☐	Precision Comfort Assistant's Package, 2 HVE, SE, SYR	5364
☐	Vertical Mount Assistant's Holders, 4 Position	5373



5432



5373 / 5364



4378

Automatic Control Unit, 3 HP, for A-dec® Cascade®

The Arm Mounted Automatic Control Unit features a new, simplified design with straightforward internals such as a single diaphragm control block without any moving pistons, springs, or O-rings and a simple combination valve for water flow control. This unit is a direct replacement for A-dec® Cascade® models.

- Quick install that takes less than an hour
- Replacement for A-dec® Cascade®
- 12 ft. color matched internal umbilical
- Color matched to original A-dec® Surf
- Individual Non-retracting Water Coolant
- Includes Precision Comfort® Syringe


✓ - Standard Features ☐ - Choose Your Option		Part Number	
Step 1 Choose Your Delivery Unit			
Arm Mounted Automatic Control Unit for 3 HP, to Fit A-dec® Cascade®	☐	4378	Surf

A-dec® and Cascade® are registered trademarks of A-dec®, Inc. These parts are manufactured by DCI to fit A-dec® equipment. DCI has no affiliation with A-dec® and A-dec® has not authorized DCI replacement parts to be used on or in connection with A-dec® products.



Direct Replacement

PN 4378, Arm-Mounted Automatic Control Unit is a direct replacement for all Cascade® models with a 2" head mount. The smooth asepsis design, sand color, and standard features make it perfect for replacing a standard Cascade® unit.



Simplified Design

The simplified design adds individual holders for easier upkeep and a more reliable robust mount.



Matching Features

This three HP automatic unit comes with an air/water syringe, individual water flow control, chip air adjustment, flush system, and brake activation on the left and right side of the head.

The Arm Mounted Automatic Control Unit comes standard with a full length 12' umbilical

If the original umbilical is damaged, string the new one to the junction box or cut the umbilical short. Then, match the colors and align them together at the upper 2" control mount.



4378

A-dec® and Cascade® are registered trademarks of A-dec®, Inc. These parts are manufactured by DCI to fit A-dec® equipment. DCI has no affiliation with A-dec® and A-dec® has not authorized DCI replacement parts to be used on or in connection with A-dec® products.



4446

Pelton & Crane® Executive Conversion Kit


Direct-fit replacement for Pelton & Crane® OEM Executive Unit with a modern upgrade. The P&C Executive Conversion Kit can also be used as a slide-out dental unit, on any cabinet with a 12.5" opening.

- Precision Comfort® Premium Autoclavable Vacuum Valves, 2 HVE, 1 SE
- Includes 8323 utility center
- Automatic handpiece holders w/ manual lockout toggle
- Variable speed disc-type foot control w/ wet/dry toggle
- Precision Comfort® three-way syringe
- Dimensions: 12 1/2" x 18" x 4 1/2"
- 6 ft. Umbilical

✓ - Standard Features ☐ - Choose Your Option

Step 1 Choose Your Delivery Unit		Part Number
Pelton & Crane Executive Conversion Kit	☐	4446





6559



4198

Air & Water Auxiliary QD Panel

- 1/4" Water quick connect w/ flow control
- 3/8" Air quick connect w/ on/off switch
- Dimensions: 3" x 4"
- Available in white or gray


Laboratory Handpiece Control Kit

- Requires air only
- 4-hole handpiece tubing
- Handpiece holder & bar
- Economy foot control
- Air regulator w/ gauge


✓ - Standard Features ☐ - Choose Your Option

Step 1 Choose Your Delivery Unit		Part Number	
Air & Water Auxiliary QD Panel	☐	6569	White
	☐	6559	Gray
Laboratory Handpiece Control Kit	☐	4198	Gray


Reliance LED Operatory Post Mount Light




Reliance Over the Patient Automatic Delivery System




Reliance Swing Mount Pole w/ Automatic Delivery System & Light Pole




Reliance Over the Patient Automatic Delivery System w/ PMU & Assistant's Package




Reliance Automatic Cart






Carts w/ U-Frames
Models:
R4511
R4540


DCI III Manual Unit 4502




Reliance Automatic Control




Reliance Automatic Cart Unit R4511, R4540 & R4542




DCI III Manual Unit 4502




Alternative Manual Control 4120 & 4121




Alternative Automatic Control 4370



Panel & Horizontal Surface Mount Control 4415 & 4416



Panel & Horizontal Surface Mount Control 4400 & 4401



NOTES

Retail pricing
available at
dciparts.com

Operatory Accessories




62-64
Water Systems


65-66
Water System Accessories

ILLUSTRATED Parts Breakdown
67-68
Illustrated Parts Breakdown & Dimensional Measurements



8143

Economy Self-Contained Water Systems

The Economy Self-Contained Water Systems are pressure-controlled by an adjustable regulator and feature a gauge that displays the bottle pressure. They can be mounted to any flat vertical surface as well as the capability to be attached to a post-mount. The available water systems are now available with the built-in quick-switch option.

FEATURED



8143

Economy Self-Contained Water Systems

PN **8143** 2-Liter Deluxe System

PN **8143QS** 2-Liter Deluxe System w/ Quick-Switch

- Deluxe models have a selector toggle allowing you to switch between city & bottled water
- 750 ml & 2 liter heavy duty bottles
- Standard 28mm thread or patented quick-switch system for water bottle
- Gauge 7260 shows bottle pressure
- Bracket mounts to any flat vertical surface
- Optional post-mount available
- On/off toggle releases bottle pressure

Water System Quick-Switch



Push the bottle up into the cylinder opening



Twist bottle to the right until it clicks in

Now offering the quick-switch bottle system integrated into the clean water systems for your convenience. The QS system allows you to remove and replace water bottles with speed and ease.

FEATURED

Economy Self-Contained Water Systems



8145QS



8162

PN **8144**	2-Liter Standard System
PN **8144QS**	2-Liter Standard System w/ Quick-Switch
PN **8143**	2-Liter Deluxe System
PN **8143QS**	2-Liter Deluxe System w/ Quick-Switch
PN **4788**	1-Liter Deluxe System
PN **8145**	750-ml Standard System (includes extra bottle)
PN **8145QS**	750-ml Standard System w/ Quick-Switch (includes extra bottle)
PN **8139**	750-ml Deluxe System (includes extra bottle)
PN **8139QS**	750-ml Deluxe System w/ Quick-Switch (includes extra bottle)
PN **8137**	Adapter to Mount Water System to 2" Post Anodized Aluminum
PN **8162**	Adapter to Mount Water System to 2" Post White Powder Coat

- Deluxe models have a selector toggle allowing you to switch between city & bottled water
- 750 ml & 2 liter heavy duty bottles
- Standard 28mm thread or patented quick-switch system for water bottle
- Gauge 7260 shows bottle pressure
- Bracket mounts to any flat vertical surface
- Optional post-mount available
- On/off toggle releases bottle pressure

PAGE 67 ILLUSTRATED Parts Breakdown

FEATURED

Asepsis Self-Contained Water Systems



8178



8162



8184QS

PN **8177** Dual 750-ml Asepsis Standard System

PN **8177QS** Dual 750-ml Asepsis Standard System w/ Quick-Switch

PN **8178** Dual 750-ml Asepsis Deluxe System

PN **8178QS** Dual 750-ml Asepsis Deluxe System w/ Quick-Switch

PN **8179** Dual 2-liter Asepsis Standard System

PN **8179QS** Dual 2-Liter Asepsis Standard System w/ Quick-Switch

PN **8180** Dual 2-liter Asepsis Deluxe System

PN **8180QS** Dual 2-Liter Asepsis Deluxe System w/ Quick-Switch

PN **8181** Single 750-ml Asepsis Standard System (includes extra bottle)

PN **8181QS** Single 750-ml Asepsis Standard System w/ Quick Switch (includes extra bottle)

PN **8182** Single 750-ml Asepsis Deluxe System (includes extra bottle)

PN **8182QS** Single 750-ml Asepsis Deluxe System w/ Quick Switch (includes extra bottle)

PN **8183** Single 2-liter Asepsis Standard System

PN **8183QS** Single 2-Liter Asepsis Standard System w/ Quick-Switch

PN **8184** Single 2-liter Asepsis Deluxe System

PN **8184QS** Single 2-Liter Asepsis Deluxe System w/ Quick-Switch

PN **8137** Adapter to Mount Water System to 2" Post Anodized Aluminum

PN **8162** Adapter to Mount Water System to 2" Post White Powder Coat

PN **8928** Asepsis Self-Contained Deluxe Single Water System w/ 2 Liter Bottle & 2" Clamp

PN **8928QS** Asepsis Self-Contained Deluxe QS Single Water System

- Deluxe models have a selector toggle allowing you to switch between city & bottled water
- Models for 750-ml & 2-liter bottles
- Standard 28mm thread or patented quick-switch system for water bottle
- Pressure gauge 7265
- Mounts to vertical surfaces
- Optional post-mount available
- On/off toggle releases bottle pressure
- Air purge toggle
- Metal cover w/ white powder coat finish

FEATURED

DCI Quick-Switch Water Bottle System


8942


8946


8941


8943

PN **8941**	Kit (contains converter & adapter)
PN **8942**	Converter, Manifold QS w/ O-Ring
PN **8943**	Adapter, Bottle QS w/ Washer
PN **8944**	Adapter, Bottle QS (pkg of 5)
PN **2297**	O-Ring for Converter Manifold (pkg of 12)
PN **8134QS**	Universal Quick-Switch Manifold w/Barbs
PN **4790**	Quick-Switch Manifold Assy w/ Gauge Port
PN **8946**	Integrated Quick-Switch Manifold
PN **8947**	Cap 1.5 Diameter (for QS bottle)

- Easy installation requires no tools
- Saves time in changing bottles
- Self-locking feature ensures proper positioning when pressurized
- Automatic pressure release when removing bottle
- Patented design exclusive to DCI

FEATURED

Heavy-Duty Bottles for Dental Unit Water Systems


PN **8128**	750 ml Plastic Bottle w/ Cap & Pick-Up Tube
PN **8669**	1-Liter Plastic Bottle w/ Cap & Pick-Up Tube
PN **6934**	1.5 Liter Bottle w/Cap & Pick-up Tube
PN **8669QS**	1-Liter Plastic Bottle w/Quick-Switch Bottle Adapter
PN **8164**	2-Liter Plastic Bottle w/ Cap & Pick-Up Tube
PN **8126**	Bottle Cap (for screw-on bottle)



8669 8164
8128

Standard Bottles

- Heavy wall construction, safely operated at normal water system pressure
- High Density Polyethylene (HDPE) is compatible w/ coolant liquids used in dentistry
- Can be used on most Dental Systems (w/ the Universal Manifold 8134 or 8119)
- Bottle dimensions:
  (750-ml, 3" W x 9 1/2" H),
  (1-liter, 3 1/2"W x 11" H),
  (2-liter, 4" W x 13 7/8" H)
- Standard 28 mm threads
- Washer now included!

FEATURED







Water System Component Parts

PN **0165**	Barb, 1/16" for Water System Manifold
PN **0166**	Barb, 1/8" for Water System Manifold
PN **8134**	Universal Manifold w/ Barbs (fits most dental water systems)
PN **8134QS**	Universal Quick-Switch Manifold with Barbs
PN **8136**	Manifold Washer • .720 ID x 1.063 OD
PN **8146**	Manifold Assembly w/ 750 ml Bottle for Water Systems
PN **8147**	Manifold Assembly w/ 2 Liter Bottle for Water Systems
PN **8119**	Universal Manifold, Long Self Centering Neck, w/ Barbs
PN **8037**	Pick-up Tube for 750 ml Bottle
PN **8038**	Pick-up Tube for 2 L Bottle
PN **8039**	Pick-up Tube for 1 L Bottle


TECH TIP

Is your water bottle filling up with water?


Water leaking out of the on/off toggle?

Air in the water?


One of the more common failures of water bottle systems is the routing valve. Routing toggles are used in multiple places on the water bottle system; the purge, bottle selector and city/bottle selector. A failure of the purge can cause an air/water crossover condition while a failure of the city/bottle switch can cause a bottle to fill up, resulting in water getting into the on/off toggle and leaking out. Replace routing valve with PN 7001.



Economy Self-Contained Water System 8143




Asepsis Self-Contained Water System 8178



Part numbers	Dimensions
8144, 8143	3" x 5" x 16"
8145, 8139	3" x 5" x 12"
8177, 8178	8 1/4" x 4 1/2" x 13"
8179, 8180	8 1/4" x 4 1/2" x 17"
8181, 8182	5" x 4 1/2" x 13"
8183, 8184	5" x 4 1/2" x 17"

Retail pricing
available at
dciparts.com

Handpiece Accessories & Power Optics





70-75

Handpiece
Light Source Systems



76

Replacement
Handpiece Bulbs



77-78

Handpiece Connectors,
Gaskets & Tools



79

Handpiece
Flush System



80-81

DCI Handpiece Blocks
& Accessories



82

Handpiece Tubing



New Deluxe and Economy System Kits

The New Handpiece Illumination Systems are available in Deluxe 3, Standard Dual, and Economy Single Handpiece Light Source System. These systems feature a voltage regulation and variable voltage output, which ensures a longer bulb life as well as adaptation to many manufacturers' handpiece voltage requirements.

FEATURED



ISO-C 6-Pin Deluxe 3 HP Illumination System, 7'

DARK SURF	GRAY	LT SAND	STERLING	BLACK
9887	9886	9894	9885	9888

Kit includes:

8311 Deluxe 3 Handpiece Light Source System
9358 Transformer, 120 VAC 50/60 HZ, Output 9VDC 2.2A
9499 5-Hole to 6-pin Converter
Universal ISO-C 6-Pin Power Optic Tubing, 7ft



ISO 5-Hole Deluxe 3 HP Illumination System, 7'

DARK SURF	GRAY	LT SAND	STERLING	BLACK
9892	9891	9890	9889	9893


Kit includes:

8311 Deluxe 3 Handpiece Light Source System
9358 Transformer, 120 VAC 50/60 HZ, Output 9VDC 2.2A
9395 Universal Tubing LED Bulb 3.5v DC
Universal ISO-C 6-Pin Power Optic Tubing, 7ft
- Preset at 3.5v DC


5-Hole & 6-Pin Illumination Systems



Easily toggle between 6-Pin and 5-Hole Each system features tubings that can be easily converted at the handpiece terminal.



Reduces Wrist Fatigue
The shorter terminal nut for the 5-hole tubings creates less weight on the wrist.



5 Colors Available
Our selection of tubing colors are great for matching popular manufacturer colors.

FEATURED

ISO-C 6-Pin Standard 2 HP System, 7' Tubing



9905

DARK SURF	GRAY	LT SAND	STERLING	BLACK
9902	9903	9904	9905	9901

Kit includes:

9348 Standard Dual Handpiece Light Source System
9358 Transformer, 120 VAC 50/60 HZ, Output 9VDC 2.2A
9499 5-Hole to 6-pin Converter Universal ISO-C 6-Pin Power Optic Tubing, 7ft

ISO 5-Hole Standard 2 HP System, 7' Tubing



9896

DARK SURF	GRAY	LT SAND	STERLING	BLACK
9897	9898	9899	9900	9896

Kit includes:

9348 Standard Dual Handpiece Light Source System
9358 Transformer, 120 VAC 50/60 HZ, Output 9VDC 2.2A
9395 Universal Tubing LED Bulb 3.5v DC
Universal ISO-C 6-Pin Power Optic Tubing, 7ft
- Preset at 3.5v DC

FEATURED

ISO-C 6-Pin Economy 1 HP System, 7' Tubing



9878

DARK SURF	GRAY	LT SAND	STERLING	BLACK
9879	9878	9877	9876	9880

Kit includes:

8313 Economy Single Handpiece Light Source System
9358 Transformer, 120 VAC 50/60 HZ, Output 9VDC 2.2A
9499 5-Hole to 6-pin Converter Universal ISO-C 6-Pin Power Optic Tubing, 7ft

ISO 5-Hole Economy 1 HP System, 7' Tubing



9895

DARK SURF	GRAY	LT SAND	STERLING	BLACK
9884	9883	9882	9881	9895

Kit includes:

8313 Economy Single Handpiece Light Source System
9358 Transformer, 120 VAC 50/60 HZ, Output 9VDC 2.2A
9395 Universal Tubing LED Bulb 3.5v DC
Universal ISO-C 6-Pin Power Optic Tubing, 7ft
- Preset at 3.5v DC

FEATURED SHEATHED TUBING KIT

Sheathed 5-Hole & 6-Pin Tubing Kit



9955

The Sheathed 5-Hole & 6-Pin Tubing Kit comes with the tubing bundle, adaptor and bulb. These kits can be used as direct replacements for popular manufacturers' swivel tubing.



Strong and easy to clean.
The Silcryn™ tubing features a supple finish which helps it gracefully glide along other tubing and surfaces, a velvety matte finish that looks great in any operatory.



3 Colors Available
Our selection of tubing colors are great for matching popular manufacturer colors.



Easily toggle between 6-Pin and 5-Hole
Each system features tubings that can be easily converted at the handpiece terminal.

Sheathed 5-Hole & 6-Pin Tubing Kit

DARK SURF	GRAY	STERLING	
9955	**9957**	**9959**	5.5'
9956	**9958**	**9960**	7'

Kit includes:

9499 5-Hole to 6-pin Converter, HP Tubing
9395 Universal Tubing LED Bulb 3.5v DC

- Requires 3.5v DC

FEATURED

Universal ISO-C 6-Pin Power Optics Tubing Kit



9475

DARK SURF	GRAY	LT SAND	STERLING	BLACK	
9475	**9476**	**9477**	**9478**	**9479**	5′ L
9480	**9481**	**9482**	**9483**	**9484**	7′ L
9485	**9486**	**9487**	**9488**	**9873**	10′ L
9489	**9490**	**9491**	**9492**	**9872**	12′ L

Kit includes:

9499 5-Hole to 6-Pin Converter

FEATURED

Universal ISO 5-Hole Power Optics Tubing Kit



9970

DARK SURF	GRAY	LT SAND	STERLING	BLACK	
9970	**9971**	**9972**	**9973**	**9974**	5′ L
9975	**9976**	**9977**	**9978**	**9979**	7′ L
9980	**9981**	**9982**	**9983**	**9875**	10′ L
9984	**9985**	**9986**	**9987**	**9874**	12′ L

Kit includes:

9395 Universal Tubing LED Bulb 3.5v DC

- Requires 3.5v DC

FEATURED

Universal Power Optic Tubing Converter & Bulb



9499

PN **9499** 5-Hole to 6-pin Converter for HP Tubing

PN **9395** Universal Tubing LED Bulb 3.5v DC

- Fits DCI Universal ISO-C/ISO tubing, Midwest XGT, Stylus & Stylus ATC handpieces, and Beaverstate

Discover DCI's **Power Optic System**

Any power, any light, any time!

Connects to a wide range of existing power supplies | **Extended bulb life** | **Instant-on setting for LED Bulbs**

Deluxe 3 Handpiece Light Source System



8311

PN **8353** Deluxe Power Pack 3 Position w/ Transformer
PN **8311** Deluxe Power Pack 3 Position
PN **9358** 120V to 9VDC 2.2 Amp Transformer

- Input Voltage of 7.5-9 VAC/DC, 1.2-2.2 Amp (Not polarity sensitive)
- Output Voltage of 2.6-5.5V, 1.2 Amp
- Voltage ramps up to improve bulb life
- Activation with Positive or Negative Air Pressure
- 10 Preset Output Voltages (No Meter Required)
- Instant on and adjustable delay settings
- Powers up to 3 Handpieces
- Small Compact Size 3 1/8" x 2 1/4" x 1"

Standard Dual Handpiece Light Source System



9378

PN **9378** Deluxe Dual Handpiece Power Pack w/ Transformer
PN **9348** Deluxe Dual Handpiece Power Pack

Economy Single Handpiece Light Source System



8313

Integrated adjustable voltage regulator

PN **8404** Deluxe Single Power Pack w/Transformer
PN **8313** Deluxe Single Power Pack
PN **9358** 120V to 9VDC 2.2 Amp Transformer

- Input Voltage of 7.5-9 VAC/DC, 1.2-2.2 Amp (Not polarity sensitive)
- Output Voltage of 2.5-4.2V 1.2 Amp
- Positive Activation Pressure
- Variable Voltage Output
- Powers 1 Handpiece
- Small Compact Size 3" x 1" x 1"

Transformer for Deluxe, Standard and Economy Circuit Power Pack


9358

PN **9358** 120 VAC
PN **9359** 230 VAC

9358:
- 120V to 9VDC. 2.2 Amps

9359:
- 230 VAC 50/60 HZ to 9VDC. 2.2 Amps
- Comes with multiple international outlet adapters



5-Hole Lamp Module

PN **9603** LED Lamp module RED gasket for use w/ power optic tubings

PN **9604** LED Lamp module BLACK gasket (old style) for use w/ older system 6000 and DCI equipment tubings

- LED provides longer bulb life
- **9603:** Drive Air & Exhaust Ports are DIFFERENT in outer diameter
- **9604:** Drive Air & Exhaust Ports are the SAME in outer diameter



Metal Terminal Nuts

PN **8815** Terminal Nut, Short
PN **8814** Terminal Nut, Long

8815:

- For use on power optic tubing using no lamp module
- Converts ISO to ISO-C tubing
- Metal construction, threaded

8814:

- For use on ISO power optic tubing w/ lamp module 8813
- Converts ISO-C to ISO style tubing
- Metal construction, threaded



Fiber Optic Tubing Bundles

Straight Asepsis Tubing w/ Ground Wire for Touch System

GRAY	LT SAND	TUBING	BUNDLE
451	360	6'	8'
453	361	7'	10'
455	362	7'	14'
459	364	12'	14'

Straight Asepsis Tubing w/ 180° Swivel

582	583	7'	—

FEATURED

Replacement LED Handpiece Bulbs



PN **9372** LED Bulb

- Requires 3.5 Volt DC
- Fits Kavo Turbines & Micro Motors



PN **9374** LED Bulb

- Requires 3.5 Volt DC
- Fits Bien-Air Micro Motors



PN **9373** LED Bulb

- Requires 3.5 Volt DC
- Fits Sirona Turbines & Micro Motors



PN **9395** Universal Tubing LED Bulb 3.5v DC

- Fits DCI Universal ISO-C/ISO tubing, Midwest XGT, Stylus & Stylus ATC handpieces, and Beaverstate

Replacement Handpiece Bulbs



PN **9360** Bulb

- 3.5 Volt / 750 MA
- Fits Midwest XGT, Stylus & Stylus ATC handpieces (Midwest #790257R)
- Fits DCI Universal ISO-C/ISO tubing
- Beaverstate #016-010



PN **9361** Bulb (A-dec® #0.0220.7610)

- 3.5 Volt / 750 MA
- Fits A-dec® / W & H handpieces 896, 898, 898-LE, TA-96L & TA-98L



PN **9363** Bulb (A-dec® #041.317.00)

- For handpiece tubings made after 1988
- Xenon
- Fits A-dec® 5-hole handpiece tubing
- Fits Forest #0014-067



PN **9362** Bulb

- 3.3 Volt / 4 watt
- Kavo Lux coupler previous PN 553-3881
- Current PN 1002.2928
- Dabi Atlante

A-dec® is a registered trademark of A-dec, Inc. DCI has no affiliation with A-dec and A-dec has not authorized DCI replacement parts to be used on or in connection with A-dec® products.



4-Hole Connector and Nut

PN **120T** Nut & Metal Connector
PN **120N** Nut Only
PN **0120** Metal Connector Only



3-Hole Borden Connector and Nut

PN **121T** Nut & Metal Connector
PN **121N** Stainless Steel Nut Only
PN **0121** Metal Connector Only



Autoclavable Handpiece Gaskets

PN **0122** Gasket, 3-Hole Borden
PN **0123** Gasket, 4-Hole Midwest
PN **0124** Gasket, 5-Hole Midwest
PN **4710** Gasket, 6-Pin for 8813 Lamp Module
PN **4711** Gasket, 5-Hole Star
PN **4738** Gasket, 6-Pin for 8773 Lamp Module



Handpiece Tubing Adapters

PN **0954** 4-Hole Handpiece Tubing Inline Connector
PN **0956** To Install a 2 or 3-Hole Borden Handpiece on a 4-Hole Connector
PN **0957** To Install a 4-Hole Handpiece on a 2-Hole Borden Connector
PN **0958** To Install a 4-Hole Handpiece on a 3-Hole Borden Connector


7267


4706


8625


8627


8628

Handpiece Tools

Pressure Test Gauge

PN **7267** Handpiece Pressure Gauge
PN **7281** Replacement Gauge

- Measures drive air pressure with handpiece running
- 0-100 PSI gauge
- Fits both 6 pin and 5 hole handpieces

Repair Tools

PN **4706** Waterline Clearing Device

Burr Wrenches

PN **8625** Universal, Square Drive
PN **8627** For Midwest Quiet Air
PN **8628** For Midwest 8000 / Tradition


4726




4732

Replacement Seals & O-Rings for Handpieces

Coupler & Head Cap O-Rings

PN **4726** O-Ring for Midwest Stylus (pkg of 2)
PN **4728** O-Ring for Kavo Multiflex Coupler (pkg of 5)
PN **4731** O-Ring for NSK & Kinetic Vipor (pkg of 5)
PN **4732** O-Ring for Star 430 / Solara Coupler (pkg of 2)
PN **4733** O-Ring for Bien Air USA 5-Hole Coupler (pkg of 4)
PN **4734** O-Ring for Bien Air Euro 6-Pin Coupler (pkg of 3)
PN **4735** O-Ring for Sirona Coupler (pkg of 4)
PN **4736** O-Ring for W&H Roto Quick Couplers 904, 924, RQ-04 & RQ-24 (pkg of 3)



Replacement Assistina Filter

PN **2814** Replacement Assistina Filter (W&H # 0.02675200)

- In-line filter for 1/4" air line



4060

DCI Handpiece Flush System

PN **4060** Flush System (less adapter)

- For high speed handpieces only
- Provides regulated & filtered air for cleaning & aiding in the lubrication of handpieces
- Purges air & water coolant lines
- Compact table top model
- No foot control required
- Adjustable air pressure w/ easy to read gauge
- Bottle collects excess lubricant
- Aids in quick relubricating following autoclaving
- 35-micron filter
- Easy to clean surfaces
- Easy installation
- Requires 80 PSI, 1/4" tubing hook up
- Requires adapter – select from list below
- See page 189 for common 1/4" fittings, PN 0044 & 0053


4087


4098


4086


4090


4088


4111


4084


4089


4096

Adapters and Accessories

PN **4087** Borden Adapter
PN **4098** Henry Schein Adapter
PN **4086** KAVO Adapter for Kavo & Lares Swivel
PN **4090** Lares Adapter
PN **4088** Midwest 4 or 5 hole Adapter
PN **4111** Midwest XGT Adapter & Stylus w/ Swivel
PN **4084** NSK Adapter
PN **4089** Star Adapter
PN **4096** W & H Adapter
PN **4080** Replacement Bottle & Cap
PN **4076** Silicone Tubing, 6" Length


Handpiece Flush Adapter O-Rings

PN **2282** O-Ring, KAVO Adapter 4086 (pkg of 12)
PN **2257** O-Ring, Borden Adapter 4087 (pkg of 12)
PN **2284** O-Ring, Borden Adapter 4087 (pkg of 12)
PN **2254** O-Ring, Star Adapter 4089 (pkg of 12)
PN **2268** O-Ring, Star Adapter 4089 (pkg of 12)
PN **2281** O-Ring, Lares Adapter 4090 (pkg of 12)
PN **2286** O-Ring, Lares Adapter 4090 (pkg of 12)
PN **2287** O-Ring, W & H Adapter 4096 (pkg of 12)
PN **2288** O-Ring, W & H Adapter 4096 (pkg of 12)
PN **2257** O-Ring, H. Schein Adapter 4098 (pkg of 12)
PN **2254** O-Ring, H. Schein Adapter 4098 (pkg of 12)
PN **2299** O-Ring, Midwest XGT Adapter 4111 (pkg of 12)
PN **2295** O-Ring, Midwest XGT Adapter 4111 (pkg of 12)

FEATURED




4380



4421



4428



4427

Handpiece Block Single-Piece Assembly

PN **4380** Twin-Block w/ Long Adjustment Screws

PN **4382** Twin-Block w/ Std. Adjustment Screws

PN **4421** Tri-Block w/ Std. Adjustment Screws

PN **4435** Tri-Block w/ Long Adjustment Screws

- Used on DCI Edge Series 4/5 Delivery Systems

PN **4425** Quad-Block w/ Std. Adjustment Screws

PN **4438** Quad-Block w/ Long Adjustment Screws

- Used on DCI Edge Series 4/5 Delivery Systems

PN **4428** Quad-Block, Series 5, Knurled Adjustment Screws

PN **4427** Quin-Block w/Std. Adjustment Screws

PN **4432** Drive Air Adjusting Screw

PN **4426** Mounting Bracket

- Works with normally closed automatic handpiece holders
- Consistent flow control for handpiece pressure adjustments
- Higher output due to improved airflow
- Longer lasting diaphragm
- No internal cross-over of air or water
- Twin-Block dimensions, 1 1/2" x 1 1/2" x 1"
- Tri-Block dimensions, 2 3/8" x 1 1/2" x 1"
- Quad-Block dimensions, 3 1/8" x 1 1/2" x 1"
- Quin-Block dimensions, 3 3/4" x 1 1/2" x 1"

DCI Automatic Handpiece Block Diaphragms



4430

PN **4381** Diaphragm, Twin-Block
PN **4430** Diaphragm, Tri-Block
PN **4433** Diaphragm, Quad-Block
PN **4434** Diaphragm, Quin-Block

Handpiece Muffler and Oil Collector



PN **7321** Muffler

- Can be mounted through frame for removal from outside control head
- Will handle up to four handpieces
- Minimum back pressure
- Compact size to fit inside control head
- Filter media is standard cotton swab material

Tubing HP Exhaust Muffler



PN **0949** Exhaust Muffler



Asepsis 4-Hole Handpiece Tubing

DARK SURF	GRAY	LT SAND	STERLING	BLACK	
435CT	**432CT**	**433CT**	**436CT**	**431CT**	Coiled w/ Connector
435T	**432T**	**433T**	**436T**	**431T**	Straight 7 ft. w/ Connector
435	**432**	**433**	**436**	**431**	Straight (per ft.)
435R	**432R**	**433R**	**436R**	**431R**	100 ft. Roll
435B	**432B**	**433B**	**436B**	**431B**	100 ft. Box



Asepsis 3-Hole Handpiece Tubing

GRAY

322CT	Coiled w/ Connector
322T	Straight 7 ft. w/ Connector
322	Straight (per ft.)
322R	100 ft. Roll
322B	100 ft. Box



Standard 4-Hole Handpiece Tubing

GRAY

402CT	Coiled w/ Connector
402T	Straight 7 ft. w/ Connector
402	Straight (per ft.)
402R	100 ft. Roll
402B	100 ft. Box

Syringes

Retail pricing
available at
dciparts.com





84-85

Precision Comfort® Syringes



86-88

Quick-Clean® Syringes



89

Autoclavable Syringes



90

Syringe Tips



91-93

Syringe Speciality Tools & Repair Kits

ILLUSTRATED Parts Breakdown

94-96

Illustrated Parts Breakdown

FEATURED



3600

Precision Touch Buttons improve ergonomics & reduce hand fatigue

Comfort fit designed to reduce hand fatigue

Tips rotate in 10° increments, then lock into place for a total of 360°

PAGE 94 ILLUSTRATED Parts Breakdown

Precision Comfort® 3-Way Syringe

LESS TUBING	DARK SURF	GRAY	LT SAND	STERLING	BLACK	
3600						Syringe Only
3615						Syringe Head Only
	3609	3603	3605	3607	3601	Coiled Tubing
	3610	3604	3606	3608	3602	Straight Tubing (7')

Easy Online Ordering



Precision Comfort® Syringe Repair Kit

PN **3635** Precision Comfort Syringe Repair Kit w/ 2 buttons

FEATURED



3635

For Repair of Precision Comfort® Syringes

PN **3637** Precision Comfort Syringe Button w/ Spring

PN **3638** Precision Comfort Syringe Button w/ Spring (pkg of 10)

PN **3636** Precision Comfort Syringe Kit

PN **3635** Precision Comfort Syringe Repair Kit w/ 2 buttons

PN **3491** Syringe Handle

PN **3065** Syringe Tip Adapter Assy

PN **3089** Syringe Adapter Kit

PN **3631** Precision Comfort Syringe Repair Kit (Pre-2017)

- For DCI Syringes

DCI Precision Comfort® One-Button Syringe

LESS TUBING	DARK SURF	GRAY	LT SAND	STERLING	BLACK	
3640	**3645**	**3642**	**3643**	**3644**	**3641**	Syringe Only Straight Tubing (7')



3640

- Smooth contour for easy cleaning
- Quick-Change® tip disconnect
- Accepts standard autoclavable tips or disposable tips
- Precise control of air or water
- Asepsis tubing standard
- Includes service kit when purchased w/ tubing



3430

Quick-Clean® Standard Syringe

Smooth contours for quick, thorough cleaning

Quick-Change® tip disconnect

Uses standard autoclavable tips or disposable tips

Asepsis tubing standard

Includes service kit when purchased w/ tubing

VIDEO Visit the DCI Video Library for a demonstration on how to repair a Quick-Clean® syringe button.

PAGE 94 ILLUSTRATED Parts Breakdown

LESS TUBING	DARK SURF	GRAY	LT SAND	STERLING	BLACK	
3430						Syringe Only
3429						Syringe Head Only
	3444	3438	3440	3443	3436	Coiled Tubing
	3445	3439	3441	3442	3437	Straight Tubing (7')
3430C						Circulating Syringe, w/o Tubing

Easy Online Ordering


3098

Quick-Clean® Syringe Repair Kit

PN **3098** Quick-Clean® Syringe Repair Kit w/ 2 Buttons

FEATURED

Repair Parts for Quick-Clean® Standard & Euro-Style Syringes


3098

PN **3085** Quick-Clean Syringe Button & Conical Spring
PN **3099** Quick-Clean Syringe Button w/ Spring (pkg of 10)
PN **3066** Quick-Clean Syringe Repair Kit
PN **3098** Quick-Clean Syringe Repair Kit w/ 2 buttons
PN **9670** Button Spring Only
PN **0084** Kit 8-30 x 1/16" Barb/Washer (pkg of 10)
PN **0085** Washer 8-32 Nylon (pkg of 10)
PN **9648** Syringe Button Pin, Standard, Quick-Clean
PN **9651** Syringe Button Pin, Euro-Style, Quick-Clean
PN **3491** Syringe Handle
PN **3065** Syringe Tip Adapter Assy

Quick-Clean® Euro-Style Syringe

LESS TUBING	DARK SURF	GRAY	LT SAND	STERLING	BLACK	
3450	**3464**	**3459**	**3461**	**3463**	**3457**	Syringe Only Straight Tubing (7')


3450

PAGE 94 ILLUSTRATED Parts Breakdown


3470

PAGE 94 ILLUSTRATED Parts Breakdown

Quick-Clean® Valve Core Style Syringe

- Smooth contours for quick, thorough cleaning
- Quick-Change® tip disconnect
- Uses standard autoclavable tips or disposable tips
- Asepsis tubing standard
- Includes service kit when purchased w/ tubing

LESS TUBING	DARK SURF	GRAY	LT SAND	STERLING	BLACK	
3470						Syringe Only
	3483	**3478**	**3474**	**3482**	**3476**	Coiled Tubing
	3484	**3479**	**3475**	**3481**	**3477**	Straight Tubing (7')

FEATURED


3093


3076


3090

Repair Parts for Quick-Clean® Valve Core Style Syringes

PN **3093** Syringe Button w/ Spring
PN **9674** Spring Only
PN **3076** Syringe Repair Kit
PN **3090** Valve Core (pkg of 10)
PN **3034** Valve Core Syringe Button w/ Spring (pkg of 10)
PN **0084** Kit 8-30 x 1/16" Barb/Washer (pkg of 10)
PN **0085** Washer 8-32 Nylon (pkg of 10)

TECH TIP: HOW TO IDENTIFY WHICH SYRINGE YOU HAVE



VALVE CORE SYRINGE

- DCI logo on the top
- No pin or finger rest



QUICK-CLEAN® SYRINGE

- DCI logo on the top
- Features pin
- No finger rest



PRECISION COMFORT® SYRINGE

- Features pin, finger rest, and DCI logo on the side

Need help repairing your DCI syringe? Visit the DCI Partner Resource Center under Maintenance and Repair videos.

Easy Online Ordering



3370

DCI Autoclavable Syringes

- Complete handle & head assembly are fully autoclavable
- Quick-Change® tip disconnect
- Accepts standard autoclavable tips or disposable tips
- Includes service kit when purchased w/ tubing
- Asepsis tubing standard

PAGE 95 ILLUSTRATED Parts Breakdown

LESS TUBING	DARK SURF	GRAY	LT SAND	STERLING	
3369					Head, Handle & Q.D.
3370					Head, Handle
3320					Quick Disconnect
3325					Q.D. Holder
	3404				Coiled Tubing
	3405	**3379**	**3375**	**3398**	Straight Tubing (7')


3320 3350


Deluxe Autoclavable Euro-Style Syringe

PAGE 95 ILLUSTRATED Parts Breakdown

LESS TUBING	DARK SURF	GRAY	LT SAND	STERLING	BLACK	
3349						Head, Handle & Q.D.
3350						Head, Handle
	3406	**3359**	**3355**	**3361**	**3357**	Straight Tubing (7')

- Patented quick-disconnect turns air & water off when syringe is removed

FEATURED


3072 3092

Repair Parts for Autoclavable Syringes


PN **3092** Syringe Button w/ Spring
PN **9674** Spring Only
PN **3072** Syringe Repair Kit
PN **3036** Syringe Tubing Sleeve, Autoclavable
PN **3074** Syringe Handle
PN **3071** Syringe Tip Adapter Assembly


3088

DCI Syringe Adapter Kits

PN **3088** Autoclavable Syringe Adapter Kit

- Fits DCI Quick-Change® Tip Syringes
- Includes: 1 tip adapter assembly, 1 tip adapter spring, 1 tip adapter pin, 1 syringe head O-Ring, 1 5/32" hex wrench


3086 3045

Repair Parts for Autoclavable Euro-Style Syringes


PN **3086** Syringe Button & Conical Spring
PN **3045** Syringe Repair Kit

Autoclavable Indexing Tips



Interchangeable in most common syringe heads

Provides resistance to rotation in the DCI quick-change adapter to facilitate cheek retraction



Tips rotate in 10° increments, then lock into place for a total of 360°

- 3180 tips are standard in the Precision Comfort style DCI syringe

PN **3180** Indexing Syringe Tip (1 ea.)
PN **3181** Pkg of 5
PN **3182** Pkg of 50

Autoclavable Syringe Tips



PN **3060** Quick-Change® Autoclavable Tip (1 ea.)
PN **3061** Pkg of 5
PN **3059** Pkg of 50

- 3060 tips are standard in the Quick-Clean and Autoclavable Style DCI Syringe

NOTE: The autoclavable syringe tips are interchangeable and are used in syringes with the old style nut retainer and in the DCI Quick-Change® tip disconnect. The DCI syringe tips offer more air outlet ports than the A-dec® tip.

Autoclavable Syringe Tips to fit A-dec® Syringes



PN **3054** A-dec® Autoclavable (1 ea.)
PN **3055** Pkg of 5
PN **3056** Pkg of 50

- With alignment rings
- Autoclavable

A-dec® is a registered trademark of A-dec, Inc. DCI has no affiliation with A-dec and A-dec has not authorized DCI replacement parts to be used on or in connection with A-dec® products.

Easy Online Ordering

Syringe Tools


9287


PN **9287** DCI Syringe 3-in-1 Tool, Includes Valve Core Tool, Quick-Change® Adapter Tool & Button Pin Removal Tool
PN **8059** Syringe Button Removal Tool
PN **3097** Syringe Nut Wrench
PN **3096** Valve Core Tool
PN **9286** A-dec® Syringe Tool
PN **3033** Forest Syringe Button, Barb & Adapter Tool


8059


3033


3097


3096


9286

Syringe Water Heaters



3211

PN **3211** Air Actuated On/Off, 110/120 VAC

110 / 120 VAC Heater
- Solid state temperature control providing more uniform temperature
- Air actuated on/off control
- 4 1/4" high x 2" diameter
- Power "on" indicator light
- Safety overheat shut-off
- Hospital grade plug

220 / 240 VAC Heater
- Manual on/off control
- 4" high x 2" diameter
- Power "on" indicator light

A-dec® is a registered trademark of A-dec, Inc. DCI has no affiliation with A-dec and A-dec has not authorized DCI replacement parts to be used on or in connection with A-dec® products.

FEATURED



3024



9317

Flow Controls

PN **3021** Syringe Block
PN **3024** Syringe Block / Control Assy
PN **2110** Flow Adjusting Screw

- Allen adjusting screws for air & water
- Mounting hardware
- 10-32 Barbs for 1/8" & 1/4" O.D. tubing

PN **9317** Double Flow Restrictor

For Repair of DCI Syringes (Older Tip Retainer Nut Style)



3030

For syringes 3000, 3120, 3140 & 3160

PN **3030** Kit, Including Tip 3060

PN **3040** Kit, Less Syringe Tip

PN **3049** Syringe Tip Adapter, w/ O-Ring

PN **2040** Collet Cone, Plastic, for Nut-Type Syringe Tip Retainer

PN **2060** Syringe Tip Nut, Chrome

PN **9704** Allen Wrench 5/32 Hex

- Converts syringes w/ non-autoclavable tips
- Includes nut wrench & 5/32" hex key



3042

For valve core syringe 3000

PN **3042** Syringe Repair Kit



3080

PN **3080** For Valve Core Syringe

PN **3070** For Lever Syringe

Easy Online Ordering

Parts & Tools to fit A-dec® Syringes


9286

PN **9286** Tool to fit A-dec® Syringes

- Includes valve core tool, button retaining screw key and tip adapter key A-dec® #98.0010.00


9150

PN **9150** Syringe Button Screw (A-dec® #23.1193.01) (pkg of 5)

- Fits A-dec® Syringes produced 1995 & later


2041


3090

Fits Tri-Flow, lever, soft touch button & Continental® syringe

PN **3090** Valve Core (A-dec® #026.033.01) (pkg of 10)


9028


9186

Fits Tri-Flow syringes, soft touch button, lever & Continental® syringe

PN **9028** Conical Button Spring (A-dec® #013.038.01) (pkg of 10)

PN **9186** Button Assy to fit A-dec® Syringes (A-dec® #23.1232.00)

PN **9347** Repair Kit for A-dec® Soft Touch Syringe w/ 2 Buttons


9326


PN **9326** Service Kit to fit A-dec® Lever Syringes (A-dec® #23.1093.00)

Kit includes:


PN **3070** Button for Lever Syringe (A-dec® #23.0048.00)
PN **9028** Conical Button Spring (A-dec® #013.038.01)
PN **8034** Silicone Lubricant 1 (A-dec® #98.0090.00)

A-dec® and Continental® are registered trademarks of A-dec, Inc. DCI has no affiliation with A-dec and A-dec has not authorized DCI replacement parts to be used on or in connection with A-dec® products.


Precision Comfort® Syringe




Precision Comfort® One-Button Syringe



Quick-Clean® Valve Core Syringe




Quick-Clean® Standard Syringe




Easy Online Ordering


Autoclavable Syringe




Autoclavable Euro Style Syringe



Quick-Clean® Euro Style Syringe



Traditional Syringe



Syringe Illustrated Parts Breakdown

0075	Barb, 10-32 & Washer (pkg of 10)
0084	Barb, 8-32 & Washer (pkg of 10)
0085	Nylon Washer 8-32 (pkg of 10)
2201	O-Ring (pkg of 12)
2202	O-Ring (pkg of 12)
2203	O-Ring (pkg of 12)
2211	O-Ring (pkg of 12)
2212	O-Ring (pkg of 12)
2230	O-Ring (pkg of 12)
2242	O-Ring (pkg of 12)
2259	O-Ring (pkg of 12)
2260	O-Ring (pkg of 12)
2263	O-Ring (pkg of 12)
2264	O-Ring (pkg of 12)
2266	O-Ring (pkg of 12)
2267	O-Ring (pkg of 12)
2293	O-Ring (pkg of 12)
2305	O-Ring (pkg of 12)
3036	Tubing Sleeve (1 ea.)
3059	Syringe Tip (pkg of 50)
3060	Syringe Tip (1 ea.)
3061	Syringe Tip (pkg of 5)
3065	Tip Adapter Assembly
3071	Tip Adapter Assembly, Autoclavable
3074	Handle, Autoclavable Syringe
3085	Button Valve Assembly
3086	Button Valve, Autoclavable
3088	Autoclavable Quick-Change Kit
3089	Quick-Change® Tip Adapter Kit
3090	Valve Core (pkg of 10)
3092	Autoclavable Button Assembly
3093	Button Assembly, QC Syringe
3180	Indexing Syringe Tip
3320	Quick Disconnect Assembly
3491	Handle, Quick-Clean® Syringe
3637	Precision Comfort™ Syringe Button w/ Spring
3633	Retaining Ring
9028	Spring Conical (pkg of 10)
9601	Retaining Ring
9648	Pin, Quick-Clean® Syringe Button
9651	Pin, Syringe Button
9659	Pin, Tip Adapter
9670	Spring, Syringe Button
9674	Spring, Syringe Button
9677	Spring, Tip Adapter

Easy Online Ordering

Vacuum Components

Retail pricing available at dciparts.com





98-101

Vacuum Valves



102-104

Assistant's Packages



105

A-dec® Vacuum Valves & Q.D. Swivels



106

Evacu-Tips



107-108

Vacuum Valve Accessories



109-111

Vacuum Canisters & Screens



112-113

Alternative Vacuum Kits & Eco Vac Cleaner

ILLUSTRATED Parts Breakdown

114-116

Illustrated Parts Breakdown

A-dec® is a registered trademark of A-dec®, Inc. These parts are manufactured by DCI to fit A-dec® equipment. DCI has no affiliation with A-dec® and A-dec® has not authorized DCI replacement parts to be used on or in connection with A-dec® products.



The Precision Comfort® Autoclavable Premium Valves

The Precision Comfort® line of Vacuum Valves is engineered with a large single piece lever that will not bend or break and is easy to activate comfortably making it one of the most ergonomic valves on the market.

FEATURED

Extended Vacuum Valves

Used w/ Standard Holder

PN **5112** Single Valve w/ Quick-Disconnect
PN **5107** Replacement Quick-Disconnect Swivel for 1/2" Tubing
PN **5108** Replacement Lever & Spool Assembly
PN **5165** Precision Comfort O-Ring Repair Kit

PAGE 114 ILLUSTRATED Parts Breakdown

Short Vacuum Valves

Used w/ Vacuum Holder

PN **5131** Single Valve w/ Quick-Disconnect
PN **5107** Replacement Quick-Disconnect Swivel for 1/2" Tubing
PN **5108** Replacement Lever & Spool Assembly
PN **5165** Precision Comfort O-Ring Repair Kit

Saliva Ejectors

Used w/ Standard Holder


PN **5222** Single Valve w/ Quick-Disconnect
PN **5217** Replacement Quick-Disconnect Swivel for 3/16" Tubing
PN **5218** Replacement Lever & Spool Assembly
PN **5166** Precision Comfort O-Ring Repair Kit



PAGE 105
Precision Comfort® Conversion Q.D. Swivels



No Rubber Tip Required
The Precision Comfort(R) Saliva Ejectors designed with an internal O-ring to firmly hold the straw in place



O-Ring Placement Fits Evacu-Tip & Tip-A-Dilly™
Fits all popular brands of evacuator tips and straws



Single Piece Metal Lever
The single-piece metal levers make it quick and easy to remove for cleaning and provide a large surface for activation

FEATURED


HVE & SE Kits



PN **5104** Precision Comfort Premium Extended Vacuum Kit

Kit contains:

- Precision Comfort® Premium Extended Vacuum Valve (pack of 3)
- Precision Comfort® Premium Quick Disconnect Swivel
- Brush Vacuum Cleaning 9”
- O-Ring, Viton, .489 I.D. X .070 Width
- O-Ring, Viton, .447 I.D. X .052 Width (pack of 2)
- O-Ring, Viton, .426 I.D. X .070 Width



PN **5124** Precision Comfort Premium Short Vacuum Valve Kit

Kit contains:

- Precision Comfort® Premium Short Vacuum Valve (pack of 3)
- Precision Comfort® Premium Quick Disconnect Swivel w/ O-ring, 1/2”
- Brush Vacuum Cleaning 9”
- O-Ring, Viton, .489 I.D. X .070 Width
- O-Ring, Viton, .447 I.D. X .052 Width (pack of 2)
- O-Ring, Viton, .426 I.D. X .070 Width



PN **5214** Precision Comfort Premium Saliva Ejector Kit

Kit contains:

- Precision Comfort® Premium Saliva Ejector (pack of 3)
- Precision Comfort® Premium Autoclavable Saliva Ejector 3/17” Quick Disconnect Swivel w/ O-ring
- Brush, Saliva Ejector, 7”
- O-Ring, Viton, .364 I.D. X .070 Width
- O-Ring, Buna-n, .239 I.D. X .070 Width (pack of 2)
- O-Ring, Viton Brown, .206 I.D. X .103

FEATURED

O-RING PLACEMENT ALLOWS FOR TIP-A-DILLY & EVACU-TIPS!


5070

Standard Autoclavable Valves

Single piece anodized aluminum body

Easy removal lever & spool valve assembly

Quick disconnect – 360° swivel

Includes brush for cleaning

PAGE 115 → ILLUSTRATED Parts Breakdown

Extended Vacuum Valves

Used w/ Standard Holder

PN **5070** Single Valve w/ Quick-Disconnect
PN **5082** Replacement Quick-Disconnect Swivel for 1/2" Tubing
PN **5083** Replacement Quick-Disconnect Swivel for 5/8" Tubing
PN **5168** Replacement Lever & Spool Valve Assembly
PN **5084** Premium & Standard Repair Kit


5080

Short Vacuum Valves

Used w/ Vacuum Holder

PN **5080** Single Valve w/ Quick-Disconnect
PN **5082** Replacement Quick-Disconnect Swivel for 1/2" Tubing
PN **5083** Replacement Quick-Disconnect Swivel for 5/8" Tubing
PN **5168** Replacement Lever & Spool Valve Assembly


5088

Saliva Ejectors

Used w/ Standard Holder

PN **5088** Single Valve w/ Quick-Disconnect w/ Threaded Tip
PN **5090** Single Valve w/ Quick-Disconnect w/ Push on Tip
PN **5092** Replacement Quick-Disconnect Swivel for 3/16" Tubing
PN **5169** Replacement Lever & Spool Valve Assembly
PN **5093** Premium & Standard Repair Kit


5190

HVE & SE Operatory Kit

PN **5190** HVE & SE Kit, Standard
Kit includes:

- 3x Extended HVE Valves w/ 1x 1/2in swivel
- 3x Saliva Ejectors with 1x 3/16ths swivel

FEATURED


5150


5148


5650

SEE PAGE 105 FOR MORE DETAILS


5742

Economy Autoclavable Valves

PAGE 115 ILLUSTRATED Parts Breakdown

Anodized aluminum body

Quick disconnect – 360° swivel

Smooth plastic lever action

Includes brush for cleaning

Extended Vacuum Valves

Used w/ Standard Holder

PN **5150** Single Valve w/ Quick-Disconnect
PN **5082** Replacement Quick-Disconnect Swivel for 1/2" Tubing
PN **5083** Replacement Quick-Disconnect Swivel for 5/8" Tubing
PN **5171** Replacement Lever
PN **5172** Valve Spool w/ O-Rings
PN **5161** Economy Autoclavable Extended Vacuum Valve Set
PN **5145** Repair Kit

Short Vacuum Valves

Used w/ Vacuum Holder

PN **5148** Single Valve w/ Quick-Disconnect
PN **5082** Replacement Quick-Disconnect Swivel for 1/2" Tubing
PN **5083** Replacement Quick-Disconnect Swivel for 5/8" Tubing
PN **5171** Replacement Lever
PN **5172** Valve Spool w/ O-Rings

Saliva Ejectors

Used w/ Standard Holder

PN **5650** Single Valve w/ Quick-Disconnect, w/ Threaded Tip
PN **5660** Single Valve w/ Quick-Disconnect w/ Push on Tip
PN **5092** Replacement Quick-Disconnect for 3/16" Tubing
PN **5670** Replacement Lever
PN **5672** Valve Spool w/ O-Rings, Standard SE
PN **5667** Economy Autoclavable Saliva Ejector Set
PN **5645** Repair Kit


5655

Autoclavable Saliva Ejector w/ Anti-Suck Back

PN **5655** Autoclavable Premium Saliva Ejector Valve w/ Anti-Suck Back
PN **5664** Autoclavable Standard Saliva Ejector Valve w/ Anti-Suck Back
PN **5184** Replacement Premium Quick-Disconnect Swivel w/ Check Valve for 3/16" Tubing
PN **5185** Replacement Standard Quick-Disconnect Swivel w/ Check Valve for 3/16" Tubing

FEATURED

Precision Comfort Assistant's Package



GRAY	STERLING	
5363	5380	Precision Comfort Syringe, HVE & SE
5364	5381	Precision Comfort Syringe, 2 HVE's & SE
5365	5382	2 Precision Comfort HVE's & SE

- HVE & SE include 7' of tubing
- Syringe includes 7' of tubing & flow control block 3021
- 5/8 Drain tubing 7'
- Includes PN 3604, 5112, 5222 & 5860



5368

Standard Assistant's Package

PN **5366** Quick Clean Syringe, Standard HVE & SE
PN **5367** Quick Clean Syringe, 2 Standard HVE's & SE
PN **5368** 2 Standard HVE's & SE

- Includes PN 3430, 5070, 5090 & 5860




5369

Economy Assistant's Package

PN **5369** Quick Clean Syringe, Economy HVE & SE
PN **5370** Quick Clean Syringe, 2 Economy HVE's & SE
PN **5371** 2 Economy HVE's & SE

- Includes PN 3430, 5150, 5660 & 5860

Swing Mount Assistant's Holder



5378

PN **8389** 3 Position Swing Holder Bar
PN **5378** 4 Position Swing Holder Bar

- Mounts to any vertical or horizontal surface
- Holds HVE by tip
- 3 position is 11 3/4" long, 5 1/2" tall
- 4 position is 13 3/4" long, 5 1/2" tall
- Includes mount for vacuum trap

Wall or Cabinet Mounted Holders



PN **5372** 3 Position Holder Bar
PN **5373** 4 Position Holder Bar

- Mounts to any vertical surface
- Holds HVE by tip
- Adjustable tilt angle
- Durable plastic holder & machined aluminum-mount

Telescoping Arm Holders



PN **5374** 3 Position Telescoping Arm, Gray
PN **5376** 4 Position Telescoping Arm, Gray
PN **5375** 3 Position Telescoping Arm, White
PN **5377** 4 Position Telescoping Arm, White

- Telescoping arm w/ breakaway feature
- Mounts to a 2" post
- 24" to 46 3/4" horizontal reach
- Holds HVE by tip
- Includes mount for vacuum trap

TECH TIP

Extend the life of your Vacuum Valves and Vacuum Pump

See page 112 for our Eco-Vac system cleaner.

- Continuous cleaning action
- Environmentally safe



5835



Mounted Assistant's Instrumentation Packages and Holders

The Precision Comfort®, Standard, and Economy Mounted Kits are conveniently packaged with the specific parts needed to mount on any of the approved mounting surfaces. And offer the ability to be mounted either horizontally or vertically.

FEATURED



5433

Wall & Cart Mounted Assistant's Instrumentation

PN **5432** Precision Comfort® Vacuum Package
PN **5433** Standard Vacuum Package
PN **5431** Economy Vacuum Package Assistant w/ STD Valves

- One HVE w/ 6' tubing
- One SE w/ 6' tubing
- Syringe includes 7' tubing
- 1/4" Water Quick Disconnect

FEATURED



4199

Swing Mount Assistant's Kit

PN **4199** Assistant Instrumentation Cabinet Mount Kit

- Includes Precision Comfort® Syringe, HVE & SE
- Holds 4 HVE's by tip

FEATURED



Replacement A-dec® Style Vacuum Valves

PN **5061** Autoclavable Extended Vacuum Valve
PN **5060** Autoclavable Short Vacuum Valve
PN **5062** Autoclavable Saliva Ejector
PN **5063** Bail & Spool Assy w/ O-Ring for HVE
PN **5064** Swivel Assy w/ O-Ring for HVE
PN **5065** Bail & Spool Assy w/ O-Ring for SE
PN **5066** Swivel Assy w/ O-Ring for SE
PN **5067** Service Kit for HVE
PN **5068** Service Kit for SE

PAGE 114 ILLUSTRATED Parts Breakdown



5220

Precision Comfort® Conversion Q.D. Swivels

PN **5220** A-dec® HVE Q.D. Swivel



5680

PN **5111** Pelton & Crane™ HVE Q.D. Swivel

PN **5680** Cattani HVE Q.D. Swivel 26mm Swivel, 18mm Barb



5681

PN **5681** Cattani SE Q.D. Swivel 20mm Swivel, 11mm Barb

- Precision Comfort® Q.D. Swivels allow proper fit in other equipment manufacturers' holders & tubing

A-dec® is a registered trademark of A-dec, Inc. DCI has no affiliation with A-dec and A-dec has not authorized DCI replacement parts to be used on or in connection with A-dec® products.

DIRECT REPLACEMENT FOR PELTON & CRANE™ TIP-A-DILLY

Evacu-Tips

PN 5765 Evacu-Tip Adapter (P&C 006393)
PN 5767 Evacu-Tip Straws (carton of 6 boxes, 1,200 straws)



5765

- Metal oral evacuator adapter is compatible with most HVE valves
- Fingertip adjustable vacuum with side vents
- Accommodates disposable straws
- Autoclavable
- Straws are compatible with Pelton & Crane™ Tip-a-dilly



Vacuum Termination Plug

PN **5179** Vacuum Termination Plug

- Autoclavable
- Anodized aluminum
- Fits in standard instrument hanger

TECH TIP: Extend the life of your vacuum valves!

AFTER EACH PATIENT:

Draw clean water through the valve. Open and close the valve several times to free any debris.

AT THE END OF EACH DAY:

Use a stiff brush and mild detergent to clean internal surface. For valves with threaded tips, remove the tip and clean the threads.

*When operating the valve becomes difficult, remove the spool, inspect and clean all parts including O-Rings. Reapply O-Ring lube **DCI #8031** and reassemble.*

Saliva Ejector Tips


5754


5742

PN **5754** Push-on Autoclavable, Gray

PN **5750** Push-on Autoclavable, Black

PN **5757** Push-on Autoclavable, 5 pack, Gray

PN **5758** Push-on Autoclavable, 5 pack, Black

PN **5742** Screw-on Autoclavable Tip, Gray

PN **5740** Screw-on Autoclavable Tip, Black

- Push-on or screw-on
- Tips are autoclavable
- Latex-free

Saliva Tip Adapter



PN **5752** Saliva Ejector Adapter

- Adapts to HVE valve
- Connects 1/2" HVE tubing to 3/16" SE tubing
- Not autoclavable

Saliva Ejector Tip



PN **5720** Saliva Ejector Assembly

- Push-on autoclavable tip
- Without valve
- Removable clean out basket

Saliva Ejector Adapter



PN **5751** Tubing Adapter

- 7/16" O.D. x 7/32" barb
- Inserts into vacuum canister port or HVE valve



Autoclavable Dry Oral Cup

PN **5840** Dry Oral Cup

- Used w/ central vacuum valves
- White autoclavable plastic
- 4" diameter x 4 1/2" high



Dry Oral Cup Liners

PN **5845** Liners (pkg of 1000)

- For use w/ 5840
- Pre-cut
- 6 oz.



5755

Saliva Ejector Baskets

PN **5755** Disposable Basket, Plastic (pkg of 10)



5620



5621

Valve Cleaning Brush

PN **5620** HVE Brush (3 3/4" bristles) (pkg of 5)

PN **5621** SE Brush (3" bristles) (pkg of 5)

PN **5623** Medium Brush (pkg of 5)

PN **5622** Surgical Suction Tip Brush (pkg of 5)


5872


5877

Vacuum Canister, Bottom & Side Mount

PN **5872** Side Port
PN **5873** Bottom Ported
PN **5888** Replacement Cap (w/ O-Ring)
PN **2240** O-Ring Seal for Cap (pkg of 12)
PN **5877** Mounting Bracket (for wall or counter-mount)

- Available in either side or bottom port
- Solids collector w/ removable screen
- Accepts 2 HVE & 1 SE
- Uses 2 1/8" screens 5817, 5889, 5887
- Mounts using four 6-32 screws on bottom surface (included)
- 5872 & 5873 include mounting bracket 5877
- 5/8" O.D. Drain


5810

Vacuum Canister, Bracket Mounted

GRAY	BLACK	
5860	**5810**	Kit, Includes Vacuum Canister & Both Brackets
5866	**5831**	Replacement Cap (w/ O-Ring)
5865	**5812**	Bracket, Vertical-Mount
5864	**5813**	Bracket, Horizontal-Mount

PN **2221** O-Ring Seal for Cap (pkg of 12)
PN **5811** 1/2" Plug for HVE Port
PN **5821** Plug for Saliva Ejector Port
PN **5814** 5/8" O.D. Drain Adapter (pkg of 10)

- Used w/ central vacuum system
- Solids collector w/ removable screen
- Accepts 2 HVE & 1 SE
- Hydrocolloid drain provision
- 1/2" O.D. drain
- Uses 1 7/8" screens 5818, 5820, 5832


5825

Vacuum Canister Post Brackets

PN **5825** Gray Bracket, Anodized
PN **5827** Gray Bracket, White

- For mounting vacuum canisters 5810 & 5860 on a 2" O.D. post
- Anodized or white powder coat

FEATURED

Edge Screens



52081

PN **42021** Screen, Vacuum Trap, Series 4
PN **49188** Screen, Vacuum Trap, Solids Collector, Series 4 (pkg of 100)
PN **52081** Screen, Vacuum Trap, Solids Collector, Series 5
PN **52875** Screen, Vacuum Trap, Solids Collector, Series 5 (pkg of 100)

Solids Collector Screens



5820

PN **5820** Covered Screen, 1 7/8"
PN **5832** Covered Screen, 1 7/8" (pkg of 100)
PN **5889** Covered Screen, 2 1/8"
PN **5887** Covered Screen, 2 1/8" (pkg of 100)

- Covered disposable vacuum trap
- Available in 1 7/8" & 2 1/8"


Solids Collector Screens



PN **5818** Screen, Disposable (pkg of 100)

- 1 7/8" diameter
- Disposable (pkg of 100)
- For use w/ 5810 & 5860 Vacuum canister

Solids Collector Screens



PN **5817** Screen, Disposable, 2 1/8" (pkg of 100)

- 2 1/8" diameter
- Disposable screen (pkg of 100)
- For use w/ 5872 & 5873 Vacuum canister

Screens to fit A-dec® Solids Collectors



PN **6818** Screen, Disposable
(A-dec® #11.1191.00) (pkg of 144)


- Fits A-dec® Cascade® & Performer®

Screens to fit A-dec® Solids Collectors

PN **5512** Screen, Disposable
(A-dec® #11.1284.00) (pkg of 144)

- Fits A-dec 300®/500®

A-dec®, A-dec 300®/500®, Cascade® and Performer® are registered trademarks of A-dec, Inc. DCI has no affiliation with A-dec and A-dec has not authorized DCI replacement parts to be used on or in connection with A-dec® products.



Solids Collector Screens

PN **6821** Pelton & Crane™ Spirit Disposable Screen (pkg of 144) (P&C #9431388)


5823

Solids Collector Screens

PN **5823** Collector Screen
PN **5822** Collector Screen (pkg of 100)

- For use w/ DCI system 6000 & Reality units

Cuspidor Screens

PN **5314** White Cuspidor Screen, 1 5/8" (pkg of 144)

- Fits Marus Maxstar
- Fits A-dec® Cascade® & Performer®



Cuspidor Screens

PN **5313** Gray Cuspidor Screen, 2 1/2" (pkg of 144)

- Fits A-dec®, Ampco, Belmont, Dabi-Atlante, Dansereau, DCI, DentalEZ®, Forest, Knight, Marus™ Pro Plus & MDT


5312

Cuspidor Bowls

PN **5312** Cuspidor Screen

- Fits most manufacturer's cuspidor bowls
- Stem 2 1/2" O.D. x 1 1/2" I.D.


5101


5102

Stainless Steel Sink Drain Screens

PN **5101** 4 3/8" Diameter Screen
PN **5102** 2 3/4" Diameter Screen

- Autoclavable
- Prevents solid materials from clogging drains
- Available in two sizes to fit most standard sinks
- Stainless steel construction

A-dec®, Cascade® and Performer® are registered trademarks of A-dec, Inc. DCI has no affiliation with A-dec and A-dec has not authorized DCI replacement parts to be used on or in connection with A-dec® products.



5835

Vacuum System Cleaner

PN **5835** Eco Vac 1-Pint Bottle
PN **5837** Eco Vac 1/2 Gallon Bottle
PN **5836** Eco Vac Case of 12 1-Pint Bottles

- Continuous cleaning action
- Environmentally safe
- Contains NO hazardous materials
- Non-Toxic, non-pathogenic
- Non-corrosive liquid; safe to handle & store
- Easy to use, measured 1 pint dispenser holds 32 applications
- 1/2 gallon dispenser holds 128 applications

Eco Vac cleans vacuum systems and eliminates odors associated with organic waste by biologically degrading the waste into natural elements. Cleans and deodorizes without foaming or use of harsh chemicals. Eco Vac utilizes safe non-pathogenic, non-opportunistic, Class 1 bacteria.

One half ounce of Eco Vac mixed with one quart of warm water, drawn through the vacuum lines daily in each operatory, establishes a continuous biological action.


5851

Vacuum Drain Assembly Kit

PN **5851** Cuspidor Drain Kit
PN **5853** Wash Station Drain Kit, 1 1/2" Sink
PN **9614** Bowl Gasket
PN **9615*** Diaphragm, 4 Holes, 3"
PN **9616*** Filter, 1 1/4" Long x 1"
PN **9617*** Bowl, 1 3/8" Long x 1 3/8" Diaphragm
PN **9632** Diaphragm, No Holes, 2 9/16" Diaphragm
PN **9633** Bowl, 2 5/8" Long x 1 3/8"
PN **9634** Filter, 2 1/2" Long x 1"

- Select kit for either a cuspidor or a sink drain
- Eliminates the need for conventional plumbing
- Allows installation where a gravity drain is not available or practical
- Includes flush toggle to allow remote activation, PN 7026

* Repair items for valves purchased prior to 1997



Holder Activated AVS System

PN **5586** Holder Activated AVS System

- Air powered oral evacuation
- Requires 50 PSI minimum air pressure
- 1 quart plastic collection bottle
- Mounts to underside of dental unit or cabinet
- Precision Comfort Extended HVE 5112
- 6' of Smooth Vacuum Tubing 733
- Activated by holder & air switch

PN **5582** 1 Quart Replacement Bottle

- 1 quart plastic collection bottle



Foot Control Activated AVS System


PN **5585** Foot Control Activated AVS System

- Air powered oral evacuation
- Requires 50 PSI minimum air pressure
- 1 quart plastic collection bottle
- Mounts to under counter or on the wall (hardware included)
- Air connection uses 1/4" O.D. supply tubing
- Precision Comfort Extended HVE 5112
- 6' of Smooth Vacuum Tubing 733
- Requires Scaler Button Style FC to operate (not included)
- See page 328 for a full list of Scaler Button Foot Controls


PN **5582** 1 Quart Replacement Bottle

- 1 quart plastic collection bottle


5061




5060




5062




5112




5131




5222




5080




5070




5090




5148



5150



5660



Vacuum Valve Illustrated Parts Breakdown

PN **2243** O-Ring (pkg of 12)
PN **2253** O-Ring (pkg of 12)
PN **2254** O-Ring (pkg of 12)
PN **2256** O-Ring (pkg of 12)
PN **2257** O-Ring (pkg of 12)
PN **2309** O-Ring (pkg of 12)
PN **5107** Premium Anodized Swivel for 1/2" Tubing
PN **5217** Premium Anodized Swivel for 3/16" Tubing
PN **5108** Premium Anodized HVE Lever & Spool Valve Assembly
PN **5218** Premium Anodized SE Lever & Spool Valve Assembly
PN **5165** Precision Comfort® HVE O-Ring Repair Kit
PN **5166** Precision Comfort® SE O-Ring Repair Kit

Vacuum Instrument Illustrated Parts Breakdown

PN **2206** O-Ring (pkg of 12)
PN **2207** O-Ring (pkg of 12)
PN **2208** O-Ring (pkg of 12)
PN **2209** O-Ring (pkg of 12)
PN **2243** O-Ring (pkg of 12)
PN **2253** O-Ring (pkg of 12)
PN **2254** O-Ring (pkg of 12)
PN **2256** O-Ring (pkg of 12)
PN **2257** O-Ring (pkg of 12)
PN **5082** Anodized Swivel w/ O-Ring
PN **5092** Anodized Swivel w/ O-Ring
PN **5168** Lever & Spool Valve Assembly
PN **5169** Lever & Spool Valve Assembly
PN **5171** Replacement HVE Lever
PN **5172** Valve Spool w/ O-Rings
PN **5670** Replacement SE Lever
PN **5672** Valve Spool w/ O-Rings
PN **5742** Saliva Ejector Tip, Screw-On (gray)
PN **5750** Saliva Ejector Tip (black)
PN **5754** Saliva Ejector Tip Gray
PN **5755** Strainer Basket (pkg of 10)

Anodized Vacuum Instrument Repair Kits

PN **5084** Premium & Standard Repair Kit, Autoclavable HVE 5070
PN **5093** Premium & Standard Repair Kit, Autoclavable SE 5090
PN **5145** Repair Kit, Autoclavable HVE 5150
PN **5645** Repair Kit, Autoclavable SE 5660

Mounts, Arms & Holders

Retail pricing
available at
dciparts.com





118-123

Holders



124-125

1/2" Pin Mounts



126

Flat Panel
Monitor Mounts



127

Trays



128

Flex Arms



129

Carts



130-132

Chair Adapters
& Posts

ILLUSTRATED
Parts Breakdown

133-134

Illustrated Parts
Breakdown



4561

Asepsis Holders

The Molded, Automatic HP Asepsis Holders are built on an aluminum frame with an asepsis molded housing, giving them a clean, modern design.

FEATURED

SOLID ALUMINUM FRAME
WITH ASEPSIS MOLDED HOUSING

Asepsis Holders



4561

GRAY	4% GRAY, LIGHTER (BELMONT)	LT SAND	WHITE W/ GRAY TUB.	WHITE W/ STERLING TUB.	
4869	4578	5987	4561	4576	Normally Closed
4868			4564	5914	Normally Open

- Automatic Handpiece Holders
- Air operated actuator control
- Resists chemical discoloration
- Designed for 1/2" bar-mounting
- Adjustable tilt angle



4566

GRAY	4% GRAY, LIGHTER (BELMONT)	LT SAND	WHITE	
4568	4579	5988	4566	Asepsis Universal Holder

- Used for handpieces, syringes, saliva ejectors & Extended HVE valve
- Used w/vacuum valves w/ tip extension
- Resists chemical discoloration
- Designed for 1/2" bar-mounting
- Adjustable tilt angle
- Automatic Syringe Holders

Easy Online Ordering

Universal Holders

PAGE 133 ILLUSTRATED Parts Breakdown

MACHINED ALUMINUM MOUNT
WITH DURABLE PLASTIC HOLDER



5960

GRAY	BLACK	
5960	5940	HP Holder w/ Lockout Toggle
4592		HP Holder w/o Lockout Toggle

- Easy clean style
- Air operated actuator control
- Normally closed
- Designed for 1/2" bar-mounting w/ adjustable tilt angle



5965

GRAY	BLACK	
5965	5945	Standard Holder

- Used for handpieces, syringes, saliva ejectors
- Adjustable tilt angle
- For 1/2" bar-mounting
- Used with Extended HVE valve



5970

GRAY	BLACK	
5970	5950	HVE Holder

- Holds vacuum valves from base
- For 1/2" bar-mounting
- Adjustable tilt angle



Holder Bars

GRAY	BLACK	
5881	5951	Holder Bar, Single 2"
5882	5952	Holder Bar, Dual 4"
5883	5953	Holder Bar, Triple 6"
5884	5954	Holder Bar, Quad 8"
5880	5926	Holder Bar, 10"
5885	5955	Holder Bar, 14"

- For use w/ 4592 & 5940 through 5970 holders
- Mounting Hardware Included

FEATURED

Asepsis Clip-on Holders



4581

WHITE	GRAY	
4580	4581	Holder, Assy, Handpiece, Normally Closed
4582	4583	Holder, Vacuum, HVE (by the base)
4585	4586	Holder, Syringe (SE or Extended HVE by the tip)

- HP holder has air operated actuator



4562

Electric Holders

PAGE 133 ILLUSTRATED Parts Breakdown

WHITE	BLACK	GRAY	
4562	5966	5967	Normally Open
4563	5968	5969	Normally Closed
		5976	HVE Normally Closed



5966



5967

- Holder assembly w/ low voltage switch for direct activation of electrical accessory
- On / off lockout toggle, 5966-5969
- 125 Volts AC / DC 5 amps
- Automatic holder

Easy Online Ordering



Replacement Holders

GRAY	BLACK	
5961	**5941**	Automatic HP Holder
5962	**5942**	Standard Holder
5963	**5943**	Vacuum Holder

- Replacement holders for bracket assemblies

PAGE 133 ILLUSTRATED Parts Breakdown



Economy Holders

WHITE	GRAY	BLACK	
5900	**5910**	**5905**	For HP, SE, HVE w/ Tip
5915	**5918**	**5920**	For Syringes
5925	**5923**	**5903**	For HVE's

- Mounts on holder brackets 5929 – 5935
- Includes 10-32 mounting screw



Holder Brackets

PN **5929** Single Gray Plastic
PN **5930** Single White Plastic
PN **5931** Single Black Plastic
PN **5932** 2-Position Aluminum
PN **5933** 3-Position Aluminum
PN **5934** 4-Position Aluminum

- For use w/ 5900 – 5925 holders
- Mounting Hardware included

Automatic Handpiece Holder Valves

PAGE 134 ILLUSTRATED Parts Breakdown


5947


5989

PN **5947** Normally Open, Side Ported
PN **5948** Normally Closed, Side Ported
PN **5983** Normally Closed, Rear Ported
PN **5989** Normally Open, Rear Ported

- 5948 normally closed is used for 5940, 5960 & 4592 handpiece holders
- 5983 normally closed is used for 4561
- 5947 & 5989 are used for positive air signal

Telescoping Breakaway Arm Systems


8186
8237

WHITE	GRAY	ANODIZED	
8185	**8729**	**8223**	Telescoping Arm w/ 3-Pos Holder
8186	**8730**	**8237**	Telescoping Arm w/ 4-Pos Holder

- 24" to 46 3/4" horizontal reach
- 7 1/2" rigid arm
- Designed for mounting assistant's accessories
- Includes post-mount
- Use w/ 2" post-mount or wall-mount
- Breakaway feature protects equipment

1/2" Pin Adapter & Vacuum Canister Mount for Telescoping Arm


8407


8244

WHITE	GRAY	
8305	**8407**	Adapter

- Mounts on the end of telescoping arms
- Accepts 1/2" O.D. pin

PN **8244** Vacuum Canister Mount

- Slide over a 1/2" bar
- Used to mount vacuum canisters

Horseshoe Assistant's Holder Bar


8241

WHITE	GRAY	
8241	**8402**	Bar & Holders

- Includes three holders
- 1/2" O.D. pin

Easy Online Ordering

FEATURED

Assistant's Holders for DCI Edge



52161G

WHITE	GRAY	
52161W	**52161G**	4-Position Holder, Series 5

Assistant's Holder Bars for Telescoping Arm



8332

PN **8632** 3-Position Holder, Holds SE & HVE by Base
PN **8242** 3-Position Holder, Holds SE & HVE by Tip
PN **8633** 4-Position Holder, Holds SE & HVE by Base
PN **8332** 4-Position Holder, Holds SE & HVE by Tip

- Mounts on end of 1/2" O.D. bar
- Holder for syringe & vacuum valves

Assistant's Holders



8333

8335

PN **8333** 3-Position Holder, Holds HVE by Base
PN **8334** 3-Position Holder, Holds HVE by Tip
PN **8335** 4 -Position Holder, Holds 2 HVE's by Base
PN **8364** 4 -Position Holder, Holds 2 HVE's by Tip

- Mounts on 1/2" O.D. pin
- Mounting screw included
- 3- or 4-position holder for syringe & vacuum valves

Swing Mount Holder Bar



8331

PN **8343** 3-Position Holder
PN **8331** 4-Position Holder

- Mounts to vertical or horizontal surface
- 3- or 4-position holder for syringe & vacuum valves held by tip

Under Counter Holder Bar



4445

WHITE	GRAY	
4445	**4444**	Cabinet-Mount Holder Bar

- For use w/ molded asepsis holders
- Bar is 10 1/2" x 3 1/2"


8308


4289

Surface Mount Brackets

WHITE	GRAY	
8378	**8308**	Vertical Mount
8379	**8309**	Horizontal Mount
4289	**4291**	Under Counter Mount

- For mounting folding & telescoping arms to flat vertical or horizontal surfaces
- Mounting plate 4"x 4"
- Accepts 1/2" O.D. pin


8253

Post Mount Brackets

WHITE	GRAY	
8259	**8253**	2" Post Mount

- For mounting folding & telescoping arm assemblies to 2" diameter post
- Accepts 1/2" O.D. pin


8618


9631

Reducing Bushings

PN **8618** Reducing Bushing From 2" to 1.7"
PN **8617** Reducing Bushing From 2" to 1 1/2"
PN **9631** 1/16" Nyliner to expand to a 2" post


8162

Clamp On Water System & Accessory Adapters

PN **8137** 2" Anodized Post Adapter
PN **8162** 2" White Post Adapter

- Adapts water systems or accessories to posts


5827

Vacuum Canister Post Brackets

PN **5825** Gray Bracket, Anodized
PN **5827** Gray Bracket, White

- For mounting vacuum canisters 5810 & 5860 on a 2" O.D. post

Easy Online Ordering



Folding Rigid Arm Sections

WHITE	GRAY	ANODIZED	
8337	**8303**		6" Arm
8338	**8304**		8" Dual Pivot Arm
8356	**8306**	**8230**	12" Arm
8357	**8307**	**8231**	16" Arm

- Mounts using 1/2" pin



Top Post Mount Brackets

WHITE	GRAY	
8489	**8294**	Top Post Mount

- For mounting folding & telescoping arm assemblies
- Accepts 1/2" O.D. pin
- White & gray scratch resistant powder coat finish
- Fits Radius® style & most vertical posts
- Fits 2" diameter post



Control Mount Bracket

WHITE	GRAY	
8336	**8634**	Mounting Bracket

- Use w/ folding rigid arms
- Mounts using 1/2" pin
- For DCI Alternative & Series 4 Units or assistant's instrumentation packages 5432 & 5433

TECH TIP

TRYING TO SOLVE A TOUGH TECHNICAL PROBLEM?

Visit the DCI Service Forum at **www.dcionline.com** or the **DCI Video Library** where you can collaborate with fellow technicians and find the answers to the most challenging dental repairs!

A-dec® and Radius® are registered trademarks of A-dec, Inc. DCI has no affiliation with A-dec and A-dec has not authorized DCI replacement parts to be used on or in connection with A-dec® products.

FEATURED

Flat Panel Monitor – Vertical Post Mounted



4820

WHITE	GRAY	
4920	4820	Monitor Only
4955	4855	Monitor & Full Size Keyboard
	4825	Keyboard Tray, Full, w/6" Arm, Vertical Post Mounted
	4813	Keyboard Tray, Full, w/o Arm
	4812	Mouse Tray Kit



4813



4825

- Utilizes 1/2" pin for use w/ folding rigid arms & mounts
- Fits either 75mm or 100mm VESA patterns
- Includes 2" vertical post mount
- Tilts up & down 30°
- Keyboard trays include 8" dual pivot arm
- Monitor & keyboard have quick adjustment knob
- Swivels left to right 55°
- Post not included

Flat Panel Monitor – Top Post Mounted



4824

WHITE	GRAY	
4924	4824	Monitor Only

Utility Shelf Assembly



8390

WHITE	GRAY	
8393	8390	2" Post or H-Frame Mount

- Pivots on mounting bracket for easy access
- Mounting bracket included
- Mounts using 1/2" pin
- 12" x 12" surface area

Easy Online Ordering



Flex Arm Mounted Trays

WHITE	GRAY	
8398	**8430**	For use w/ Current DCI Flex Arm
8046	**8047**	16" Holder Bar U-Shaped
8051	**8052**	Bar Holders Each

- For use w/ flexible arm systems
- 1/2" holder bar
- Stainless steel tray holder 9 3/4" x 13 1/2"



Folding Rigid Arm Mounted Tray

WHITE	GRAY	
8397	**8429**	Arm Mounted Tray

- Mounts to folding rigid arms using 1/2" pin
- Stainless steel tray holder 9 3/4" x 13 1/2"



Trays

PN **8013** Stainless Steel Tray (B Size)
PN **8012** Plastic Tray (A Size)
PN **8222** Non Skid Pad

- Stainless steel tray
- Plastic tray



Bracket for Mounting Instruments to Alternative Control Heads

PN **4272** Bracket for 4370 / 4270
PN **4274** Bracket for 4120 / 4121 / 4020
PN **4273** Instrument Tray Holder (Mounts to 4272 & 4274)
PN **4276** Under Counter Unit Mount

- For mounting tray 4273 & control head to control arm
- White powder coat
- Retrofits to earlier models 4270 & 4020

FEATURED

Post Mount Flexible Arms



Standard configuration mounts on 2" post



Shown w/ optional top post mount adapter 8923

WHITE	GRAY	
4905	**4907**	50" Horizontal Reach
4906	**4908**	34" Horizontal Reach
8923	**8956**	Top Post Mount Adapter 1.5" O.D.



8923

- Flexible counterbalanced arm w/ pneumatic brake
- 50" Over-the-Patient Style
- 34" Side Delivery Style
- Built in tension adjustment mechanism
- Vertical travel is 23"
- Rigid arm is 26" on the 50" arm, & 11" on the 34" arm
- Mounts on 2" diameter post or wall-mount brackets 8647 & 8349
- Easy conversion from thru post to top post mount

Post w/ Oilite Bushing for Top Post Mount



4764

WHITE	GRAY	
4762	**4764**	24" for Top Post Mount
4763	**4765**	30" for Top Post Mount

- Fits DCI top post mount arms with adapter
- 1.5" Inner diameter

2" Post Wall Mount



WHITE	GRAY	
8647	**8349**	Wall-Mount for Arm Systems

- 6" x 6" mounting plate
- For use w/ current DCI flex arms
- Supports 60 lbs at 24" reach, when properly installed

Wall Mounting Board



PN **4222** Wall Mounting Board

- White Laminate w/ Gray Edge Banding
- Mount on 16" Wall Studs
- Mounting Hardware Included

Easy Online Ordering



H-Style Mobile Stand

PN **8001** Mobile Cart H-Frame

- Stable "H" frame base
- Adjustable vertical height from 25" to 41"
- Powder coat chrome finish
- 2" diameter post w/ 3" x 3" mounting plate
- Twin wheel casters roll freely on carpet or hard flooring
- 20" W x 18" D



U-Style Mobile Stand

PN **8006** Mobile Cart U-Frame

- Adjustable vertical height of 23" to 32"
- 15° angled upright
- Powder coat chrome finish
- 2" diameter w/ 3" x 3" mounting plate
- Twin wheel casters roll freely on carpet or hard flooring
- 18" W x 18" D



Cart & Stool Casters


PN **2946** Soft wheel for hard floor caster, Gray
PN **2972** Soft wheel for hard floor caster, Gray (pkg of 5)
PN **2948** Soft wheel for hard floor caster, Surf
PN **2973** Soft wheel for hard floor caster, Surf (pkg of 5)
PN **8010** Hard wheel for carpet, Gray
PN **8002** Cart Caster Insert
PN **54108** Hard Floor Caster, PU Tread, Taupe (DCI Edge/Reliance)



Cart Frame End Cap

PN **9224** Cart Frame End Cap

- Designed for all carts
- Gray
- Semi-hemispherical shape



Storage Well w/ Organizers

PN **8400** Well w/ Organizers
PN **8410** Storage Tub (Includes Hinge, Dividers & Lid)
PN **8411** Full Divider
PN **8413** Replacement Hinge
PN **8414** Lid

- Mounting surface is 4" x 22"

FEATURED



Chair Adapters to fit:

PN **8920** Chair Adapter Forest 6000 Assy

PN **8561** Marus™ Pro 1300-1600, DCI Equipment, Pelton & Crane 1700

PN **8497** Royal

PN **8918** Pelton & Crane™ Spirit 1500, 1800, 2005, 330, 3000, SP30, Marus™ / Schein Empire

PN **8568** Pelton & Crane™ Coachman, Chairman 5000

PN **8488** 2" Hub

PN **8438** 8" Floor mount for 2" post

- Chair adapters feature a scratch resistant light gray powder coat finish.



8470



8476 8408

Light Post Accessories

PN **8470** Pelton & Crane™ Light Bushing
PN **8471** Ritter Light Bushing
PN **8476** Crush Bushing for Base of Post
PN **8472** Power Cord (8')
PN **8474** 2" White Post Cap
PN **8408** 2" Gray Post Cap
PN **8475** 2" Stainless Post Cap

- Nylon Bushing fits 2" Posts
- **8470:** 1 7/8" O.D. x 1 11/16" I.D. for P&C, A-dec®, Marus™, Belmont, Knight L, Midmark, TPC lights
- **8471:** 1 7/8" O.D. x 1 3/8" I.D. for Ritter K, Dental EZ, Proma, Daray, Faro, Forest lights

A-dec® is a registered trademark of A-dec, Inc. DCI has no affiliation with A-dec and A-dec has not authorized DCI replacement parts to be used on or in connection with A-dec® products.

Easy Online Ordering



8431

Light Post Extensions

WHITE	GRAY	METAL	LENGTH
8921	**8969**	**8431**	24" Post w/ P&C Bushing
8922	**8972**	**8432**	24" Post w/ Ritter Bushing
8463	**8986**		30" Post w/ P&C Bushing
8464	**8987**		30" Post w/ Ritter Bushing
8466	**8409**	**8465**	Butterfly Clamp For 2" Post

- Kit includes light post bushing, "Butterfly" clamp, 8' extension cord & post
- 24" or 30" post length
- Scratch resistant powder coat finish



8912

Light Posts

WHITE	GRAY	METAL	LENGTH
8912	**8939**	**8478**	24" Post
8421	**8940**	**8218**	30" Post
8913	**8945**	**8454**	40" Post
8449	**8949**	**8453**	48" Post
8914	**8952**	**8450**	60" Post
8474	**8408**	**8475**	Post Cap

- 2" Diameter posts
- Posts feature a scratch resistant powder coat finish

PN **8476** Crush Bushing for Base of Post
PN **8470** P&C Bushing
PN **8471** Ritter Bushing
PN **8472** Power Cord (8')

TECH TIP

Always use a crush bushing when using a post in a chair adapter. This will prevent damage from set screws.

Chair Adapters to fit:



PN **8522** A-dec® Cascade® 1040



PN **8515** A-dec® Priority 1005 & 1010



PN **8500** A-dec® Decade® 1020, 1021, 1221 and 1015



PN **8538** A-dec 500®



PN **8493*** Belmont Bel 07-50 Celib-Pro-Xcal, Westar 2001, Westar 5000, LSM DC-100, LSM C0H0

PN **8917** Belmont Acutrac, B99, Clesta



PN **8552** DentalEZ® E3000



PN **8919** DentalEZ® Advantage E2000



PN **8506** DentalEZ® J, PL200




- Chair adapters feature a scratch resistant light gray powder coat finish.

* White scratch resistant powder coat finish

A-dec®, Cascade®, Decade® and A-dec 500® are registered trademarks of A-dec, Inc. DCI has no affiliation with A-dec and A-dec has not authorized DCI replacement parts to be used on or in connection with A-dec® products.


Easy Online Ordering

Electric Auto Accessory Holder




5966 Normally Open Black
5967 Normally Open Gray
5968 Normally Closed Black
5969 Normally Closed Gray

Auto Handpiece Holder w/ Lockout



5940 Auto Holder Black
5960 Auto Holder Gray


Auto Handpiece Holder w/o Lockout



4592 Auto Holder Gray


Standard & Vacuum Holders

5942 Std. Black
5962 Std. Gray
5943 Vacuum Black
5963 Vacuum Gray




5945 Standard Holder Black
5965 Standard Holder Gray
5950 Vacuum Holder Black
5970 Vacuum Holder Gray

Automatic Handpiece Holder Valve



Stem Configuration




Note: In order to change stem configuration, adjust O-Ring accordingly

Mounts, Arms & Holders Illustrated Parts Breakdown

5941 Auto Holder (black)
5942 Standard Holder (black
5943 Vacuum Holder (black)
5947 Normally open, side ported
5948 Normally closed, side ported
5961 Auto Holder (gray)
5962 Standard Holder (gray)
5963 Vacuum Holder (gray)
5971 Actuator Lever (black)
5972 Actuator Lever (gray)
5983 Normally closed, rear ported
5989 Normally open, rear ported
5997 Stem w/ O-Ring Normally Closed
5998 Stem w/ O-Ring Normally Open
7058 Toggle (black)
7064 Toggle (gray)
7101 Electric Switch Normally Open
7102 Electric Switch Normally Closed
9675 Spring
9796 Set Screw
9750 Screw
9833 Set Screw

Asepsis Molded Automatic Handpiece Holder Assembly



4561 Normally Closed White
5987 Normally Closed LT Sand
4869 Normally Closed Gray
4564 Normally Open White
5983 Normally Closed rear ported valve
5989 Normally Open rear ported valve

Easy Online Ordering

Foot Controls

Retail pricing
available at
dciparts.com





136-139
Foot Controls



139-140
Repair Parts



141-143
Replacement OEM Foot Controls & Repair Kits

ILLUSTRATED Parts Breakdown

144
Illustrated Parts Breakdown

Wet/Dry Disc-Type Foot Control

Durable, Stainless-Steel Disk with a powder-coated base and a replaceable breakaway wet/dry toggle. Our Foot Controls functionally match the delivery unit requirements and are available in various tubing colors.

PAGE 144 → ILLUSTRATED Parts Breakdown



6310

FEATURED

Wet/Dry Disc-Type

DARK SURF	GRAY	LT SAND	STERLING	
6335	6310	6311	6322	Foot Control w/o Signal Relay
6435	6410	6411	6423	Foot Control w/ Signal Relay

- Responsive, high volume, variable flow
- Toggle for water coolant on/off
- 7' polyurethane 3-hole tubing (4-hole tubing with relay)

Durable, Stainless-Steel Disk With Powder Coated Base
Tough, clean design that resists scratches and corrosion.



Replaceable Breakaway Wet/Dry Toggle
Wet/Dry Foot Controls feature a breakaway toggle that can be easily replaced.



Signal Relay Gives Full Air Signal
Signal relay delivers a continuous auxiliary pressure to activate water coolant even while modulating handpiece speed.



FEATURED

Wet/Dry & Chip Blower Disc-Type

PAGE 144 ILLUSTRATED Parts Breakdown

DARK SURF	GRAY	LT SAND	STERLING	
6338	6315	6317	6324	Foot Control w/o Signal Relay
6438	6415	6416	6424	Foot Control w/ Signal Relay
			6339	Scaler w/o Signal Relay
	6325			Scaler w/o Signal Relay
	6421			Scaler w/ Signal Relay


6315

- Responsive, high volume, variable flow
- Toggle for water coolant on/off
- Toe-touch button valve for chip blower
- 7' polyurethane 4-hole tubing (5-hole tubing with signal relay)

Scaler Disc-Type

PAGE 144 ILLUSTRATED Parts Breakdown

DARK SURF	GRAY	LT SAND	STERLING	
6337	6320	6321	6332	Foot Control w/o Signal Relay
6437	6420	6422	6432	Foot Control w/ Signal Relay


6320

- Responsive, high volume, variable flow
- Toe-touch button valve for on/off control of ultrasonic scaler (3-way, momentary)
- 7' polyurethane 3-hole tubing (5-hole tubing with signal relay)

Chip Blower Disc-Type

PAGE 144 ILLUSTRATED Parts Breakdown

DARK SURF	GRAY	LT SAND	STERLING	
6336	6305	6307	6314	Foot Control w/o Signal Relay
6436	6405	6407	6414	Foot Control w/ Signal Relay


6305

- Responsive, high volume, variable flow
- Toe touch button valve for chip blower, (2-way, momentary)
- 7' polyurethane 3-hole tubing (5-hole tubing with signal relay)

PAGE 144 ILLUSTRATED Parts Breakdown

Standard Disc-Type

DARK SURF	GRAY	LT SAND	STERLING	
6326	6300	6303	6309	Foot Control w/o Signal Relay
6426	6400	6403	6409	Foot Control w/ Signal Relay


6300

- Responsive, high volume, variable flow
- 7' polyurethane 2-hole tubing (4-hole tubing w/ signal relay)

PAGE 144 ILLUSTRATED Parts Breakdown

Economy Disc-Type

DARK SURF	GRAY	LT SAND	STERLING	
6327	6301	6304	6313	Foot Control w/o Signal Relay


6301

- Responsive, high volume, variable flow
- 7' Polyurethane 2-hole tubing


6166

Marus Foot Control Repair Kit

PN **6166** Kit (Marus #85R186)

Kit Includes:

PN 6011	Large Spring
PN 6018	Piston
PN 2210	Piston O-Ring
PN 6012	Conical Spring
PN 2207	Body O-Ring
PN 9010	Poppet
PN 6016	Poppet Cap
PN 6013	Toggle Spring
PN 5948	Pilot Valve
PN 9750	4 x 1/2 Pan Head Phillips Screw
PN 9746	6 x 1/2 Pan Head Phillips Screw
PN 6014	6-32 x 1/4 Pan Head Phillips Screw



Foot Control Toggle Kit

PN **9329** Foot Control Toggle Kit, Gray



Foot Control Toggle Valve Assembly

PN **6132** Toggle Valve Assembly

- For use in the repair of DCI & wet/dry foot controls



Wet/Dry Foot Control Repair Kit

PN **6163** Foot Control Repair Kit

- For use w/ all DCI wet/dry disc-type foot controls



6093

Foot Control Button Valve Assembly

PN **6093** 2-way Valve Assembly (chip air)
PN **6094** 3-way Valve Assembly (scaler)

- For use in the repair of DCI & A-dec® chip blower & scaler foot controls



Chip Blower / Scaler Foot Control Repair Kit

PN **6162** Foot Control Repair Kit


- For use w/ all DCI chip blower disc-type foot controls & scaler disc-type foot controls



Standard DCI Foot Control Repair Kit

PN **6161** Foot Control Repair Kit

- For use in the repair of all DCI standard disc-type foot controls



Signal Relay Repair Kit

PN **6165** Signal Relay Repair Kit



Foot Control Replacement Ring

PN **6046** Foot Control Ring, Gray

- Fits all DCI foot controls
- **Now includes 4 screws**

A-dec® is a registered trademark of A-dec, Inc. DCI has no affiliation with A-dec and A-dec has not authorized DCI replacement parts to be used on or in connection with A-dec® products.

Parts to fit A-dec® Foot Control III



9082

PN **9082** Service Kit (A-dec® #90.0593.00)

Kit Includes:

PN **8034**	Silicone Lubricant	(A-dec® #98.0090.01)
PN **9010**	Foot Control Poppet	(A-dec® #22.0060.00)
PN **9029**	Foot Control Spring .093 OD	(A-dec® #10.0440.00)
PN **9012**	Foot Control Diaphragm 3/4"	(A-dec® #38.0054.00)
PN **6042**	Foot Control Compression Spring	
PN **2210**	O-Ring-012 Buna	(A-dec® #030.012.00)
PN **6097**	Piston-Foot Control III with seal	(A-dec® #38.0760.00)
PN **6098**	Relay Valve Stem w/ O-Rings	(A-dec® #22.0778.00)
PN **9066**	Compression Spring	(A-dec® #22.0778.00)

Parts to fit A-dec® Foot Control II


9049


9026

6098


9012

PN **9049** Complete Repair Kit (A-dec® #90.0312.00)

Kit Includes:

PN **9125**	Main Compression "Cover Spring"	(A-dec® #013.011.00)
PN **9026**	Conical "Plunger Stem" Spring	(A-dec® #013.022.00)
PN **6096**	Foot Control Stem Assy	(A-dec® #38.0246.00)
PN **6098**	Signal Relay Stem w/ O-Rings	(A-dec® #22.0778.00)
PN **9012**	Diaphragm	(A-dec® #38.0054.00)
PN **9029**	Foot Control Spring	(A-dec® #10.0440.00)

Parts to fit A-dec® Foot Control I


9141

PN **9141** Complete Rebuild Kit (A-dec® #90.0010.00)

Kit Includes:

PN **9010**	Plastic Poppet	(A-dec® #22.0060.00)
PN **9160**	Piston Assembly	(A-dec® #22.0083.00)
PN **9123**	Compression "Main" Spring	(A-dec® #22.0135.00)
PN **6098**	Relay Stem	(A-dec® #22.0778.00)
PN **9012**	Relay Diaphragm	(A-dec® #38.0054.00)
PN **9066**	Compression Spring	(A-dec® #22.0580.00)
PN **9029**	Foot Control Spring	(A-dec® #10.0440.00)

A-dec® is a registered trademark of A-dec, Inc. DCI has no affiliation with A-dec and A-dec has not authorized DCI replacement parts to be used on or in connection with A-dec® products.

Parts to fit A-dec® Foot Control



9144

PN **9144** Lever Foot Control Service Kit (A-dec® #90.0313.00)

Kit Includes:

PN **9166**	Valve Stem Assy	(A-dec® #38.0211.00)
PN **6098**	Relay Stem Assy	(A-dec® #22.0778.00)
PN **9121**	Extension Spring	(A-dec® #38.0208.00)
PN **9124**	Compression Spring	(A-dec® #013.019.00)
PN **9012**	Relay Diaphragm	(A-dec® #38.0054.00)
PN **9171**	Brass Washer	(A-dec® #004.057.00)
PN **9029**	Foot Control Spring	(A-dec® #10.0440.00)



Replacement A-dec® & Midmark Style Foot Control *(Dark Surf)*

PN **6306** A-dec® Replacement Wet / Dry & Scaler Button Foot Control (A-dec® # 38.1601.00)



653

Replacement A-dec® & Midmark Style Asepsis 5-Hole Foot Control Tubing

PN **653** Sheathed Asepsis 5-Hole Foot Control Tubing, Dark Surf (per ft.) (A-dec® #024.202.01) (Midmark #053-1709-00)

PN **654** Sheathed Asepsis 5-Hole Foot Control Tubing, Gray (per ft.) (A-dec® #024.214.01) (Midmark #053-1709-00)

- 1/8" tubings, 3 ea.
- 5/16" tubings, 2 ea.
- Fits A-dec 300 & 500

TECH TIP

TUBINGS 653 & 654 ARE FOR A-DEC® UNITS WITH 5/16" TUBINGS.

They are not compatible with Cascade® and prior delivery systems.

A-dec® and Cascade® are registered trademarks of A-dec, Inc. DCI has no affiliation with A-dec and A-dec has not authorized DCI replacement parts to be used on or in connection with A-dec® products.


9329

Replacement A-dec® Style Foot Control Toggle Kit

PN **9329** Foot Control Toggle Kit, Gray (A-dec® #38.0075.04)
PN **6113** Foot Control Toggle Kit, Surf (A-dec® #38.0075.03)

Replacement A-dec® & Midmark Style Foot Control Parts


6110

PN **6110** A-dec® Foot Control Parts Wet/Dry Toggle 3-Way Valve Assembly (A-dec® #38.0604.00)


6112

PN **6112** Scaler/Accessory Button w/ 3-Way Valve (A-dec® #38.0612.00)

PN **6111** Chip Blower Button w/ 2-Way Valve (A-dec® #38.0610.00)

PN **6102** Foot Control Housing, No Actuator Holes (A-dec® #38.0319.02)


6103

PN **6103** A-dec® Foot Control Housing Actuator, 1-Hole for Toggle (A-dec® #38.0320.02)


6107

PN **6106** A-dec® Foot Control Housing Actuator, 1-Hole for Button (A-dec® #38.0763.00)

PN **6104** A-dec® Foot Control Housing, 2 Actuator Holes (A-dec® #38.0321.02)


6070


PN **6107** A-dec® Foot Control II & III Retaining Ring (A-dec® #38.0237.00)

PN **6070** Foot Control Cover, (A-dec® #22.0110.00)


6095

PN **6095** Spring Clip, (A-dec® #010.056.00)

A-dec® is a registered trademark of A-dec, Inc. DCI has no affiliation with A-dec and A-dec has not authorized DCI replacement parts to be used on or in connection with A-dec® products.



Foot Controls Illustrated Parts Breakdown

0911 Pin
2205 O-Ring (pkg 12)
2210 O-Ring (pkg 12)
6003 Micro-Valve, 2-Way (for chip air)
6004 Micro-Valve, 3-Way
6022 Spool
6033 Return Ring
6034 Spring
6036 Spring
6038 Stem w/ O-Rings, 2-Way
6039 Stem w/ O-Rings, 3-Way
6042 Spring
6046 Foot Control Ring (gray)
6047 Housing, No Holes (gray)
6048 Valve Tower
6049 Toggle, Wet-Dry (gray)
6052 Housing, 1-Hole Toggle (gray)
6053 Housing, 2-Holes (gray)
6057 Housing, 1-Hole Button (gray)
6054 Spring Cap
6056 Actuator Button
6070 Foot Control Cover
6093 Chip Blower Button Assembly
6094 Scaler Button Assembly
6095 Spring Clip, Foot Control Tower
6096 Stem w/ Retaining Ring
6098 Stem w/ O-Rings
6132 Wet/Dry Toggle Assembly
8070 Bumper Pad (pkg of 28)
9012 Diaphragm (pkg of 10)
9029 Spring (pkg of 10)
9602 Retaining Ring
9741 Screw
9746 Screw
9797 Screw
9789 Set Screw

Retail pricing
available at
dciparts.com

Regulators, Filters & Valves





146-148
Utility Centers & Components


149-153
Regulators, Gauges & Filters



153
Water Security Systems



154-157
Combo & Pilot Valves


158
Handpiece & Syringe Blocks


159-163
Toggle Valves


164-166
Mounting Brackets & Specialty Valves

ILLUSTRATED Parts Breakdown
167-172
Illustrated Parts Breakdown

VIDEO **Trouble Shooting a Unit?** Find videos for diagnosing slow handpieces, combo valve & shut off block repair, needle valve & cartridge valve adjustment at the DCI Video Library.


8329

Asepsis Utility Center

WHITE	GRAY	
8329	8909	Utility Center w/ Frame & Cover
8314	8908	Cover & Frame Only
8316	8907	Cover Only
8327		Utility Center, Less Frame & Cover

- Two manual shut-offs (7099)
- Accommodates up to 1 3/4" umbilicals
- Air and water regulators w/ 10-32 threads
- Cover dimensions are 14 1/2" x 14 3/4" x 5 1/16"
- One on/off toggle (7016)
- Two pressure gauges (7260)
- One dual master valve (7135)


8321

Standard Utility Center

BLACK	GRAY	
8320	8321	Standard Utility Center w/ Housing & Cover
8310	8312	Utility Center Housing Only, w/ Cover
8301	8203	Replacement Cover for Utility Center
8322		Utility Center, Less Housing & Cover

- Mounts on floor or wall (plumbing template included)
- Slotted holes allow installation without disconnecting tubing
- Accommodates up to 1 3/4" umbilicals
- Two master shut-off valves w/ 1/2" MPT to 3/8" compression fittings (0904)
- Stainless steel housing 14"x 9"x 4 1/2"
- Two non-relieving regulators (7220)
- Two pressure gauges (7260)
- Two in-line filters (7250)
- Two manual shut-off valves (7099)


8326

Economy Utility Center

BLACK	GRAY	
8326	8324	Economy Utility Center w/ Housing & Cover
8310	8312	Utility Center Housing Only, w/ Cover
8301	8203	Replacement Cover for Utility Center
8323		Economy Utility Center, Less Housing & Cover

- Provides filtered, regulated air & water for assistant's unit
- Mounts on floor or wall (plumbing template included)
- Accommodates up to 1 3/4" umbilicals
- Two integrated master shut-off valves w/ regulator & filter (7212)
- Two manual shut-off valves (7099)
- 3-way on/off toggle valve (7016)
- Stainless steel housing 14" x 9" x 4 1/2"

Easy Online Ordering

VIDEO **Visit the DCI Video Library** for a demonstration on repairing shut-off valves.



Dual Master Shut-off Valves w/ Filters

PN **7135** Dual Master Shut-Off Valve Assembly w/ Filters

- Provides shut-off for air & water
- One 1/4" barb fitting for air
- One 1/8" barb fitting for master control valve
- One 1/8" barb fitting for water
- 40 micron water & air filter
- 3/8" compression tube connection for air & water (0044)



7125



7120

Dual Master Shut-off Valves

PAGE 172 ILLUSTRATED Parts Breakdown

PN **7125** Dual Master Shut-Off Valve Kit
PN **7119** Master Shut-Off Valve (w/ double-barb cap)
PN **7120** Master Shut-Off Valve (w/ single-barb cap)
PN **7126** Replacement Diaphragm for 7119 & 7120
PN **7311** Master Shut-Off Block Repair Kit

- For remote or utility center installation
- Master shut-off valves feature: pilot-actuated shut-off, 1/8" FPT inlet, 1/4" poly outlet,10-32 barbs w/sleeves to connect 1/8" O.D. tubing
- Kit (7125) includes: two master shut-off valves, (7119 & 7120) two 1/8" MPT by 3/8" copper compression fittings (0100), 3-way on/off toggle valve (7016), two 1/4" poly by 1/8" MPT fittings (0053)

FEATURED



7212

Integrated Master Shut-off Valve / Regulator / Filter

PAGE 172 ILLUSTRATED Parts Breakdown

PN **7212** Integrated Shut-Off Valve
PN **7289** Integrated Master Shut-Off Valve w/ 1" Gauge
PN **7247** Filter Element, 40 Micron
PN **7208** Regulator Only, 3 ports
PN **7291** Original Style Cap Filter w/ O-Ring, Gray
PN **7311** Master Shut-off Block Repair Kit (for 7212)

- Non-relieving regulator, piston type
- 150 PSI maximum for regulator
- 40 micron filter element
- Turn clockwise to increase pressure
- PN 7311 rebuild kit for PN 7212
- Integrated 3/8" compression tube to adapt to 7100 & 7099 manual shut-off valve
- PN 7212 includes 10-32 x 1/8" barb & washer



7100

Manual Shut-off Valves

PN **7100** Manual Shut-Off Valve 1/2" FPT Inlet
PN **7099** Manual Shut-Off Valve 1/2" Nominal Compression

- 1/2" nominal compression (7099)
- 1/2" FPT inlet (7100)
- 3/8" O.D. tube compression fitting outlet

Non Relieving Regulator Kit



PN **7222** Non Relieving Regulator Kit
PN **7220** Regulator Only
PN **7223** Bracket & Nut

- Regulator (7220)
- In-line filter (7250)
- Round gauge (7260)
- Mounting bracket (7223)
- 1/4" poly x 1/8" MPT connector (0053)
- 1/8" MPT close nipple (0094)
- For use w/ air or water
- Maximum 125 PSI
- Turn clockwise to increase pressure

Junction Box Valve Kit



PN **9118** Junction Box Valve Kit

- Air & water Shut-Off w/ filter element
- 40 micron filter element
- Air pilot controlled
- Includes 3 Way on/off toggle valve
- 3/8" compression inlet

FEATURED

Shut Off Valve, Regulator & Filter



PN **7287** Master Shut-Off Valve/Regulator/Filter for Air, 125 PSI Maximum
PN **7288** Master Shut-Off Valve/Regulator/Filter for Water

Shut Off Valve Assembly



PN **9187** Air Single Shut-Off Valve Assembly & Filter
PN **9188** Water Single Shut-Off Valve Assembly & Filter

- For air or water
- Includes 40 micron filter
- 3/8" compression tube connection

Cuspidor/Cup Filler Time Delay Valve Assembly



PN **9275** Time Delay Valve

- Controls length of time bowl or cup fill is activated
- 1/4" poly inlet & outlet

Manual Air Shut-off Kit w/ Regulator



PN **7117** Manual Air Shut-off Kit w/ Regulator

- Used on air only
- Includes shut-off valve, regulator, & in-line filter
- Turn clockwise to increase pressure

Easy Online Ordering



Dentsply SPS Type Water Regulator

PN **7199** Dentsply SPS Type Water Regulator (Dentsply #80742)

- Fits Cavitron Jet w/ SPS Technology & Cavitron w/ SPS Technology



Dentsply Water Regulator w/ Extended Stem

PN **7209** Dentsply Water Regulator w/ Extended Stem (Dentsply #79685)

- Fits Dentsply models w/ extended stem
- Includes 1/4" poly flow connector



Dentsply™ Style Regulator

PN **7094** Regulator (Dentsply #60407)

- Includes 1/4 x 10-32 poly connector (0054)
- To fit the following units: Cavitron® 3000 & 2002, Prophy-Jet® 30, Cavi-Jet® 30, Cavi-Endo® 25, Cavi-Med



Mini Fixed Regulator

PN **9155** Mini Regulator, 35 PSI Fixed

- Non relieving
- Air or water
- 1/16" barb fitting
- 120 PSI max input



7203

Mini Regulators

PN **7203** 10-32 Input, Non-Relieving
PN **7204** 1/8" NPT Input, Non-Relieving
PN **7205** 10-32 Input, Self-Relieving (for air only)
PN **7206** 1/8" NPT Input, Self-Relieving

- 150 PSI maximum
- Piston type
- Non- or self-relieving
- Mounting hardware 15/32-32 thread w/ nut
- Water or air
- Turn clockwise to increase pressure

Air Filter Regulator (Brass)

PAGE 171 ILLUSTRATED Parts Breakdown



7225

PN **7225** Air Filter Regulator
PN **7254** Filter Element, 5 Micron w/ Bowl Seal
PN **7252** Moisture Separator Bowl
PN **7223** Mounting Bracket & Nut

- 1/8" FPT ports
- Quick removal threaded bowl
- Self-relieving
- Filter w/ 5 micron element
- Corrosion resistant construction
- Diaphragm operated
- Must be mounted in vertical position
- Turn clockwise to increase pressure

Air Filter Regulator (Coated Aluminum)

PAGE 171 ILLUSTRATED Parts Breakdown



7241

PN **7241** Air Filter Regulator
PN **7238** Moisture Separator Bowl
PN **7242** Filter Element, 40 Micron Green Threads
PN **2239** Bowl Seal (pkg of 12)
PN **7223** Mounting Bracket & Nut

- 1/8" FPT ports
- Quick removal threaded bowl
- Filter w/ 40 micron element
- Diaphragm operated
- Self-relieving
- Must be mounted in vertical position
- Turn clockwise to increase pressure

Pressure Gauge Rectangular



PN **7270** Rectangular Air Gauge

- 0-60 PSI reading
- For air only
- 1/2" H x 1 3/4" W

Easy Online Ordering



7274

Mini Pressure Gauges 1"

PN **7274** 0-60 PSI
PN **7279** 0-100 PSI

- 1" face
- 1/8" NPT / 10-32 Female



Pressure Gauge 1 1/2" Face

PN **7265** Panel Mount Pressure Gauge

- 0-100 PSI pressure reading
- Panel-mount bracket requires 1 5/8" hole
- 1 1/2" diameter
- 10-32 I.D. thread rear, 1/8" MPT thread
- For air or water



Pressure Gauge 1 1/2" Face

PN **7281** Bottom Mounted Pressure Gauge

- 0-100 PSI pressure reading
- 1 1/2" diameter
- 1/8" MPT thread
- For air or water



Pressure Gauge 1 1/2" Face

PN **7260** Rear Mounted Pressure Gauge

- 0-160 PSI pressure reading
- For air or water
- 1 1/2" diameter
- 1/8" MPT thread /10-32 Female



Pressure Gauge 1 1/2" Face

PN **7290** Bottom Mounted Pressure Gauge

- 0-160 PSI pressure reading



Pressure Gauges 2" Face

PN **2826** Economy
PN **2856** Liquid Filled

- 2" dial face
- 0-160 PSI
- 1/4" MPT Center back connection



Vacuum Gauge

PN **7268** Vacuum Gauge, bottom mount

- 1/4" NPT Bottom connection
- 0-30" hg



Air or Water Filter

PN **7246** Air/Water Filter
PN **7291** Cap Filter w/O-Ring, Gray
PN **7247** Element (ea.)
PN **7248** Element (pkg of 6)

- 1/8" FPT ports
- 40 micron replaceable element



In-Line Filters 1/8" FPT or 10-32 Port

PAGE 171 ILLUSTRATED Parts Breakdown

PN **7250** In-Line Filter, 1/8" FPT
PN **7251** In-Line Filter, 10-32 Port
PN **2215** O-Ring (pkg of 12)
PN **7253** Bronze Filter Disc (pkg of 2)
PN **7282** Stainless Filter Disc (pkg of 2)

- 35 micron filtration
- Air or water
- 1" diameter x 1" long

Easy Online Ordering

FEATURED

Water Security Systems

PN **2396** 3/4" System, PEX, w/ Filter & 24 Volt Relay
PN **2395** 1" System w/ Filter & 24 Volt Relay



2396

- Filters incoming water supply & shuts off water from control panel
- Remote shut off of all water supply to dental equipment to prevent accidental water damage
- Allows servicing without disruption to the dental practice
- 20 Micron Filter

Water Filter Replacement Cartridge


2051

PN **2051** Water Filter 2 1/2" x 10" (pkg of 2)
PN **2076** Water Filter 4 1/2" x 10" (pkg of 2)

- Fits most standard housings
- Pleated design captures more debris
- 20 Micron Filter
- PN 2051 fits 3/4" systems
- PN 2076 fits 1", 1 1/4" & 1 1/2" systems

Air Filter / Moisture Separator


7239

PN **7239** Air Filter Moisture Separator, 5 Micron Filter 7236
PN **7238** Moisture Separator Bowl
PN **7236** Filter Element, 5 Micron, Black Threads
PN **2239** Bowl O-Ring, (pkg of 12)

- 1/8" FPT ports
- Quick removal threaded bowl

Disposable Inline Filter


7234


7283

PN **7234** Inline Filter 74 Micron Filtration, 1/4" Barbs
PN **7283** Inline Filter 43 Micron Filtration, 1/8" Barbs

- For use w/ air or water
- Nylon construction



7302

Water Relay & Flow Control Combo Valves

DCI Water Relay & Flow Control Combo Valves are a new design that no longer require a one-way barb. They are non-retracting and feature a smoother and quicker activation.

FEATURED

Water Relay & Flow Control Combo Valves

PN **7139** Water Relay w/ Flow Control
PN **7068** Water Relay, non-retracting
PN **7302** Water Relay w/ Double Barb Swivel
PN **7304** Water Relay, Combo Valve w/ Double Barb Swivel, Black Knob
PN **7305** Water Relay, Combo Valve w/ Single Barb Swivel, Black Knob
PN **7306** Water Relay, Combo Valve w/ Black Knob
PN **7307** Water Relay, Combo Valve, Barb on DCI Side, Black Knob
PN **7309** New Style, Repair Kit for 7139 Valve
PN **7133** Old Style, Repair kit for 7130 Valve

- Non retraction type
- Combination pilot valve & needle valve
- 10-32 side ports
- Low Activation Pressure of 25 PSI
- Used on DCI Edge Series 4 and Series 5 units
- Precision Flow Control

Easy Online Ordering




7139

Non-Retracting
Eliminates the possibility that water can backflow into the unit, meeting ADA requirements to prevent cross-contamination.

No Longer Requires One-Way Barb
Expand your options with combo valves that no longer use a one-way barb.

Smoother and Quicker Activation
Smooth, quick activation assures instant on/off without drips or run on.



7187


7185


7186

Water Relay & Flow Control Combo Valves to Fit Midmark Units

PN **7187** Midmark Combo Valve (Midmark #029-3411-00)

- Water relay valve with flow control
- Replacement for most newer Midmark Dental Units
- 35 PSI activation pressure
- Signal relay foot control required

PN **7185** Flow Control Knob, Blue (Midmark #053-1165-01)
PN **7186** Flow Control Knob, Surf (Midmark #053-1165-00)

- 1/4" Brass insert shaft
- Smooth type knob

FEATURED

Water Relay Retracting


7350


2934

PN **7350** Water Relay, Standard
- Activates at 20 PSI


PN **7351** Water Relay, Mini
- Activates at 35 PSI

PN **7352** Water Relay, Compact
- Activates at 30 PSI
- Normally Closed

PN **2934** Quick Exhaust Valve
- 10-32 ports to adapt to water relays
- Relieves air pressure immediately upon release

FEATURED


Water Relay Non-Retraction



PN **7068** Water Relay w/ Actuator
PN **7096** Actuator Only
PN **7097** Water Relay Only

- Activates at 20 PSI
- Normally closed
- 10-32 ports
- 1/16" barbs & washers


Pilot Actuated Relay Valves


7095

PN **7095** Normally Open
PN **7097** Normally Closed

- Requires actuator 7096
- 10-32 ports
- 2-way (non-relieving)
- For air or water

Easy Online Ordering



Pilot Actuated Valve

PN **7073** Pilot-Actuated Valve

- Requires actuator 7096
- Normally closed
- 1/8" FPT ports
- 2-way (non-relieving)
- For air or water



Air Pilot Valves


PN **7070** 2-Way w/o Exhaust Normally Closed (for air & water)
PN **7071** 2-Way w/o Exhaust Normally Open (for air & water)
PN **7075** 3-Way w/ Exhaust Normally Closed (for air only)

- Barb fitting for 1/8" O.D. tubing
- Air actuated on/off control
- Requires 25 PSI
- Panel-mount 15/32-32 thread w/ nut

TECH TIP

Do you need a 2-Way or 3-Way Valve?

When in doubt get a 2-way. If it turns out you need a 3-way, simply remove the center O-Ring on the stem!



FEATURED

Handpiece Block Single-Piece Assembly



4421


PN **4380** Twin-Block w/ Long Adjustment Screws
PN **4382** Twin-Block w/ Std. Adjustment Screws
PN **4421** Tri-Block w/ Std. Adjustment Screws
PN **4435** Tri-Block w/ Long Adjustment Screws

- Used on DCI Edge Series 4/5 Delivery Systems

PN **4425** Quad-Block w/ Std. Adjustment Screws
PN **4438** Quad Block w/ Long Adjustment Screws.

- Used on DCI Edge Series 4/5 Delivery Systems

PN **4428** Quad-Block, Series 5
PN **4427** Quin-Block w/ Std. Adjustment Screws
PN **4432** Drive Air Adjusting Screw
PN **4426** Mounting Bracket



4427

- Works with normally closed automatic handpiece holders
- Consistent flow control for handpiece pressure adjustments
- Higher output due to improved airflow
- Longer lasting diaphragm
- No internal cross-over of air or water
- Twin-Block dimensions, 1 1/2" x 1 1/2" x 1"
- Tri-Block dimensions, 2 3/8" x 1 1/2" x 1"
- Quad-Block dimensions, 3 1/8" x 1 1/2" x 1"
- Quin-Block dimensions, 3 3/4" x 1 1/2" x 1"


Manual Handpiece Control Block



PN **4093** Control Block

- Allen adjusting screws for air & water
- Mounting hardware
- 10-32 Barbs for 1/8" and 1/4" O.D. tubing

Flow Control Connector Block



3021

PN **3021** Syringe Block
PN **2110** Flow Adjusting Screw

- For use on DCI 4102 & other manual handpiece control systems
- Includes all barb fittings
- Handpiece pressure adjustment


Handpiece Muffler & Oil Collector



PN **7321** Muffler

- Can be mounted through frame for removal from outside control head
- Will handle up to four handpieces
- Compact size to fit inside control head
- Minimum back pressure
- Filter media is standard cotton swab material

Easy Online Ordering



Toggle On/Off Valve, Hex Body

PAGES 167 168 ILLUSTRATED Parts Breakdown

BLACK	GRAY	
7010	7012	2-Way Valve
7015	7016	3-Way Valve
	7154	3-Way Valve, Side Ported

- Panel-mounting 15/32-32 thread w/ nut
- 2-way for air or water; 3-way for air only

FEATURED



Needle Valve, Hex Body


PAGE 170 ILLUSTRATED Parts Breakdown

BLACK	GRAY	
7050	7052	Needle Valve
7197		Needle Valve w/ Large Knob
7059	7069	Knob
7042		Large Knob
	7017	Side Port Needle Valve
7054		Side Port Needle Valve, Fine Adjustment

- Fine flow control adjustment for air or water
- Panel-mounting 15/32-32 thread w/ nut
- Includes 1/16" hex allen wrench

FEATURED

PAGE 167 ILLUSTRATED Parts Breakdown



Toggle Momentary Valve, Hex Body

BLACK	GRAY	GRAY/SIDE-PORT	
7020	7021		2-Way Valve N.C.
7025	7026		3-Way Valve N.C.
	7027	7157	3-Way Valve N.O.
		7013	3-Way Valve N.C.

- Panel-mounting 15/32-32 thread w/ nut
- 2-way for air or water; 3-way for air only

FEATURED

PAGE 167 ILLUSTRATED Parts Breakdown




Toggle Routing, Selector, Valve Hex Body

BLACK	GRAY	
7000	7001	Routing Valve
	7176	Routing Valve w/ 1/16" Barbs.

- Toggle on/off for routing **1 input & 2 output, or 2 input & 1 output**
- Panel-mounting 15/32-32 thread w/ nut
- For air or water

PAGE 168 ILLUSTRATED Parts Breakdown



Push Button Momentary Valve, Hex Body

BLACK	GRAY	
7030	7031	2-Way, N.C.
7035	7037	3-Way, N.C.
	7036	3-Way, N.O.


- Positive on/off control
- Panel-mounting 15/32-32 thread w/ nut
- 2-way for air or water; 3-way for air only


7055

Flow Control Valve, Hex Body

BLACK	GRAY	
7055	7056	Pinch Valve
7059	7069	Knob

- Variable restriction for air & water
- Pinch valve
- Accommodates 1/8" or 1/4" O.D. tubing


7040

Toggle On/Off Valve Hex Body, Side Port

PAGE 169 ILLUSTRATED Parts Breakdown

BLACK	GRAY	
7040	7152	2-Way Valve
7045	7154	3-Way Valve

- Panel-mounting 15/32-32 thread w/ nut
- 2-way for air or water; 3-way for air only
- Port barbs for 1/8" O.D. tubing

FEATURED


7156

Toggle Valve Side Port, Round Body

PAGE 168 ILLUSTRATED Parts Breakdown

BLACK	GRAY	
7155	7156	3-Way Valve, On/Off
	7158	2-Way Valve, N.C., Momentary

- Port barbs for 1/8" O.D. tubing
- Round body
- 3-way for air only
- Panel-mounting 15/32-32 thread w/ nut

PAGE 169 ILLUSTRATED Parts Breakdown


7151

Toggle Routing, Selector Valve Round Body

BLACK	GRAY	
7150	7151	Selector Valve

- Panel mounting 15/32-32 thread w/ nut
- Routes signal air
- Port barbs for 1/8" O.D. tubing
- Exhausting valve, for air only

PAGE 170 ILLUSTRATED Parts Breakdown



7166

Momentary Cup Filler Valve, Round Body

BLACK	GRAY	
7167	7166	Cuspidor Valve

- Threaded hex fitting for flow
- 2-way (non-exhausting) for water
- Positive on/off control
- Panel-mounting 15/32-32 thread w/ nut

Easy Online Ordering



Toggle On/Off "Rear Ported" Valves

BLACK	GRAY	
7163	**7164**	2-Way Valve for air or water
7160	**7161**	3-Way Valve for air only

PAGE 169 ILLUSTRATED Parts Breakdown

- Positive on/off control
- Panel-mounting 15/32-32 thread w/ nut



Toggle Momentary On/Off "Rear Ported"

BLACK	GRAY	
7168	**7169**	2-Way Valve for air or water


- Rear ported valve
- Panel-mounting 15/32-32 thread w/ nut



Replacement Toggles

BLACK	GRAY	
7038	**7039**	Momentary Toggle w/ Pin
7123	**7124**	On/Off Toggle w/ Pin

FEATURED



Extended Handle Toggle Valves (Aluminum)

PN **7014** 2-way Valve
PN **7009** 3-way Valve
PN **7024** Aluminum Toggle Only

- Extended Handle
- Momentary action
- 2 & 3-way configurations used on cup fillers & cuspidors



Air On/Off Indicators

PN **7285** Green
PN **7280** Red

- 10-32 Port with barbs for 1/8" O.D. tubing
- 25-120 PSI
- Panel-mount



Automatic Handpiece Holder Valves

PN **5947** Normally Open Side Port
PN **5948** Normally Closed Side Port
PN **5989** Normally Open Rear Port
PN **5983** Normally Closed Rear Port

- 5948 normally closed is used for 5940, 5960 & 4592 handpiece holders
- 5983 normally closed is used for 4561
- 5947 normally open is used for positive air signal

DCI Cartridge Valves

A quick turn of the cartridge allows for simple removal and another quick turn with the replacement cartridge gets you back up and running. It's as simple as that.

- Removable cartridge insert
- Direct replacement for most OEM valves
- Color coded cartridge for easy identification
- Increased flow
- Quick & simple 60 degree turn to remove or insert



Insert cartridge into the valve




Turn 60 degrees to replace insert

FEATURED

VALVE PN	CART #	COLOR	
7800		Brown	Valve, Toggle (Black), 2-Way, On-Off, N.C.
	7900	Brown	Cartridge Replacement, Toggle (Black), 2-Way, On-Off, N.C.
7801		Brown	Valve, Toggle (Gray), 2-Way, On-Off, N.C.
	7901	Brown	Cartridge Replacement, Toggle (Gray), 2-Way, On-Off, N.C.
7802		Blue	Valve, Toggle (Black), 3-Way, On-Off, N.C.
	7902	Blue	Cartridge Replacement, Toggle (Black), 3-Way, On-Off, N.C.
7803		Blue	Valve, Toggle (Gray), 3-Way, On-Off, N.C.
	7903	Blue	Cartridge Replacement, Toggle (Gray), 3-Way, On-Off, N.C.
7810		Brown	Valve, Toggle (Black), 2-Way, Momentary, N.C.
	7910	Brown	Cartridge Replacement, Toggle (Black), 2-Way, Momentary, N.C.
7811		Brown	Valve, Toggle (Gray), 2-Way, Momentary, N.C.
	7911	Brown	Cartridge Replacement, Toggle (Gray), 2-Way, Momentary, N.C.
7812		Blue	Valve, Toggle (Black), 3-Way, Momentary, N.C.
	7912	Blue	Cartridge Replacement, Toggle (Black), 3-Way, Momentary, N.C.
7813		Blue	Valve, Toggle (Gray), 3-Way, Momentary, N.C.
	7913	Blue	Cartridge Replacement, Toggle (Gray), 3-Way, Momentary, N.C.
7817		Green	Valve, Toggle (Gray), 3-Way, Momentary, N.O.
	7917	Green	Cartridge Replacement, Toggle (Gray), 3-Way, Momentary, N.O.
7821		Brown	Valve, Push Button (Gray), 2-Way, Momentary, N.C.
	7921	Brown	Replacement Cartridge, Push Button (Gray), 2-Way, Momentary, N.C.

Easy Online Ordering

VALVE PN	CART #	COLOR	
7823		Blue	Valve, Push Button (Gray), 3-Way, Momentary, N.C.
	7923	Blue	Replacement Cartridge, Push Button (Gray), 3-Way, Momentary, N.C.
7827		Green	Valve, Push Button (Gray), 3-Way, Momentary, N.O.
	7927	Green	Replacement Cartridge, Push Button (Gray), 3-Way, Momentary, N.O.
7831		Blue	Valve, Roller (SST), 3-Way, Momentary, N.C.
	7931	Blue	Replacement Cartridge, Roller (SST), 3-Way, Momentary, N.C.
7835		Red	Valve, Routing, Toggle (Black), On/Off, Side & Rear Ported
	7935	Red	Replacement Cartridge, Routing, Toggle (Black), On/Off, Side & Rear Ported
7836		Red	Valve, Routing, Toggle (Gray), On/Off, Side & Rear Ported
7842		Red	Valve, Routing, Toggle (Black), On/Off
7843		Red	Valve, Routing, Toggle (Gray), On/Off
	7936	Red	Replacement Cartridge, Routing, Toggle (Gray), On/Off, Side & Rear Ported • Replacement for 7836, 7842, and 7843
7845		Brown	Valve, Toggle (Black), Side Ported, 2-Way, On-Off, N.C.
	7945	Brown	Replacement Cartridge, Toggle (Black), Side Ported, 2-Way, On-Off, N.C.
7847		Blue	Valve, Toggle (Black), Side Ported, 3-Way, On-Off, N.C.
	7947	Blue	Replacement Cartridge, Toggle (Black), Side Ported, 3-Way, On-Off, N.C.
7850		Brown	Valve, Toggle (Gray), 2-Way, Momentary, N.C., Side-Ported
	7950	Brown	Replacement Cartridge, Toggle (Gray), 2-Way, Momentary, N.C., Side-Ported
7851		Blue	Valve, Toggle (Gray), Side Ported, 3-Way, Momentary, N.C.
	7951	Blue	Replacement Cartridge, Toggle (Gray), Side Ported, 3-Way, Momentary, N.C.
7852		Blue	Valve, Toggle (Gray), Side Ported, 3-Way, Momentary, N.O.
	7917	Green	Cartridge Replacement, Toggle (Gray), 3-Way, Momentary, N.O.



7821



7843



7836, 7936



7831



7801

Air & Water Auxiliary Q.D. Panels



6569

GRAY	WHITE	
6559	**6569**	Auxiliary Panel

- 1/4" Water quick connect w/ flow control
- Available in white or gray
- 3/8" Air quick connect w/ on/off switch
- Dimensions 3" x 4"

Valve / Switch / Q.D. Mounting Brackets


7078

PN **7078** Single Mount, L: 1.5" H: 7/8" W: 3/4"
PN **7079** Dual Mount, 3" H: 7/8" W: 3/4"
PN **7114** Triple Mount, L: 3" H: 7/8" W: 3/4"

- 1/2" I.D. mounting holes
- White powder coat finish
- Mounts toggles, indicators, Q.D.'s & air electric switches

3/4" & 1/2" I.D. Mounting Bracket



PN **7113** Q.D. Mounting Bracket, L: 3" H: 7/8" W: 3/4"

- One 1/2" mounting hole
- One 3/4" mounting hole
- White powder coat finish

Air Actuated Switches


7080

PN **7080** 25 PSI Normally Open
PN **7087** 25 PSI Normally Closed
PN **7084** 10 PSI Normally Open
PN **7089** 10 PSI Normally Closed

- 7080 & 7087 activated at 25 PSI, 5 A
- 7084 & 7089 activated at 10 PSI, 1 A
- 15/32-32 thread w/ nut
- On/off control of up to 120v, 5 amp
- 125 PSI max

Easy Online Ordering


7090

Shuttle Valves

PN **7090** 1/8" Shuttle Valve
PN **7092** 1/4" Shuttle Valve

- For routing two different flows through one output
- For 1/8" & 1/4" tubing


7141

Miniature Inline Check Valves

PN **7085** 1/8" FPT
PN **7140** Check Valve w/ Ball, 1/16" Barb
PN **7141** Check Valve w/ Ball, 1/8" Barb

- For use w/ non-retraction water systems



Flow Restrictor

PN **7022** Flow Restrictor

- Variable control for air & water
- For 1/8" O.D. or 1/4" O.D. tubing


2151

Ball Valves

PN **2151** Ball Valve, 1/4" FPT

PN **2152** Ball Valve 1/2" FPT

PN **2150** Ball Valve 3/8" FPT

- For use w/ water, oil or gas (WOG)
- 29" Hg to 600 PSI rated

Cavitron Water Solenoid Valve Assembly



PN **9404** Cavitron Water Solenoid Valve Assembly (Dentsply #776030250)

- 24 Volt
- 1/8" FPT

Dentsply SPS Style Water Solenoid Valve



PN **2939** Dentsply SPS Style Water Solenoid Valve (Dentsply #571070003)

- Fits Dentsply Cavitron SPS w/ SPS Technology & Cavitron Jet w/ SPS Technology
- 24 Volt DC
- Two 1/8" FPT ports

Water Solenoid Valves



2830

PN **2830** 24 Volt AC
PN **2831** 115 Volt AC
PN **2832** 230 Volt AC

- 2-way normally closed
- 1/8" NPT
- 24 / 115 / 230 Volt AC
- Conduit hub mount
- 1/32" Orifice

Water Solenoid Valves




2827

PN **2827** 24 Volt AC
PN **2828** 115 Volt AC
PN **2829** 230 Volt AC


- 2-way normally closed
- 1/8" NPT
- 1/16" orifice
- 24 / 115 / 230 Volt AC
- 12" leads / no conduit hub mount

Easy Online Ordering


Routing Valve




Toggle Valve, 2-Way Momentary




Toggle Valve, 2-Way




Toggle Valve, 3-Way Momentary




Toggle Valve, 3-Way




Push-Button Valve, 2-Way



Push-Button Valve, 3-Way




Toggle Valve, 2-Way




Easy Online Ordering


Toggle Valve, 3-Way




Toggle Valve, 2-Way




Toggle Valve, 3-Way




Routing Valve



Toggle Valve, 3-Way Momentary




Needle Valve



Toggles, Valves & Regulators Illustrated Parts Breakdown

2201	O-Ring (pkg of 12)
2203	O-Ring (pkg of 12)
2205	O-Ring (pkg of 12)
2218	O-Ring (pkg of 12)
2225	O-Ring (pkg of 12)
2233	O-Ring (pkg of 12)
2238	O-Ring (pkg of 12)
6037	Spring, Stainless Steel
7028	Toggle, Momentary (black)
7058	Toggle, Detented (black)
7059	Knob (black)
7064	Toggle, Detented (gray)
7065	Toggle, Momentary (gray)
7069	Knob (gray)
7103	Push Button (black)
7104	Push Button (gray)
8158	Spring, Compression
9649	Pin
9796	Set Screw

Water Relay & Flow Control Combo Valve 7130



2201	O-Ring (pkg of 12)
2203	O-Ring (pkg of 12)
2210	O-Ring (pkg of 12)
2289	O-Ring (pkg of 12)
0168	Duck Bill Barb

Water Relay & Flow Control Combo Valve


Repair Kits include items designated by an asterisk

7133	Repair Kit

Easy Online Ordering


Norgren Style Regulator Parts

- Norgren brand regulator was sold through February 2000



Wilkerson Style Air Filter Regulator Parts


- Wilkerson changed product




Norgren/Wilkerson Regulators Illustrated Parts Breakdown

2215	O-Ring (pkg of 12)
7226	Filter Element & O-Ring for Wilkerson
7227	Moisture Separator Bowl
7228	Diaphragm for Norgren
7229	Repair Kit for Norgren
7235	Repair Kit for Wilkerson
7253	Filter Disk (pkg of 2)


In-Line Filters



Master Shut-off Valve 7125



Integrated Master Shut-off Valve 7212



Valves & Regulators Illustrated Parts Breakdown

7311	Master Shut-off Valve Repair Kit
2203	O-Ring (pkg of 12)
2234	O-Ring (pkg of 12)
6037	Spring, Stainless Steel
7122	Stem, Master Shut-Off
7126	Diaphragm, Master Shut-Off
7127	Cap, 1 Barb, Master Shut-Off
7128	Cap, 2 Barb, Master Shut-Off
7208	Regulator Assembly
7247	Filter Element, 40 Micron
9790	Screw

* Asterisk designates parts included in DCI kit 7311

Easy Online Ordering

Fittings

Retail pricing available at dciparts.com





174-177

Quick Disconnects



178-182

Barb Fittings



183-186

NPT Pipe Fittings



187-189

Compression Fittings



189-191

Poly Flow Fittings



192

Plastic Barb Fittings



7338

Q.D. Female Panel Mount x 10-32 w/ Shut-off

The Q.D. Female Panel Mount Coupler is a compact design, 10-32 panel mount for a 3/8" coupler with a quick disconnect for both water and air. The 3/8" Coupler has a barb-style connection w/ a shut-off feature.

FEATURED

Q.D. Female Panel Mount x 10-32 w/ Shut-off

PN **0006** 1/4" Coupler w/ shut-off

- Includes 1/16" & 1/8" barb

PN **7338** 3/8" Coupler w/ shut-off

- Includes 1/8" barb
- Includes 9786 and 9787 color indicator washers

Easy Online Ordering



Barb Style Connection
The input coupler features a barb style connection, eliminating an adapter. The 10/32 fitting allows easy mating to various size supply tubings.



3/8" Coupler
The 3/8" coupler comes with a 1/8" barb and water and air indicator washers.



Shut-Off
Quick-disconnect closes the valve when the fitting is disconnected to avoid dripping.



0014

Poly Male Insert Q.D. w/ Shut-off

PN **0014** 1/4" Q.D. w/ shut-off
PN **0012** 3/8" Q.D. w/ shut-off

- For use w/ water or air


0015

Poly Male Insert Q.D. w/o Shut-off

PN **0015** 1/4" Q.D. w/o shut-off
PN **0013** 3/8" Q.D. w/o shut-off


0011

Poly Q.D. Female Panel Mount w/ Shut-off

PN **0011** 1/4" Coupler w/ shut-off
PN **0010** 3/8" Coupler w/ shut-off

- Includes both Yellow & Blue Indicators


9784 9785

Q.D. Air & Water Indicators

PN **9784** Yellow Air Indicator Washer for 1/4" Q.D. (pkg of 10)
PN **9785** Blue Water Indicator Washer for 1/4" Q.D. (pkg of 10)
PN **9786** Yellow Air Indicator Washer for 3/8" Q.D. (pkg of 10)
PN **9787** Blue Water Indicator Washer for 3/8" Q.D. (pkg of 10)


0017

Q.D. Female x MPT w/ Shut-off

PN **0017** 1/4" Q.D. x 1/4" MPT
PN **0018** 1/4" Q.D. x 1/8" MPT
PN **0016** 3/8" Q.D. x 1/4" MPT



CPC Type Panel Mount Female Q.D. w/ Shut-off

PN **0004** 1/4" Coupler w/ shut-off

- Use w/ 0005
- Poly fitting



CPC Type Panel Mount Male Q.D. w/o Shut-off

PN **0005** 1/4" Q.D. Insert

- For use w/ air only
- Use w/ 0004
- Poly fitting




Air Hose Quick Connects Male

PN **2081** M Type Male Thread 1/4"



Air Hose Quick Connects Female

PN **2080** M Type Female Thread 1/4"



7112

10-32 Compression Tube Adapter Kit

PN **7111** 1/4" Compression Tube
PN **7112** 3/8" Compression Tube



9330



9331

Q.D. Barb Reducers

PN **9330** 1/16" x 1/4" Compression
PN **9331** 1/16" x 3/8" Compression
PN **9333** 1/8" x 1/4" Compression
PN **9332** 1/8" x 3/8" Compression

- For use on Q.D. when installing Dentsply CaviJet & Cavitron
- Single Piece Design



0008

Inline Miniature Q.D. w/ Shut-off Male & Female

PN **0007** 1/16" x 10/32"
PN **0008** 1/8" x 10/32"

- Valve stem for shut-off



1/16" Barb Fitting Plated

PN **0074** 10-32 x 1/16" Barb (pkg of 10)
PN **0187** Barb Only (pkg of 100)

- For 1/8" O.D. tubing
- Includes sleeve & washer



1/8" Barb Fitting Plated

PN **0075** 10-32 x 1/8" Barb (pkg of 10)
PN **0188** Barb Only (pkg of 100)

- For 1/4" O.D. tubing
- Includes sleeve & washer



10-32 Hex Plug Plated

PN **0073** 10-32 Plug (pkg of 10)
PN **0189** Plug Only (pkg of 100)

- Includes washer



Barb x 1/8" MPT Adapters

PN **0067** 1/16" x 1/8" MPT
PN **0068** 1/8" x 1/8" MPT
PN **0991** 1/16" Barb x 1/8" MPT 90 Degree Elbow




Syringe Barbs

PN **0084** 8-32 x 1/16" Barb (pkg of 10)
PN **0085** Washer 8-32, nylon (pkg of 10)

- Used on most manufacturers' syringes
- PN 0084 includes washer

FEATURED


0200

5/16 Clamp Sleeve

PN **0200** (pkg of 10)

0071

1/8" Clamp Sleeve

PN **0071** (pkg of 10)
PN **0198** (pkg of 100)

- For 1/8" O.D. tubing

0070

1/4" Clamp Sleeve

PN **0070** (pkg of 10)
PN **0197** (pkg of 100)

- For 1/4" O.D. tubing


0089

1/8" 2 piece "Uni-Clamp"

PN **0089** Uni-Clamp (pkg of 10)
PN **0199** Uni-Clamp (pkg of 100)

- For 1/8" O.D. tubing



Plastic Sealing Washer

PN **0072** (pkg of 100)

- For 10-32 fittings



1/8" Barb x 10-32 "T" Fitting

PN **0076** 1/8" Barb x 10-32 Port (pkg of 5)


0078
0077
0079

Barb to Barb Plated

PN **0077** 1/16" In-Line Barb (pkg of 10)
PN **0078** 1/8" In-Line Barb (pkg of 10)
PN **0079** 1/16" x 1/8" In-Line Barb (pkg of 10)

Technician Fittings Kit

PN **8781** Technician Fittings Kit



Kit Includes:

PN **8885**	12 Compartment Storage Box	1 ea.
PN **0072**	10-32 Plastic Washers	100 ea.
PN **0077**	1/16" Inline Metal Barb	10 ea.
PN **0078**	1/8" Inline Metal Barb	10 ea.
PN **0198**	1/8" Plastic Clamp Sleeve	100 ea.
PN **0197**	1/4" Plastic Clamp Sleeve	25 ea.
PN **0064**	10-32 Female Cross	10 ea.
PN **0189**	10-32 Plug	50 ea.
PN **0187**	10-32 1/16" Metal Barb	50 ea.
PN **0188**	10-32 1/8" Metal Barb	50 ea.
PN **0951**	1/16" Metal Tee	20 ea.
PN **0952**	1/8" Metal Cross	20 ea.



A-dec® 5/16" Barb Fitting

PN **0171** 10-32 x 5/16" Barb (pkg of 10)

- For 3/16" ID tubing



Stepped Barb Fitting

PN **0993** 10-32 x 1/8" x 1/16" Stepped Barb (pkg of 10)
PN **0992** 10-32 x 1/8" x 1/16" Stepped Barb

- Easily connect 1/8" or 1/4" tubing



Duck Bill Barb "Check Valve"

PN **0168** Duck Bill Barb

- Provides handpiece water line suck back control
- High flow rate is 80% of standard barb
- Barb has obvious appearance difference from standard
- Will fit any 10-32 port where standard barb is now used
- Can be used on handpiece or syringe water lines

A-dec® is a registered trademarks of A-dec, Inc. DCI has no affiliation with A-dec and A-dec has not authorized DCI replacement parts to be used on or in connection with A-dec® products.



Barbed Tubing Plugs

PN **0066** 1/16" Tubing Plug (pkg of 10)
PN **0105** 1/8" Tubing Plug (pkg of 10)

- 0066 is for 1/8" O.D. tubing
- 0105 is for 1/4" O.D. tubing



Barb Tee Plastic or Metal

PN **0082** 1/16" White Plastic (pkg of 10
PN **0083** 1/8" White Plastic (pkg of 10)
PN **0951** 1/16" Metal (1 ea.)

- 0082 & 0951 fit 1/8" O.D. tubing
- 0083 fits 1/4" O.D. tubing



Barb "T" Plastic Reducing

PN **0069** Reducing Barb Tee (pkg of 10)

- Measures 1/8" x 1/16" x 1/8"



Cross Connector "Metal"

PN **0952** 1/16" Barb Cross

- Fits 1/8" O.D. tubing
- Nickel plated

FEATURED



Dual Mount Distribution Manifold

PN **52718** Distribution Manifold

- 9 female 10-32 Ports



Barb "Y" Plastic

PN **0086** 1/16" (pkg of 10)
PN **0087** 1/8" (pkg of 10)



Barb Elbow 10-32

PN **0080** 1/16" (pkg of 10)
PN **0081** 1/8" (pkg of 10)

- 10-32 Male









Inline Tubing Q.D. Swivel Fittings

PN **0868** 1/16" Inline Tubing Q.D. Assy (pkg of 5)

PN **0866** 1/8" Inline Tubing Q.D. Assy (pkg of 5)

PN **0869** 1/16" x 1/8" Inline Tubing Q.D. (pkg of 5)

PN **0181** 1/16" Male (pkg of 5)

PN **0182** 1/8" Male (pkg of 5)

PN **0183** Collar (pkg of 5)

PN **0184** 1/16" Swivel, w/ O-Ring (pkg of 5)

PN **0185** 1/8" Swivel, w/ O-Ring (pkg of 5)

PN **2271** O-Ring (pkg of 12)



10-32 Swivel Elbow

PN **0167** 10-32 Male Swivel x 10-32 Female
PN **4282** Tee Swivel x 10-32 ASSY, 1/16" barb



10-32 Female Coupler

PN **0063** 10-32 Female Coupler (pkg of 5)



10-32 Male Coupler "Hex Nipple"

PN **0062** 10-32 Male Coupler (pkg of 5)



10-32 Male x 1/8" Female Adapter

PN **0942** 10-32 x 1/8" FPT



10-32 Tee Fitting

PN **0065** 10-32 Female Tee



10-32 Cross 4-Way

PN **0064** 10-32 Female Cross



Bushing 10-32 x 1/8" MPT

PN **0091** 10-32 x 1/8" MPT



Pipe Tee 10-32 x 1/8" MPT

PN **0899** 10-32 x 1/8" MPT



Cross Connectors

PN **0090** 10-32 x 1/8" MPT



Cross Connectors

PN **0867** 10-32 Male, 10-32 Fem (3)



Poly Flow Connector x 10-32

PN **0054** 1/4" x 10-32



0152

Close Nipple MPT

PN **0835** 1/8" MPT Nipple
PN **0152** 1/4" MPT Nipple
PN **0153** 3/8" MPT Nipple
PN **0154** 1/2" MPT Nipple



0892

Hex Nipple MPT

PN **0094** 1/8" MPT
PN **0891** 1/4" MPT
PN **0892** 3/8" MPT

FEATURED

Inline Needle Valve



PN **0870** 1/4" x 1/4"

- Poly to MPT
- 150 PSI working pressure
- Positive seal & flow adjustment



0873

Right Angle Needle Valves

PN **0872** 1/4"x 1/8"
PN **0873** 1/4" x 1/4"

- Poly to MPT
- 150 PSI working pressure
- Positive seal & flow adjustment



Self Drilling Saddle Valve

PN **7115** 1/4" x 1/8"

- Used to tap into copper lines
- Self drills into 3/8" to 1 3/8" copper tubing
- Outlet is 1/4" O.D. compression tube fitting


0157

Long Nipple MPT

PN **0155** 1/8" MPT x 1 1/2"
PN **0131** 1/4" MPT x 1 1/2"
PN **0157** 3/8" MPT x 1 1/2"
PN **0158** 1/2" MPT x 2"


0897

Reducing Nipple MPT

PN **0836** 1/4" MPT x 1/8" MPT
PN **0897** 3/8" MPT x 1/4" MPT


0143


0811

Female Couplers & Reducing Couplers

PN **0092** Coupler 1/8" x 1/8"
PN **0143** Coupler 1/4" x 1/4"
PN **0144** Coupler 3/8" x 3/8"
PN **0145** Coupler 1/2" x 1/2"
PN **0133** Reducer 1/4" x 1/8"
PN **0811** Reducer 3/8" x 1/4"
PN **0812** Reducer 1/2" x 1/4"
PN **0900** Reducer 1/2" x 3/8"


0149

Elbow 90 Degree Female

PN **0838** 1/8" FPT Elbow
PN **0149** 1/4" FPT Elbow
PN **0150** 3/8" FPT Elbow
PN **0151** 1/2" FPT Elbow


0840

Street Elbow Male x Female

PN **0839** 1/8" Elbow
PN **0840** 1/4" Elbow
PN **0841** 3/8" Elbow
PN **0842** 1/2" Elbow


0147

Pipe Tee Female

PN **0837** 1/8" FPT Tee
PN **0146** 1/4" FPT Tee
PN **0147** 3/8" FPT Tee
PN **0148** 1/2" FPT Tee



Female Cross

PN **0096** 1/8" FPT


0141

Bushing MPT x FPT

PN **0093** 1/4" x 1/8" Bushing
PN **0140** 3/8" x 1/8" Bushing
PN **0141** 3/8" x 1/4" Bushing
PN **0142** 1/2" x 1/8" Bushing
PN **0834** 1/2" x 1/4" Bushing
PN **0125** 1/2" x 3/8" Bushing
PN **0918** 3/4" x 3/8" Bushing
PN **0917** 3/4" x 1/4" Bushing
PN **0907** 3/4" x 1/2" Bushing


0160

Pipe Plug Hex Head

PN **0097** 1/8" MPT Plug
PN **0159** 1/4" MPT Plug
PN **0160** 3/8" MPT Plug



Pipe Plug Socket Head

PN **0099** 1/8" MPT Plug
PN **0098** 1/4" MPT Plug
PN **0112** 3/8" MPT Plug
PN **0113** 1/2" MPT Plug


0832

Compression Tube x MPT Straight

PN **0127** 1/4" Tube x 1/8" MPT
PN **0843** 3/8" Tube x 1/8" MPT
PN **0844** 1/4" Tube x 1/4" MPT
PN **0832** 3/8" Tube x 1/4" MPT
PN **0914** 3/8" Tube x 3/8" MPT
PN **0826** 3/8" Tube x 1/2" MPT


0845

Compression Tube x MPT Elbow

PN **0845** 1/4" Tube x 1/8" MPT
PN **0846** 1/4" Tube x 1/4" MPT
PN **0847** 3/8" Tube x 1/8" MPT
PN **0824** 3/8" Tube x 1/4" MPT


0809

Union Compression Tube x Compression Tube

PN **0806** 1/8" Union
PN **0807** 1/4" Union
PN **0808** 5/16" Union
PN **0809** 3/8" Union


0137

Compression Tube "Tee"

PN **0135** 1/4" Union Tee
PN **0136** 5/16" Union Tee
PN **0137** 3/8" Union Tee
PN **0138** 1/2" Union Tee
PN **0139** 5/8" Union Tee


0823

Compression Nuts

PN **0880** 1/8" Compression Nut (pkg of 10)
PN **0881** 1/4" Compression Nut (pkg of 10)
PN **0882** 5/16" Compression Nut (pkg of 10)
PN **0823** 3/8" Compression Nut (pkg of 10)


0922

Compression "Female" Sleeves

PN **0801** 1/8" Brass Sleeve (pkg of 10)
PN **0920** 1/4" Brass Sleeve (pkg of 10)
PN **0921** 5/16" Brass Sleeve (pkg of 10)
PN **0922** 3/8" Brass Sleeve (pkg of 10)
PN **0923** 1/2" Brass Sleeve (pkg of 10)


0102

MPT Adapters x Compression Tube

PN **0100** 1/8" MPT x 3/8"
PN **0102** 1/4" MPT x 3/8"
PN **0904** 1/2" MPT x 3/8"

FEATURED


0815

Flare x MPT Straight Connectors

PN **0813** 1/4" x 1/4"
PN **0815** 3/8" x 1/4"
PN **0884** 1/4" x 1/8"
PN **0886** 1/4" Flare x 1/8" MPT Elbow Connector


0890

Flare Nuts

PN **0889** 1/4" Flare Nut
PN **0890** 3/8" Flare Nut

TECH TIP

TRYING TO SOLVE A TOUGH TECHNICAL PROBLEM?

Visit the DCI Service Forum at **www.dcionline.com** or the **DCI Video Library** where you can collaborate with fellow technicians and find the answers to the most challenging dental repairs!



Push to Connect Fittings

PN **9341** Swivel Elbow 1/8" NPT x 1/4" Quick Connect
PN **9342** Straight Fitting 1/8" NPT x 1/4" Quick Connect
PN **9343** Swivel Elbow 1/4" NPT x 1/4" Quick Connect



Poly x Compression Tubing

PN **0044** 1/4" Poly x 3/8" Compression
PN **0864** 3/8" Poly x 3/8" Compression



Poly x MPT Male Fittings

PN **0053** 1/4" x 1/8"
PN **0052** 1/4" x 1/4"
PN **0048** 5/16" x 1/8"
PN **0049** 5/16" x 1/4"
PN **0051** 3/8" x 1/8"
PN **0050** 3/8" x 1/4"
PN **0119** 3/8" x 3/8"
PN **9339** 1/4" x 3/8"



Poly x 10-32 Male Fitting

PN **0054** 1/4" x 10-32



Poly x MPT Elbow Fittings

PN **0042** 1/8" x 1/8"
PN **0061** 1/4" x 1/8"
PN **0060** 1/4" x 1/4"
PN **0936** 1/4" x 3/8"
PN **0047** 5/16" x 1/8"
PN **0059** 3/8" x 1/8"
PN **0058** 3/8" x 1/4"



Poly x Long MPT Elbow Fitting

PN **9338** Long Male Elbow 1/4" Poly x 1/4" MPT

- For water supply to vacuum pump impeller housing
- When using on vacuum pump, replace poly nut w/ metal sleeve


0041

Poly Run Tee x MPT

PN **0041** 1/4" x 1/8"
PN **0040** 1/4" x 1/4"


0057

Poly x FPT Straight Connectors

PN **0057** 1/4" x 1/8"
PN **0056** 1/4" x 1/4
PN **0114** 5/16" x 1/8"
PN **0055** 3/8" x 1/4"


0032

Poly Union

PN **0032** 1/4" x 1/4"
PN **0033** 5/16" x 5/16"
PN **0031** 3/8" x 3/8"



Poly Reducing Unions

PN **0030** 3/8" x 1/4"


0045

Poly x Compression Tube Unions

PN **0045** 1/4" x 1/4"
PN **0034** 3/8" x 3/8"


0036

Poly Tees

PN **0036** 1/4"
PN **0038** 5/16"
PN **0035** 3/8"
PN **0037** 1/4" x 3/8" x 3/8"


0021

Poly Nut & Sleeve

PN **0021** 1/4" Poly Nut & Sleeve (pkg of 5)
PN **0019** 5/16" Poly Nut & Sleeve (pkg of 5)
PN **0020** 3/8" Poly Nut & Sleeve (pkg of 5)



Poly Sleeve "Ferrule"

PN **0023** 1/4" Poly Sleeve (pkg of 10)
PN **0027** 5/16" Poly Sleeve (pkg of 10)
PN **0022** 3/8" Poly Sleeve (pkg of 10)



Poly Plugs

PN **0025** 1/4" Poly Plug (pkg of 5)
PN **0024** 3/8" Poly Plug (pkg of 5)

- Comes w/ barbs & washers



Garden Hose Adapters

PN **0851** 3/4" Garden Hose Male x 3/8" Male Pipe

PN **0852** 3/4" Garden Hose Male x 1/2" Male Pipe

PN **0853** 3/4" Garden Hose Female x 1/4" Male Pipe

PN **0854** 3/4" Garden Hose Female x 3/8" Male Pipe

PN **0855** 3/4" Garden Hose Female x 1/4" Male Barb Fitting

PN **0856** 3/4" Garden Hose Female x 3/8" Male Barb Fitting

PN **0858** 3/4" Garden Hose Female x 3/4" Male Barb Fitting

PN **0850** Hose Washer (pkg of 10)



Plastic Vacuum Adapters

TUBING SIZES

PN **0943** 1/2" x 1/2"
PN **0944** 1/2" x 5/8"
PN **0945** 1/2" x 7/8"
PN **0947** 5/8" x 5/8"
PN **0946** 5/8" x 7/8"
PN **0948** 3/4" x 3/4"



Plastic Barbed "Y" Fitting

PN **0994** 1/2" x 1/2" x 1/2" Barbed Y



Plastic Straight Male Adapters

PN **0959** 1/2" MPT x 1/2" Barb
PN **0979** 3/4" MPT x 1/2" Barb
PN **0960** 1/2" MPT x 5/8" Barb
PN **0961** 3/4" MPT x 5/8" Barb
PN **0978** 1/2" MPT x 3/4" Barb
PN **0980** 3/4" MPT x 3/4" Barb
PN **0981** 3/4" MPT x 1" Barb
PN **0982** 1" MPT x 1" Barb



Plastic Elbow Male Adapters

PN **0966** 1/2" MPT x 1/2" Barb
PN **0973** 3/4" MPT x 1/2" Barb
PN **0971** 1/2" MPT x 5/8" Barb
PN **0974** 3/4" MPT x 5/8" Barb
PN **0972** 1/2" MPT x 3/4" Barb
PN **0975** 3/4" MPT x 3/4" Barb
PN **0976** 3/4" MPT x 1" Barb
PN **0977** 1" MPT x 1" Barb



Plastic Elbow Female Adapters

PN **0967** 1/2" FPT x 1/2" Barb
PN **0968** 1/2" FPT x 5/8" Barb



Plastic Barbed "T" Fittings

PN **0964** 1/2" x 1/2" x 1/2" Barbed Tee
PN **0965** 5/8" x 5/8" x 5/8" Barbed Tee
PN **0970** 5/8" x 5/8" x 1/2" Barbed Tee



Plastic Barb x Barb Elbow

PN **0962** 1/2" x 1/2" Barbed Elbow
PN **0983** 5/8" x 5/8" Elbow

Tubing

Retail pricing
available at
dciparts.com





194-195

Handpiece Tubing



196

Syringe, Prophy &
Cavitron Tubing



197-198

Foot Control/Saliva
Ejector Tubing



198-199

Vacuum Tubing, Floor
Flanges & Cuffs



200

Supply Tubing



PAGES 70-75
Fiber Optic &
Power Optic Tubing



432T

Asepsis Smooth Wall Handpiece Tubing

Asepsis 4-Hole HP Tubing
Easily match your existing tubing color and size with one of our available options.

FEATURED



Asepsis 4-Hole Handpiece Tubing

DARK SURF	GRAY	LT SAND	STERLING	BLACK	
435T	432T	433T	436T	431T	7 ft. w/ Connector
	445T				12 ft. w/ Connector
	446T				11 ft. w/ Connector
	441T				10 ft. w/ Connector
435	432	433	436	431	Per foot
435R	432R	433R	436R	431R	100 ft. Roll
435B	432B	433B	436B	431B	100 ft. Box
435CT	432CT	433CT	436CT	431CT	Coiled w/ Connector

Sterling

The following dental manufacturers offer Sterling tubing: Pelton & Crane®, DentalEZ®, Marus® Dental, DCI Equipment, Beaverstate, Forest, DCI Edge, DCI Reliance

Gray

The following dental manufacturers offer Gray tubing: DCI, Belmont®, Sirona, Dentech®

Black

The following dental manufacturers offer Black tubing: Forest & Boyd

Dark Surf / Shadow

The following dental manufacturers offer Dark Surf tubing: A-dec®, Midmark®

Light Sand

The following dental manufacturers offer Lt. Sand tubing: Royal / Proma, Engle, Boyd Dental



322

Asepsis 3-Hole Handpiece Tubing

GRAY

322T	7 ft. w/ Connector
322	Per foot
322R	100 ft. Roll
322B	100 ft. Box
322CT	Coiled w/ Connector



402

Standard 4-Hole Handpiece Tubing

GRAY

402T	7 ft. w/ Connector
402	Per foot
402R	100 ft. Roll
402B	100 ft. Box
402CT	Coiled w/ Connector

A-dec® is a registered trademark of A-dec, Inc. These parts are manufactured by DCI to fit A-dec® equipment. DCI has no affiliation with A-dec and A-dec has not authorized DCI replacement parts to be used on or in connection with A-dec® products.

FEATURED

Sheathed 3-Hole Syringe Tubing


645

DARK SURF	GRAY	
645	**646**	Straight (per ft.) (A-dec® #024.155.02 Dark Surf) & (A-dec® #024.223.02 Gray)
645R	**646R**	100 ft. Roll

Asepsis 2-Hole Syringe Tubing


233

DARK SURF	GRAY	LT SAND	STERLING	BLACK	
235	**232**	**233**	**236**	**231**	Straight (per ft.)
235R	**232R**	**233R**	**236R**	**231R**	100 ft. Roll
235B	**232B**	**233B**	**236B**	**231B**	100 ft. Box
235C	**232C**	**233C**	**236C**	**231C**	Coiled

Standard 2-Hole Syringe Tubing


222

GRAY	
222	Straight (per ft.)

Standard 3-Hole Syringe Tubing


332

GRAY	
332	Per foot

Ultrasonic Scaler Tubing 7 ft. Length


640

PN **640** Straight

Prophy Tubing 7 ft. Length


631

GRAY	BLACK	
631	**630**	For DENTSPLY® / Cavitron Prophy-Jet Model C-100 & C-200
636	**635**	For DENTSPLY® / Cavitron Prophy-Jet Model C-300 & Cavi-Jet Model G105

A-dec® is a registered trademark of A-dec, Inc. These parts are manufactured by DCI to fit A-dec® equipment. DCI has no affiliation with A-dec and A-dec has not authorized DCI replacement parts to be used on or in connection with A-dec® products.

Easy Online Ordering


653

Sheathed Asepsis 5-Hole Foot Control Tubing

PN **653** Sheathed Asepsis 5-Hole Foot Control Tubing, Dark Surf (A-dec® #024.202.01) (Midmark® #053-1709-00)

PN **654** Sheathed Asepsis 5-Hole Foot Control Tubing, Gray (A-dec® #024.214.01) (Midmark® #053-1709-00)

- Polyurethane
- 3 ea. – 1/8" tubings
- 2 ea. – 5/16" tubings
- A-dec 300® or 500® only


426

Asepsis 4-Hole Foot Control Tubing

Polyurethane

DARK SURF	GRAY	
428	**426**	Per foot
428R	**426R**	100 ft. Roll
428B	**426B**	100 ft. Box


252

Asepsis 2-Hole Foot Control Tubing

Vinyl / Gray

252	Per foot
252R	100 ft. Roll
252B	100 ft. Box

Polyurethane / Gray

253	Per foot
253R	100 ft. Roll
253B	100 ft. Box


511

Standard 5-Hole Foot Control Tubing

Polyurethane

DARK SURF	GRAY	LT SAND	STERLING	
511	**512**	**510**	**513**	Per foot
511R	**512R**	**510R**	**513R**	100 ft. Roll
511B	**512B**	**510B**	**513B**	100 ft. Box


425

Standard 4-Hole Foot Control Tubing

Polyurethane

DARK SURF	GRAY	LT SAND	STERLING	
427	**423**	**425**	**421**	Per foot
427R	**423R**	**425R**	**421R**	100 ft. Roll
427B	**423B**	**425B**	**421B**	100 ft. Box

Vinyl / Gray

422	Per foot
422R	100 ft. Roll
422B	100 ft. Box

A-dec®, A-dec 300® and A-dec 500® are registered trademarks of A-dec, Inc. These parts are manufactured by DCI to fit A-dec® equipment. DCI has no affiliation with A-dec and A-dec has not authorized DCI replacement parts to be used on or in connection with A-dec® products.


343

Standard 3-Hole Foot Control Tubing

Polyurethane

DARK SURF	GRAY	LT SAND	STERLING	
350	343	348	349	Straight (per ft.)
350R	343R	348R	349R	100 ft. Roll
350B	343B	348B	349B	100 ft. Box


243

Standard 2-Hole Foot Control Tubing

Polyurethane

DARK SURF	GRAY	LT SAND	STERLING	
256	243	255	246	Straight (per ft.)
256R	243R	255R	246R	100 ft. Roll
256B	243B	255B	246B	100 ft. Box

Vinyl / Gray

242	Straight (per ft.)
242R	100 ft. Roll
242B	100 ft. Box


S601

3/16" I.D. Vinyl Saliva Ejector Tubing

DARK SURF	GRAY	LT SAND	STERLING	BLACK	
S615	S601	S603	S605	S604	Per foot
S615R	S601R	S603R	S605R	S604R	100 ft. Roll
S615B	S601B	S603B	S605B	S604B	100 ft. Box


S611

7/32" I.D. Vinyl Saliva Ejector Tubing

GRAY	STERLING	
S611	S610	Per foot
S611R	S610R	100 ft. Roll
S611B	S610B	100 ft. Box


737

Asepsis Smooth Wall HVE Tubing

PN **737**	1/2" I.D. Dark Surf (per ft.)
PN **733**	1/2" I.D. Gray (per ft.)
PN **734**	1/2" I.D. Light Sand (per ft.)
PN **742**	1/2" I.D. Sterling (per ft.)
PN **744**	1/2" I.D. Black (per ft.)


732

Asepsis HVE Tubing

PN **731**	1/2" I.D. Gray (per ft.)
PN **732**	5/8" I.D. Gray (per ft.)
PN **743**	1/2" I.D. Light Sand (per ft.)
PN **739**	5/8" I.D. Sterling (per ft.)

Easy Online Ordering


722

Asepsis "Sheathed" Corrugated Tubing

PN **721** 1/2" I.D. Gray (per ft.)
PN **722** 1" I.D. Gray (per ft.)
- 50 feet max per section


SV05

Specialty Vacuum Tubing

PN **SV05** 1/2" I.D. Drain Tubing, Gray (per ft.)

PN **SV05R** 1/2" I.D. Drain Tubing, Gray (100 ft. Roll)

PN **752** 3/8" I.D., Clear PVC Convoluted


704

Standard Corrugated Tubing

GRAY	STERLING	
701	**713**	1/2" I.D. Tubing
703	**714**	5/8" I.D. Tubing
704	**715**	3/4" I.D. Tubing
705	**716**	1" I.D. Tubing
706	**717**	1 1/4" I.D. Tubing
707	**718**	1 1/2" I.D. Tubing
708	**719**	1 3/4" I.D. Tubing
709	**720**	2" I.D. Tubing


9350

Stainless Steel Hose Clamps

PN **9350** Stainless Steel Hose Clamps 3/8" - 7/8" (pkg of 10)
PN **9351** Stainless Steel Hose Clamps 1/2" - 1 1/4" (pkg of 10)
PN **9352** Stainless Steel Hose Clamps 3/4" - 1 3/4" (pkg of 10)
PN **9353** Stainless Steel Hose Clamps 1 1/4" - 2 1/4" (pkg of 10)


8664

Floor Flange

PN **8660** 9/16" I.D. For Foot Control Tubing, 2" O.D.
PN **8663** 1 3/8" I.D. For 1" Vac Tubing, 3" O.D.
PN **8664** 1 5/8" I.D. For 1 1/4" Vac Tubing, 3" O.D.



Tubing Cuffs

PN **8611** For 5/8" I.D. Tubing
PN **8612** For 3/4" I.D. Tubing
PN **8613** For 1" I.D. Tubing
PN **8614** For 1 1/4" I.D. Tubing
PN **8615** For 1 1/2" I.D. Tubing
PN **8616** For 2" I.D. Tubing

1/8" O.D. Polyurethane Supply Tubing (1/16" I.D.)


1202

BLACK	BLUE	CLEAR	GREEN	
1201	1202	1203	1204	Per foot
1201R	1202R	1203R	1204R	100 ft. Roll
1201B	1202B	1203B	1204B	100 ft. Box

GRAY	ORANGE	RED	YELLOW	
1205	1206	1207	1208	Per foot
1205R	1206R	1207R	1208R	100 ft. Roll
1205B	1206B	1207B	1208B	100 ft. Box

1/4" O.D. Polyurethane Supply Tubing (1/8" I.D.)


1405

BLACK	BLUE	CLEAR	GREEN	GRAY	ORANGE	
1401	1402	1403	1404	1405	1406	Per foot
1401R	1402R	1403R	1404R	1405R	1406R	100 ft. Roll
1401B	1402B	1403B	1404B	1405B	1406B	100 ft. Box

RED	YELLOW	WHITE	LT. SAND	DARK SURF	STERLING GRAY	
1407	1408	1409	1417	1418	1419	Per foot
1407R	1408R	1409R	1417R	1418R	1419R	100 ft. Roll
1407B	1408B	1409B	1417B	1418B	1419B	100 ft. Box

5/16" O.D. Polyurethane Supply Tubing (3/16" I.D.)


1706

BLACK	BLUE	CLEAR	ORANGE	YELLOW	
1701	1702	1703	1706	1708	Per foot
1701R	1702R	1703R	1706R	1708R	100 ft. Roll
1701B	1702B	1703B	1706B	1708B	100 ft. Box

- 5/16" OD tubing is used by A-dec®

3/8" O.D. Polyurethane Supply Tubing (1/4" I.D.)


1608


BLUE	CLEAR	GRAY	YELLOW	
1602	1603	1605	1608	Per foot
1602R	1603R	1605B	1608R	100 ft. Roll
1602B	1603B	1605R	1608B	100 ft. Box


A-dec® is a registered trademark of A-dec, Inc. These parts are manufactured by DCI to fit A-dec® equipment. DCI has no affiliation with A-dec and A-dec has not authorized DCI replacement parts to be used on or in connection with A-dec® products.

Easy Online Ordering

Retail pricing
available at
dciparts.com

Service, Cabinet & Analgesia





202-208

Tools



209

X-Ray Exposure Switches



210-213

Electrical Accessories



214-216

Repair Kits



217-219

O-Rings



220-221

Analgesia Components



222

Tapmaster® Cabinet Parts




223-226

Cabinet Components



DCI Hemostat

PN **9325** Hemostat



DCI Hex Wrench Sets

PN **9705** Hex Wrench Set, Standard
PN **9706** Hex Wrench Set, Metric

- Long arm series
- Heat treated alloy steel, black finish
- Available in standard & metric sizes
- Ball driver end



Panel Wrench

PN **9288** Panel Wrench

- Great for installing toggles & other 9/16" nuts



Metal Sleeve Tool

PN **8061** Sleeve Tool Metal 1/8"
PN **8062** Sleeve Tool Metal 1/4"
PN **8089** Combo Sleeve Tool 1/8" & 1/4"

- Plated metal construction
- Ends angled 45° and 90°



Plastic Sleeve Tool

PN **8060** Sleeve Tool Plastic

- For 1/4" and 1/8" sleeves
- For 1/8" I.D. uni-clamp
- Durable plastic



O-Ring Tools

PN **9316** O-Ring Tool Kit (A-dec® #009.013.00)

- Aids in installing O-Rings onto stems
- 3 sizes: .199, .166, .100

A-dec® is a registered trademark of A-dec, Inc. These parts are manufactured by DCI to fit A-dec® equipment. DCI has no affiliation with A-dec and A-dec has not authorized DCI replacement parts to be used on or in connection with A-dec® products.



Ball Driver 3/32

PN **9700** 3/32" Ball Driver

- Use for adjusting syringe flow & handpiece pressure
- Plastic handle



Pelton & Crane® Socket Retractor

PN **9289** Pelton & Crane® Socket Retractor

VIDEO Check out the **DCI Video Library** for how to use the P&C socket retractor!



Gas Spring Adjusting Tool

PN **8697** Gas Spring Adjusting Tool (Pelton & Crane® #016749)

- For use w/ Pelton & Crane® LFII
- 5/16" Hex



4 Hole Tubing Splice Connector

PN **0954** Tubing Connector



Tubing Cutter

PN **8620** Tubing Cutter
PN **8622** Replacement Blade



Copeland Compressor Sight Glass Tool

PN **2633** Sight Glass Tool (MDT #301789)



Tubing Stripper

PN **8621** Tubing Stripper



Post Leveling Tools

PN **8668** Magnetic Leveling Tool

- Use for quick & easy leveling of light and unit posts
- Vertical & horizontal
- 8668 attaches to post magnetically



DCI 3-in-1 Syringe Tool

PN **9287** DCI 3-in-1 Syringe Tool

- Includes Valve Core Tool, Quick-Change® Adapter Tool & Button Pin Removal Tool



A-dec® Syringe Tools

PN **9286** A-dec® Syringe Tool (A-dec® #98.0010.00)

- Valve core, tip tool & button retaining screw tool



Forest Syringe Button Multi Tool

PN **3033** Forest Syringe Button Multi Tool

- Wrench end for barbs
- Wrench for Forest style buttons
- Hex for tip adapter nut



Syringe Button Removal Tool

PN **8059** Syringe Button Removal Tool



Syringe Nut Wrench

PN **3097** Syringe Nut Wrench



Valve Core Tool

PN **3096** Valve Core Tool

A-dec® is a registered trademark of A-dec, Inc. These parts are manufactured by DCI to fit A-dec® equipment. DCI has no affiliation with A-dec and A-dec has not authorized DCI replacement parts to be used on or in connection with A-dec® products.



Burr Wrench Universal

PN **8625** Universal, Square Drive



Burr Wrenches Midwest

PN **8627** For Midwest Quiet Air
PN **8628** For Midwest 8000/Trad



Handpiece Repair Tool

PN **4706** Handpiece Waterline Tool

- Quickly & easily clear plugged water line in handpiece

FEATURED



Air Service Tool

PN **8063** Service Tool
PN **0992** Replacement Barb

- Provides air for cleaning tubing or testing components
- 4-hole Midwest connector



Handpiece Pressure Test Gauge

PN **7267** Handpiece Pressure Gauge
PN **7281** Replacement Gauge, 1 1/2"

- Measures drive air pressure w/ handpiece running
- 0-100 PSI gauge
- Fits both 6 pin & 5 hole handpieces

FEATURED

Economy Test Gauge


7262

PN **7262** Test Gauge
PN **0992** Replacement Barb

- Replaceable barb for use w/ 1/8" or 1/16" I.D. tubing
- 0-160 PSI gauge

Blow Gun


8651


8649

PN **8651** Blow Gun w/ 10 ft. Coil
PN **8650** Blow Gun Only
PN **8655** 10 ft. Coil Tubing Only
PN **8649** Blow Gun Tip Kit

- 125 PSI working pressure
- Lever operated
- 1/4" FPT connection
- Available w/ 10' coiled tubing (yellow) w/ 1/4" MPT fittings

Umbilical Tubing Stringer



PN **8094** Tubing Stringer

- Use to pull 1/8" & 1/4" tubing through existing umbilical
- 12' long
- Flexible

Loctite


8021

PN **8021** Threadlock 242 / 0.34 oz, Blue Liquid Loctite
PN **8024** Superbond 409 / 0.10 oz

All Purpose Lube



PN **8032** All Purpose Lube

- Moisture resistant
- Teflon base lubricant
- Net wt. 1 1/2 oz.
- Not recommended for O-Rings

Silicone O-Ring Lube


8031



8034

PN **8031** Parker Super O-Ring Lube, Net wt. 2 oz.
PN **8034** Silicone Lubricant, Net wt .04 oz (pkg of 5)

- Moisture resistant
- Silicon base lubricant
- For synthetic & rubber O-Rings



Valve Cleaning Brushes

PN **5620** HVE Brush (3 3/4" bristles) (pkg of 5)
PN **5621** SE Brush (3" bristles) (pkg of 5)
PN **5622** Small Brush (pkg of 5)



GROUND SHIPMENT ONLY

Silicone Lubricant Spray

PN **6814** Silicon Lubricant Spray

- For general lubricating purposes
- Leaves no oily residues



GROUND SHIPMENT ONLY

White Lithium Grease Spray

PN **6817** White Lithium Grease Spray

- Heavy duty lubricant
- Best for pivot points, bushings & bearings



Teflon Tape

PN **9951** Teflon Tape, 1/2", 520 ft. roll
PN **9950** Teflon Tape, 1/4", 520 ft. roll



Wall Anchors


PN **6815** Nylon Wall Anchors w/ Screw (pkg of 25)
PN **6816** Metal Wall Anchors w/ Screw (pkg of 25)



Insert Nut 1/4-20x13


PN **9340** Insert Nut 1/4-20x13 (pkg of 12)

- For under counter mounting



Adhesive Clamp, 3/4"

PN **9043** Adhesive Clamp, 3/4", Gray (pkg of 5)



Diaphragm Sheet Stock

PN **9001** 11" x 8 1/2"

- 11" x 8 1/2" Sheet
- .013" Thick



Adjustable Tie "Mount"

PN **8045** Cable Tie-Mount (pkg of 10)

Adjustable Tie Clamp

PN **8054** 4" Cable Tie (pkg of 10)
PN **8055** 5" Cable Tie (pkg of 10)
PN **8058** 8" Cable Tie (pkg of 10)



Heyco Snap-In Bushings

PN **9234** Heyco Snap-In Bushing, 1/2", Black (pkg of 5)
PN **9235** Heyco Snap-In Bushing, 3/4", Black (pkg of 5)
PN **9236** Heyco Snap-In Bushing, 1 1/2", Black (pkg of 5)



Cable Clamp

PN **8074** 1/4" Cable Clamp (pkg of 10)
PN **8078** 1/2" Cable Clamp (pkg of 10)
PN **8082** 3/4" Cable Clamp (pkg of 10)
PN **8090** 1 1/4" Cable Clamp (pkg of 10)



Low Profile X-ray Switch w/ Stainless Plate

PN **7134** Low Profile X-ray Switch w/ Stainless Plate

- Recessed button prevents accidental exposure



7116

Economy X-Ray Exposure Switch Kits

PN **7116** X-Ray Exposure Switch Kit, Stainless Steel
PN **7322** X-Ray Exposure Switch Kit, White
PN **7324** X-Ray Exposure Switch Kit, Almond

- Includes exposure switch & mounting plate
- Push button normally open switch
- Fits standard single gang electrical box
- Includes mounting hardware



Universal X-Ray Exposure Switch

PN **7109** X-Ray Exposure Switch

- Push button normally open
- Screw terminals
- Single pole / single throw
- 3/4 amp 125V AC/DC



7326

Deluxe X-Ray Exposure Switch Kits

PN **7325** Deluxe X-Ray Exposure Switch Kit, Stainless Steel
PN **7326** Deluxe X-Ray Exposure Switch Kit, White
PN **7328** Deluxe X-Ray Exposure Switch Kit, Almond

- Audible actuation
- 2 wire connection
- Fits standard single gang electrical box
- Includes mounting hardware
- Replaces Gendex 46-197334G6



Deluxe X-Ray Exposure Switch

PN **7329** Deluxe X-Ray Exposure Switch

- Normally Open
- Gendex P/N 46-197311P1
- Fits Gendex 770, 900, 1000, 765DC Pan small control

FEATURED



X-Ray Exposure Switch Mounting Plate

PN **8115** Cover Plate, Stainless Steel
PN **7330** Cover Plate, White
PN **7332** Cover Plate, Almond

- Used w/ x-ray exposure switch 7109
- 1/2" diameter hole
- Laser etched



Universal Toggle Switch

PN **8699** Power Switch, 125 VAC 10 Amp (Ritter/Knight #WO-34566)

- For use w/ Castle & Ritter lights
- 10 amp, 125 VAC



Fuse Holder

PN **2862** Fuse Holder



Lever Nut Connector

PN **9356** Wago Lever Nut Connector, (Pkg of 10)



Sub Miniature Toggle Switch

PN **7082** Toggle Switch

- Rated for 5 amp at 125 VAC
- Single pole, double throw



Low Voltage Electrical Cable

PN **8110** 8-Conductor Wire (per ft.)

- 8 Conductor
- 22 Gauge wires









Hospital Grade Cords & Plugs

PN **9280** Hospital Grade Right Angle Cord #18 Gauge, IEC Style, 10' long

PN **9281** Hospital Grade Straight Cord #18 Gauge, Bare Wires, 8' long

PN **9282** Hospital Grade Straight Cord #16 Gauge, IEC Style, 10' long

PN **8111** Hospital Grade Plug Straight "Male"

PN **8113** Hospital Grade Plug Straight "Female"

PN **8112** Hospital Grade Plug Right Angle "Male"

FEATURED

Standard Power Cords



PN **9270** Straight Cord #16 Gauge, 15'



PN **9283** Right Angle Cord #16 Gauge, 7.5'



PN **9284** Straight Cord #16 Gauge, 7.5'



PN **9285** Straight Cord #16 Gauge, 6.5', Bare Wires



15 ft. Black Extension Cord

PN **9279** Electrical Extension Cord



8 ft. Black Extension Cord

PN **8472** Electrical Extension Cord

- Used for light post extension kits



7080

Air / Electric Switches

Air / Electric Switches are available in 10 PSI and 25 PSI, open or closed and designed to give you control over the On/Off, and are OEM compatible.

FEATURED

Air / Electric Switches

PN **7080** 25 PSI Normally Open
PN **7087** 25 PSI Normally Closed
PN **7084** 10 PSI Normally Open
PN **7089** 10 PSI Normally Closed

- 7080 & 7087 activated at 25 PSI
- 7084 & 7089 activated at 10 PSI
- 15/32-32 thread w/ nut
- On/Off control of up to 120V, 5 amp
- 125 PSI max



On / Off Control
Air / Electric Switches empower you to control the On/Off of up to 120V, 5 amp.

Range Of PSI
Choose from Air / Electric Switches with activation at 10 or 25 PSI and can work up to a max of 125 PSI.

Compatible With Multiple OEMs
Easily operated by pressing the multi-function button.

FEATURED



Electric Switch

PN **7102** Push Button

- Rated for 5 amp at 125 VAC
- Normally closed, push button

Valve Kit

PN **7143** Technician's Valve Kit



7143

Kit includes:

PN **7012** Toggle Valve, On/Off, 2-Way, Gray, 3 ea.
PN **7016** Toggle Valve, On/Off, 3-Way, Gray, 3 ea.
PN **7052** Needle Valve w/Knob, Gray, 3 ea.
PN **7021** Toggle Valve, Momentary, 2-Way, Normally Closed, Gray, 3 ea.
PN **7026** Toggle Valve, Momentary, 3-Way, Normally Closed, Gray, 3 ea.
PN **7027** Toggle Valve, Momentary Gray 3-Way, Normally Open, Gray, 3 ea.
PN **7001** Toggle Routing Valve, 2-Way, Gray, 3 ea.
PN **7151** Toggle Routing Valve, Side Ported, Gray, 3 ea.
PN **7164** Rear Ported Valve, Valve, 3-Way, Side, Gray, 3 ea.
PN **7038** Toggle Only, Momentary w/Pin Assy, Black, 3 ea.
PN **7123** Toggle Only, Detented w/Pin, Black, 3 ea.
PN **7039** Toggle Only, Momentary w/Pin Assy, Gray, 3 ea.
PN **7124** Toggle Only, Detented w/Pin, Gray, 3 ea.
PN **7014** Toggle Valve, Momentary, 2-Way w/Special Toggle, 3 ea.
PN **7070** Air Pilot Valve, 2-Way, Normally Closed, 3 ea.
PN **7166** Cup Filler Valve, Momentary, 2-Way, Gray, 3 ea.
PN **5947** Holder Valve, Auto HP, Normally Open, Side Port, 5 ea.
PN **5948** Holder Valve, Auto HP, Normally Closed, Side Port, 5 ea.
PN **5989** Holder Valve, Auto HP, Normally Open, Rear Port, 5 ea.
PN **5983** Holder Valve, Auto HP, Normally Closed, Rear Port, 5 ea.
PN **7078** Valve Mounting Bracket, Single, 2 ea.
PN **7140** Check Valve w/Ball, 1/16" Barb, 10 ea.
PN **7090** Shuttle Valve, 1/8", 5 ea.
PN **8068** Storage Box, Plastic, 24 Compartment, 1 ea.

Technicians Fittings Kit



PN **8781** Technician Fittings Kit

Kit includes:

PN **8885** 12 Compartment Storage Box, 1 ea.
PN **0072** 10-32 Plastic Washers, 100 ea.
PN **0077** 1/16" Plated In-Line Metal Barb, 10 ea.
PN **0078** 1/8" Plated In-Line Barb, 10 ea.
PN **0198** 1/8" Plastic Clamp Sleeve, 100 ea.
PN **0197** 1/4" Plastic Clamp Sleeve, 25 ea.
PN **0064** 10-32 Female Cross, 10 ea.
PN **0065** 10-32 Female Tee, 10 ea.
PN **0189** 10-32 Plug, 50 ea.
PN **0187** 10-32 1/16" Metal Barb, 50 ea.
PN **0188** 10-32 1/8" Metal Tee, 50 ea.
PN **0951** 1/16" Metal Tee, 20 ea.
PN **0952** 1/16" Metal Cross, 20 ea.

Dentist's Emergency Repair Kit



8071

0071

0070

- Use for repair of minor problems occurring most frequently in dental units

PN **8071** Dentist's Emergency Repair Kit

Kit includes:

PN **0070** 1/4" Plastic Sleeve, 10 ea.
PN **0071** 1/8" Plastic Sleeve, 10 ea.
PN **0023** 1/4" Poly Sleeve, 5 ea.
PN **0021** 1/4" Poly Nut & Sleeve, 2 ea.
PN **0072** 10-32 Plastic Washer, 20 ea.
PN **0075** 10-32 x 1/8" Plated Barb, 5 ea.
PN **0074** 10-32 x 1/16" Plated Barb, 5 ea.
PN **0077** 1/16" Plated In-Line Barb, 3 ea.
PN **0078** 1/8" Plated In-Line Barb, 3 ea.
PN **0082** 1/16" Plastic Tee, 2 ea.
PN **0083** 1/8" Plastic Tee, 2 ea.
PN **0124** HP Gasket, Midwest 5-Hole, 2 ea.
PN **2254** O-Ring, HVE Top, 6 ea.
PN **2253** O-Ring, HVE Barrel, 6 ea.
PN **2256** O-Ring, Saliva Ejector Barrel, 6 ea.
PN **2201** O-Ring, A-dec® Style Syringes, 3 ea.
PN **2203** O-Ring, Std. Syringe Button, 3 ea.
PN **2255** O-Ring, Syringe Tip, 3 ea.
PN **2267** O-Ring, Syringe Button, 3 ea.
PN **8621** Tubing Stripper Tool, 1 ea.
PN **8054** 4" Cable Tie, 10 ea.
PN **5754** Saliva Ejector Tip, Gray, 1 ea.
PN **8072** Plastic Storage Box, 17 Compartment

A-dec® is a registered trademark of A-dec, Inc. These parts are manufactured by DCI to fit A-dec® equipment. DCI has no affiliation with A-dec and A-dec has not authorized DCI replacement parts to be used on or in connection with A-dec® products.


8095

- 18 Common fast acting fuses conveniently packed in an 18 compartment plastic storage box
- UL approved fuses

Fast Acting Kit & Fuses

PN **8095** Fast Acting Fuse Kit

Kit includes:

PN **8836** 1/8A, 250V, 5 ea.
PN **8837** 1/4A, 250V, 5 ea.
PN **8838** 1/2A, 250V, 5 ea.
PN **8839** 3/4A, 250V, 5 ea.
PN **8840** 1A, 250V, 5 ea.
PN **8841** 1-1/4A, 250V, 5 ea.
PN **8842** 1-1/2A, 250V, 5 ea.
PN **8843** 2A, 250V, 5 ea.
PN **8844** 2-1/2A, 250V, 5 ea.
PN **8845** 3A, 250V, 5 ea.
PN **8846** 4A, 250V, 5 ea.
PN **8847** 5A, 250V, 5 ea.
PN **8848** 6A, 250V, 5 ea.
PN **8849** 8A, 250V, 5 ea.
PN **8850** 10A, 250V, 5 ea.
PN **8851** 15A, 32V, 5 ea.
PN **8852** 25A, 32V, 5 ea.
PN **8853** 30A, 32V, 5 ea.
PN **8884** Plastic Storage Box Only, 18 Compartment


8086

- 18 Common time delay fuses conveniently packed in an 18 compartment plastic storage box
- UL approved fuses

Time Delay Fuse Kit & Fuses

PN **8086** Time Delay Fuse Kit

Kit includes:

MDL Glass

PN **8821** 1/10A, 250V, 5 ea.
PN **8822** 1/4A, 250V, 5 ea.
PN **8823** 1/2A, 250V, 5 ea.
PN **8824** 1A, 250V, 5 ea.
PN **8825** 1-1/2A, 250V, 5 ea.
PN **8826** 2A, 250V, 5 ea.
PN **8827** 2-1/2A, 250V, 5 ea.
PN **8828** 3A, 250V, 5 ea.
PN **8829** 4A, 250V, 5 ea.
PN **8830** 5A, 250V, 5 ea.
PN **8831** 6-1/4A, 250V, 5 ea.
PN **8832** 15A, 32V, 5 ea.

MDA Ceramic

PN **8886** 6A, 250V, 5 ea.
PN **8887** 8A, 250V, 5 ea.
PN **8888** 10A, 250V, 5 ea.
PN **8833** 12A, 250V, 5 ea.
PN **8834** 15A, 250V, 5 ea.
PN **8835** 20A, 250V, 5 ea.
PN **8884** Plastic Storage Box, 18 Compartment


8092

8870

- 18 Commonly used wire connectors & wire nuts conveniently packaged in an 18 compartment plastic storage box

Crimp On Wire Connector Kit

PN **8092** Crimp-On Wire Connector & Wire Nut Kit

Kit includes 20 ea.:

PN **8854** #6 Ring, Non-Insulated, 22-18 AWG
PN **8855** #4 Ring, Insulated, 22-18 AWG
PN **8856** #6 Ring, Insulated, 22-18 AWG
PN **8857** #8 Ring, Insulated, 22-18 AWG
PN **8858** #6 Ring, Insulated, 16-14 AWG
PN **8859** #8 Ring, Insulated, 16-14 AWG
PN **8860** #10 Ring, Insulated, 16-14 AWG
PN **8861** #6 Spade, Insulated, 16-14 AWG
PN **8862** #8 Spade, Insulated, 16-14 AWG
PN **8863** #10 Spade, Insulated, 16-14 AWG
PN **8864** Butt Connector, Insulated, 22-18 AWG
PN **8865** Butt Connector, Insulated, 16-14 AWG
PN **8866** Pig Tail, Insulated, 22-14 AWG
PN **8867** Pig Tail, Insulated, 8-10 AWG
PN **8868** Q.D., .250 Female, Insulated, 16-14 AWG
PN **8869** Q.D., .250 Male, Insulated, 16-14 AWG

Kit includes 15 ea.:

PN **8870**
Wire Nut, 22-14 AWG

Kit includes 5 ea.:

PN **8871**
Wire Nut, 18-10 AWG

Kit includes 1 ea.:

PN **8884**
Plastic Storage Box only, 18 Compartment

O-Rings

* Asterisk designates O-Rings included in DCI kit 8067

Std P/N	DCI Part No.	A-dec® Cross Ref.	Material	Fractional Dimension	I.D. x Cross Section
* -001	2225	030.001.00	buna-n	1/32	.029 x .040
* -002	2230	030.002.00	buna-n	3/64	.042 x .050
-002	2261	034.002.00	viton	3/64	.042 x .050
	2255		buna-n	3/64	.053 x .064
	2252		viton	3/64	.053 x .064
* -003	2201	030.003.00	buna-n	1/16	.056 x .060
* -003	2305	034.003.00	viton	1/16	.056 x .060
	2220		buna-n	1/16	.057 x .040
	2204		buna-n	1/16	.065 x .035
*	2211	035.025.00	buna-n	5/64	.070 x .040
	2263	035.050.00	viton	5/64	.070 x .040
* -004	2229	030.004.00	buna-n	5/64	.070 x .070
	2217		buna-n	5/64	.075 x .035
	2266		viton	5/64	.081 x .103
	2267		buna-n	5/64	.081 x .103
	2218		buna-n	3/32	.085 x .055
* -005	2231	030.005.00	buna-n	7/64	.101 x .070
* -006	2203	030.006.00	buna-n	1/8	.114 x .070
* -006	2242	035.048.00	viton	1/8	.114 x .070
	2293		buna-n	1/8	.128 x .050
	2262		viton	1/8	.129 x .050
	2282		viton	1/8	.136 x .040
	2271		buna-n	9/64	.144 x .025
* -007	2232	030.007.00	buna-n	5/32	.145 x .070
-007	2280		viton	5/32	.145 x .070
	2208		buna-n	3/16	.172 x .037
	2209		buna-n	3/16	.176 x .050
	2281		viton	3/16	.176 x .066
* -008	2205	030.008.00	buna-n	3/16	.176 x .070
*	2212		buna-n	3/16	.180 x .040
	2264		viton	3/16	.180 x .040
	2298	034.107.00	ethylene propylene	7/32	.206 x .103
	2309		viton	7/32	.206 x .103
* -009	2233	030.009.00	buna-n	7/32	.208 x .070
* -010	2214	030.010.00	buna-n	1/4	.239 x .070
-010	2256		viton	1/4	.239 x .070
*	2244	035.004.00	buna-n	1/4	.240 x .033
	2247		buna-n	1/4	.248 x .048
*	2202		buna-n	1/4	.250 x .032
	2259		viton	1/4	.250 x .032
	2260		buna-n	17/64	.270 x .070
	2285		viton	19/64	.300 x .050
* -011	2234	030.011.00	buna-n	5/16	.301 x .070

A-dec® is a registered trademark of A-dec, Inc. DCI has no affiliation with A-dec and A-dec has not authorized DCI replacement parts to be used on or in connection with A-dec® products.

O-Rings *(continued)*

Std P/N	DCI Part No.	A-dec® Cross Ref.	Material	Fractional Dimension	I.D. x Cross Section
	2269		viton	5/16	.301 x .070
	2268		viton	21/64	.323 x .035
* -110	2241	030.110.00	buna-n	3/8	.362 x .103
* -012	2210	030.012.00	buna-n	3/8	.364 x .070
-012	2257	034.012.00	viton	3/8	.364 x .070
* -013	2207	030.013.00	buna-n	7/16	.426 x .070
-013	2254	034.013.00	viton	7/16	.426 x .070
	2289		buna-n	7/16	.426 x .526
	2284		viton	7/16	.438 x .110
	2206		buna-n	7/16	.447 x .052
	2253		viton	7/16	.447 x .052
* -014	2228	034.014.00	ethylene propylene	1/2	.489 x .070
* -014	2243	033.014.00	viton	1/2	.489 x .070
* -015	2235	030.015.00	buna-n	9/16	.551 x .070
* -016	2236	030.016.00	buna-n	5/8	.614 x .070
* -017	2237	030.017.00	buna-n	11/16	.676 x .070
* -018	2215	030.018.00	buna-n	3/4	.739 x .070
	2297		buna-n	13/16	.799 x .103
* -019	2238	030.019.00	buna-n	13/16	.801 x .070
* -020	2223	030.020.00	buna-n	7/8	.864 x .070
-119	2224		buna-n	15/16	.924 x .103
	2270	030.021.00	buna-n	15/16	.926 x .070
* -023	2239	030.023.00	buna-n	1-1/16	1.051 x .070
	2221		buna-n	1-55/64	1.86 x .070
	2246		buna-n	2-7/64	2.109 x .139
* -034	2240	030.034.00	buna-n	2-1/8	2.114 x .070
* Quad-Ring	2245	035.003.00	buna-n	1/32	.029 x .040

* Asterisk designates O-Rings included in DCI kit #8067

O-Ring Kit



8067




8068

PN **8067** O-Ring Kit
PN **8068** Plastic Box Only

- The kit contains 30 different O-Rings in packages of 12 each, totaling 360 O-Rings
- The O-Rings come conveniently packaged in a 24 compartment plastic storage box
- Items above marked with "*" are included in kit

A-dec® is a registered trademark of A-dec, Inc. These parts are manufactured by DCI to fit A-dec® equipment. DCI has no affiliation with A-dec and A-dec has not authorized DCI replacement parts to be used on or in connection with A-dec® products.


#2225
#2230
#2261
#2252
#2255
#2201
#2305
#2220
#2204
#2211
#2263
#2229
#2217
#2266
#2267
#2218
#2231
#2203
#2242
#2293
#2262
#2282
#2271
#2232
#2280
#2208
#2209
#2281
#2205
#2212
#2264
#2245
#2309
#2298
#2233
#2214
#2256
#2244
#2247
#2202
#2259
#2283
#2260
#2285
#2234
#2269
#2268
#2241
#2210
#2257
#2207
#2254
#2284
#2206
#2253
#2228
#2243
#2235
#2224
#2270
#2239
#2221
#2246
#2240


2493

Scavenger Accessories

PN **2493** Vacuum Connection Kit Only (MDT #3-71-0902-30)

- 3/8" I.D. tubing, contains Latex


2454

PN **2454** Corrugated Breathing Tube (MDT#3-70-0389-10)


2496

Nasal Hood Tubing

PN **2496** Inlet Tubing 30" L x 9/16" O.D. x 3/8" I.D.

PN **2460** Outlet Tubing 30" L x 1/2" O.D. x 1/4" I.D.



H Style Scavenger Connector

PN **2640** H Style Scavenger Connector (MDT #3-71-0895-10)

- For use on Scavenger Systems
- Clear plastic for tubing hook-up



Exhalation Valve

PN **2516** Exhalation Valve (MDT #3-71-0335-30)

- For exhalation of used gases
- Used on Nasal Hoods MDT #31-0187-31 & MDT #3-71-0185-30

Mouth Props



2434

- Rubber over brass construction
- No latex used
- Gray, sterilizable
- Box of 2 each
- Autoclavable



2435



PN **2433** Small Pedo (MDT #3-71-0981-20)

PN **2434** Child (MDT #3-71-0982-20)

PN **2435** Adult (MDT #3-71-0983-20)

PN **2436** Large Adult (MDT #3-71-0984-20)

PN **2437** Edentulous (MDT #3-71-0985-20)

Oxygen & Nitrous Oxide Hoses



2530

PN **2530** Oxygen Hose (MDT #3-71-3709-30)

PN **2524** Nitrous Oxide Hose (MDT #3-71-3708-30)

- 5' length
- DISS to DISS
- Includes female DISS connectors
- Portable cart to tank regulator

Tapmaster® Kick Plate Activated Faucet Control



PN **1555** Tapmaster® Kick Plate

- Mixes hot & cold water
- Foot activated stainless steel kick plate
- Light touch activation & lock on feature
- Includes all necessary hardware

Tapmaster® Cabinet Door Activated Faucet Control



PN **1550** Tapmaster® Door Activated

- Mounts to sink cabinet door
- No electricity required
- Light touch activation

Tapmaster® Repair Parts

1560



1561

PN **1560** Valve Block Service Kit

PN **1561** Replacement Pilot Valve w/ Button Actuator

Faucet Activating Controls



9277



7831

PN **9277** Air Actuated Water Shut Off Valve (A-dec® #34.0036.00)

- For Preference Collection® & Preference® II sinks
- Rated for standard operating temperature of commercial hot water heater systems, not to exceed 150 degrees.

PN **7831** Valve, Roller (SST), 3-Way, Momentary, N.C. (A-dec® #026.096.00)

- For door and foot-activated water dispenser

A-dec®, Preference Collection® and Preference® are registered trademarks of A-dec, Inc. These parts are manufactured by DCI to fit A-dec® equipment. DCI has no affiliation with A-dec and A-dec has not authorized DCI replacement parts to be used on or in connection with A-dec® products.



Combined Sharps & Waste Chute

PN **6804** Sharps & Waste Chute

- Easy change bag holder
- Fits counters up to 1"
- Can be under mounted
- Includes lid & 6803 sharps container
- Direct replacement for Pelton & Crane® cabinets



6802

Thru Counter Sharps Container

PN **6802** Counter Mount Sharps Container
PN **6803** Replacement Containers

- Holds 1.7 qt. sharps container
- Includes lid & 6803 sharps container
- Direct replacement for Pelton & Crane® cabinets
- 5" I.D. x 11" tall



6803



6820

Replacement Sharps Containers

PN **6803** Replacement Containers (1.7 Qt.)
PN **6820** Replacement Containers (6.2 Qt.)



6800

Waste Chute

PN **6800** 4" Waste Chute
PN **6801** 6" Waste Chute

- Easy change bag holder
- Fits counters up to 1"
- Can be under mounted
- Direct replacement for Pelton & Crane® cabinets



6806

6" Stainless Steel Waste Bezels

PN **6805** Stainless Steel Waste Bezel 2" Tall
PN **6806** Stainless Steel Waste Bezel 5 1/4" Tall

- Rolled top edge
- 6" I.D



Drawer Push Latch

PN **6807** Drawer Push Latch w/ Screws (A-dec® #55.1934.00)



Waste Door Opener

PN **6808** Waste Door Opener



Magnetic Pressure Catch

PN **6812** Magnetic Pressure Catch – Single Door
PN **6813** Magnetic Pressure Catch – Double Door

FEATURED



Magnetic Catch

PN **68906** Magnetic Catch, 4-5KG Pull



Counter Top Mounted HVE's

PN **5781** Chrome Bezel
PN **5782** Nickel Bezel

- For mounting HVE in the top of a cabinet (sterilization, lab)
- Includes colored bezel, premium HVE valve, tubing & canister

A-dec® is a registered trademark of A-dec, Inc. These parts are manufactured by DCI to fit A-dec® equipment. DCI has no affiliation with A-dec and A-dec has not authorized DCI replacement parts to be used on or in connection with A-dec® products.

FEATURED



68594

Glove dispensers, Dark Gray

PN **68592** Single
PN **68593** Dual
PN **68594** Triple

FEATURED



68284

Towel & Cup Dispensers

PN **68284** Towel/Cup Dispenser

FEATURED



68285

Glove Dispenser, Grommet

PN **68285** Grommet, Oval, Black

FEATURED



6822

Sanitizer Wipes Holder

PN **6822** Holder Assy, Sanitizer Wipes, White

FEATURED




68372

Glass Shelf Support

PN **68372** Support, Glass Shelf, 5mm, Nickel Plated

FEATURED



68412

Panel-Mounted USB Hub

PN **68412** USB Dual Hub, Panel Mount, 3.0

FEATURED



68477

USB Fan

PN **68477** Fan, USB, 80mm



9302

Delta Soap Dispensers

PN **9302** Chrome Soap Dispenser
PN **9310** Replacement Bottle

- Easy refill through counter w/ funnel (included)
- Accommodates counters up to 1 1/2"

Delivery System Parts

Retail pricing available at dciparts.com





228-250

Parts to fit A-dec®




251-252

Parts to fit Dentech



253

Other OEM Parts



254-258

Parts to fit P&C/Marus

A-dec® is a registered trademark of A-dec®, Inc. These parts are manufactured by DCI to fit A-dec® equipment. DCI has no affiliation with A-dec® and A-dec® has not authorized DCI replacement parts to be used on or in connection with A-dec® products.

Arm Mounted Automatic Control Unit

The Arm Mounted Automatic Control Unit features a new, simplified design with straightforward internals such as a single diaphragm control block without any moving pistons, springs, or O-rings and a simple combination valve for water flow control. This unit is a direct replacement for A-dec® Cascade® models.



4378

FEATURED

Arm Mounted Automatic Control Unit

PN **4378** Arm Mounted Automatic Control Unit for 3 HP, Surf, to fit A-dec® Cascade®


- Replacement for A-dec® Cascade®
- Color matched 21 ft. umbilical
- Individual Non-retracting Water Coolant
- Includes Precision Comfort® Syringe
- Quick Install

A-dec® and Cascade® are registered trademarks of A-dec®, Inc. These parts are manufactured by DCI to fit A-dec® equipment. DCI has no affiliation with A-dec® and A-dec® has not authorized DCI replacement parts to be used on or in connection with A-dec® products.

Easy Online Ordering



Direct Replacement
PN 4378, Arm-Mounted Automatic Control Unit is a direct replacement for all Cascade® models with a 2" head mount. The smooth asepsis design, sand color, and standard features make it perfect for replacing a standard Cascade® unit.



Simplified Design
The simplified design adds individual holders for easier upkeep and a more reliable robust mount.



Matching Features
This three HP automatic unit comes with an air/water syringe, individual water flow control, chip air adjustment, flush system, and brake activation on the left and right side of the head.

TECH TIP

DID YOU KNOW that the Arm Mounted Automatic Control Unit comes standard with a full length 12' umbilical?

If the original umbilical is damaged, string the new one to the junction box or cut the umbilical short. Then, match the colors and align them together at the upper 2" control mount.



4378

A-dec® and Cascade® are registered trademarks of A-dec®, Inc. These parts are manufactured by DCI to fit A-dec® equipment. DCI has no affiliation with A-dec® and A-dec® has not authorized DCI replacement parts to be used on or in connection with A-dec® products.

Gaskets & Diaphragms to fit A-dec® Century® Pac Control Systems




PN **9413**
(A-dec® #38.0120.01) (pkg of 5)
Fits Century® Pac Control System



PN **9412**
(A-dec® #38.0118.01) (pkg of 5)
Fits Century® Pac Control System

PN **9411**
Clear Auto Block Gasket
(A-dec® #29.0050.01) (pkg of 5)
Auto Block Gasket –
Auto Pac controls



PN **9003**
Diaphragm for Valve
(A-dec® #22.0770.00)
(A-dec® #22.0774.01) (pkg of 10)
Used in Handpiece Control Valve



PN **9002**
Pilot Valve Diaphragm (1" square)
(A-dec® #22.0440.02) (pkg of 10)
Used in Coolant Air & Water
Valve, Auto Pac, Air Operated
Shut-off Valves, Black (Water)
& White (Air) Regulator Assembly



PN **9004**
Gasket 9-Hole
(A-dec® #24.0137.01) (pkg of 10)



PN **9012**
Diaphragm Top (3/4" square)
(A-dec® #38.0054.02) (pkg of 10)



PN **9005**
5-Hole Gasket
(A-dec® #24.0136.01) (pkg of 10)

A-dec® and Century® are registered trademarks of A-dec®, Inc. These parts are manufactured by DCI to fit A-dec® equipment. DCI has no affiliation with A-dec® and A-dec® has not authorized DCI replacement parts to be used on or in connection with A-dec® products.

Diaphragms & Gaskets to fit A-dec® Century Plus®



PN **9157**
"RED" Scaler Block Gasket
(A-dec® #38.0550.01) (pkg of 5)

PN **9158**
"CLEAR" Handpiece Block Gasket
(A-dec® #38.0507.01) (pkg of 10)



PN **9161**
Handpiece Block Cap Diaphragm
(A-dec® #38.0519.01) (pkg of 10)



PN **9320**
Fiber Optic Light Source Diaphragm
(A-dec® #75.0911.01) (pkg of 5)

Gasket to fit A-dec® Century® II Control Head Supply Manifold


PN **9410**
Manifold Gasket
(A-dec® #35.0574.01) (pkg of 5)

- Fits 11 port tubing manifold

Diaphragms to fit A-dec 300® & 500® Series Control Blocks



PN **9308**
Diaphragm to fit A-dec® 300
(A-dec® #38.1833.01) (pkg of 5)




PN **9309**
Diaphragm to fit A-dec® 500
(A-dec® #38.1787.01) (pkg of 5)

Not shown in actual size.

A-dec®, Century Plus®, Century II®, A-dec 300® and A-dec 500® are registered trademarks of A-dec®, Inc. These parts are manufactured by DCI to fit A-dec® equipment. DCI has no affiliation with A-dec® and A-dec® has not authorized DCI replacement parts to be used on or in connection with A-dec® products.

Parts to fit A-dec® Recirculator

Diaphragm to fit A-dec® Vacuum Drain




9318

PN **9318**
Diaphragm
(A-dec® #40.0756.01) (pkg of 5)

Diaphragm to fit A-dec® Performer® Control Block



PN **9319**
Diaphragm
(A-dec® #38.0711.01) (pkg of 5)



Service Kit to fit A-dec® Century Plus® Control Block

PN **9154** Service Kit (A-dec® #38.0537.01)

Kit includes:

PN **9167**	Air Bleed Cartridge	(A-dec® #38.0517.00)
PN **9168**	Check Valve Cartridge	(A-dec® #38.0518.00)
PN **9169**	Water Coolant Cartridge	(A-dec® #38.0520.00)
PN **2225**	O-Ring	(A-dec® #030.001.00)
PN **2230**	O-Ring	(A-dec® #030.002.00)
PN **9157**	Red Gasket	(A-dec® #38.0550.01)
PN **9158**	Clear Gasket	(A-dec® #38.0507.01)
PN **9257**	Water Stem	(A-dec® #38.0516.00)
PN **9311**	Drive Air Stem	(A-dec® #38.0510.00)
PN **9161**	Diaphragm	(A-dec® #38.0519.01)
PN **9312**	Cap Assy	(A-dec® #38.0511.00)

A-dec®, Performer®, Century ® and Century Plus® are registered trademarks of A-dec®, Inc. These parts are manufactured by DCI to fit A-dec® equipment. DCI has no affiliation with A-dec® and A-dec® has not authorized DCI replacement parts to be used on or in connection with A-dec® products.

Easy Online Ordering



Tie Bolts to fit A-dec® Century Plus® Blocks

PN **9114** 3 Block Tie Bolt Kit (A-dec® #38.0504.07)
PN **9116** 4 Block Tie Bolt Kit (A-dec® #38.0504.08)
PN **9115** 5 Block Tie Bolt Kit (A-dec® #38.0504.09)

- Includes two bolts, two washers & two nuts



Service Kit for A-dec® Century® Water Coolant Valve

PN **9070** Service Kit
PN **9068** End Cap Assy (A-dec® #38.0106.00)
PN **9069** Piston Assy (A-dec® #38.0104.00)
PN **9067** Needle Valve Stem (A-dec® #38.0102.00)

Kit includes:

PN **3090**	Valve Core	(A-dec® #026.033.01)
PN **9067**	Stem	(A-dec® #38.0102.00)
PN **9025**	Truss Hd Screw	(A-dec® #001.002.01)
PN **9066**	Compr. Spring	(A-dec® #22.0580.00)
PN **9068**	End Cap	(A-dec® #38.0106.00)
PN **9069**	Piston	(A-dec® #38.0104.00)
PN **9065**	Set Screw	(A-dec® #007.001.00)
PN **9062**	Soc Hd Cap Scr	(A-dec® #002.024.00)
PN **2203**	O-Ring	(A-dec® #030.006.02)

TECH TIP

1. When servicing the Century® water coolant valve, first remove the set screw from the rear of the end cap.
2. Next, remove the top screw that retains the end cap and screw the top screw into the back of the end cap where the set screw had been. Now the end cap will pull out easily.
3. The set screw in the piston can then be removed and the top screw installed in its place to remove it.

A-dec®, Century Plus® and Century® are registered trademarks of A-dec®, Inc. These parts are manufactured by DCI to fit A-dec® equipment. DCI has no affiliation with A-dec® and A-dec® has not authorized DCI replacement parts to be used on or in connection with A-dec® products.



Check Valve Cartridge to fit A-dec® Century Plus®

PN **9168** Check Valve "Blue Base"
(A-dec® #38.0518.00) (pkg of 3)



Air Bleed Cartridge to fit A-dec® Century Plus®

PN **9167** Air Bleed "Brass Base"
(A-dec® #38.0517.00) (pkg of 3)



Water Valve Cartridge to fit A-dec® Century Plus®

PN **9169** Water Valve Cartridge "Red Base"
(A-dec® #38.0520.00) (pkg of 3)



Dry Block Kit to fit A-dec® Century Plus®

PN **9315** Dry Block Kit
(A-dec® #38.0648.00)

- Black Base
- Contains 2 plugs (one water, one check valve)



Adjustment Keys to fit A-dec® Cascade®/Decade® Control Blocks

PN **9324** Adjustment Key
(A-dec® #98.0867.02) (pkg of 5)

- Autoclavable adjustment keys for handpiece controls

Adec®, Century Plus®, Cascade® and Decade® are registered trademarks of A-dec®, Inc. These parts are manufactured by DCI to fit A-dec® equipment. DCI has no affiliation with A-dec® and A-dec® has not authorized DCI replacement parts to be used on or in connection with A-dec® products.

Easy Online Ordering

Air Bleed Valves to fit A-dec® Handpiece Holders


9153

PN **9151** Bleed Valve 2-Way Cascade® Unitized (A-dec® #33.0132.00), 90° Angle Barb
PN **9152** Bleed Valve 2-Way Excellence Holder (A-dec® #33.0025.00)
PN **9153** Bleed Valve 2-Way Continental® Whip (A-dec® #33.0025.01)

Service Kit to fit A-dec® Century® II Control Block



9052

PN **9052** Service Kit (A-dec® #90.0321.00)

Kit includes:

PN **9012**	Diaphragm Top	(A-dec® #38.0054.02)
PN **9046**	Diaphragm Front	(A-dec® #38.0179.02)
PN **9007**	Gasket Clear	(A-dec® #38.0186.02)
PN **9027**	Compr. Spring	(A-dec® #013.025.00)
PN **9051**	But Hd Soc Scr	(A-dec® #002.097.00)
PN **9050**	Stem	(A-dec® #29.0831.00)
PN **2229**	O-Ring	(A-dec® #0030.004.02)

Control Block to fit A-dec® Century® II



PN **9146** Control Block (A-dec® #38.0223.02)

Holdback Valve Cover to fit A-dec® Century® II Control Block



PN **9328** Holdback Valve Cover w/Screws Only (A-dec® #38.0178.00)

Holdback Valve Cover Kit to fit A-dec® Century® II Control Block



PN **9147** Holdback Valve Cover Kitz (A-dec® #90.0304.00)

Water Coolant Valve Cover Kit to fit A-dec® Century® II Control Block



PN **9148** Water Coolant Valve Cover Kit
- Cover, diaphragm, piston & spring

A-dec®, Cascade®, Excellence®, Continental® and Century® are registered trademarks of A-dec®, Inc. These parts are manufactured by DCI to fit A-dec® equipment. DCI has no affiliation with A-dec® and A-dec® has not authorized DCI replacement parts to be used on or in connection with A-dec® products.



Needle Valve Stem to fit A-dec® Century® II Air Coolant Cartridge

PN **9180** Needle Valve Stem (A-dec® #33.0117.00)

- Fits (A-dec® #33.0101.00) cartridge housing



Needle Valve Stem to fit A-dec® Century® II Water Coolant Valve

PN **9019** Valve Stem (A-dec® #33.0103.00)
PN **9025** Valve Stem Retaining Truss Screw (A-dec® #001.002.01) (pkg of 10)

- Fits Century® II control block & Century® II needle valve



Drive Air Adjustment Screw to fit A-dec® Century® II

PN **9023** Drive Air Adjustment Screw (A-dec® #29.0100.00) (pkg of 3)

- Fits Century® II control block, Pac control system, handpiece control valve & Century® II master block



Tie Bolts to fit A-dec® Century® II Control Blocks

PN **9149** 3 Block Tie Bolt Kit (A-dec® #38.0193.01)
PN **9117** 4 Block Tie Bolt Kit (A-dec® #38.0194.01)

- Includes nut & washer

A-dec® and Century® are registered trademarks of A-dec®, Inc. These parts are manufactured by DCI to fit A-dec® equipment. DCI has no affiliation with A-dec® and A-dec® has not authorized DCI replacement parts to be used on or in connection with A-dec® products.

Easy Online Ordering



Q.D. Plug to fit A-dec® Control Block

PN **9237** Q.D. Plug (A-dec® #026.160.01) (pkg of 5)

Barb to fit A-dec® Silicone Handpiece Tubing

PN **9334** Q.D. Barb, 1/8" (A-dec® #026.174.01) (pkg of 5)
PN **9335** Q.D. Barb, 3/16" (A-dec # 026.175.01) (pkg of 5)

Barb to fit A-dec® Vinyl Handpiece Tubing

PN **9337** Q.D. Barb, 1/8" (A-dec® #026.161.00)
PN **9336** Q.D. Barb, 1/4" (A-dec® #023.088.00)



Cartridges & Diaphragms to fit A-dec 300® & 500® Control Blocks

PN **9305** Cartridge Retaining Ring (A-dec® #38.1779.01) (pkg of 5)

PN **9306** Dry Cartridge (A-dec® #38.1783.00)

PN **9307** Water Cartridge (A-dec® #38.1780.00)

PN **9308** Diaphragm to fit A-dec 300® Control Block (A-dec® #38.1833.01) (pkg of 5)

PN **9309** Diaphragm to fit A-dec 500® Control Block (A-dec® #38.1787.01) (pkg of 5)



Adjustment Parts to fit A-dec® Control Blocks

PN **9314** Adjustment Keys to fit A-dec 500® (A-dec® #38.1808.01) (pkg of 4)

- Key with O-Ring for air & water adjustment stems

PN **9323** Drive Air Adjustment Stem to fit A-dec 300®/500® (A-dec® #38.1785.01)
PN **9313** Air Coolant Stem to fit A-dec 500® (A-dec® #38.0526.00)

A-dec®, A-dec 300® and A-dec 500® are registered trademarks of A-dec®, Inc. These parts are manufactured by DCI to fit A-dec® equipment. DCI has no affiliation with A-dec® and A-dec® has not authorized DCI replacement parts to be used on or in connection with A-dec® products.


7156

Replacement A-dec® Toggle Valve Master Switch "Side Barb"

PN **7155** Black Toggle Valve (A-dec® #33.0048.03)
PN **7156** Gray Toggle Valve (A-dec® #33.0048.04)


7151

Replacement A-dec® Routing Toggle Valve "Side Barb"

PN **7150** Black Selector / Routing Valve (A-dec® #33.0104.03)
PN **7151** Gray Selector / Routing Valve (A-dec® #33.0104.04)

- Fits Century® II manual control systems
- For air only


7164

Replacement A-dec® On/Off Toggle Valve "Rear Port"

GRAY	BLACK	
7164	**7163**	2-Way Toggle Valve (A-dec® #33.0096.00)
7161	**7160**	3-Way Toggle Valve (A-dec® #33.0080.01)

- On / Off Operation
- Rear ports
- 2-way or 3-way


7169

Replacement A-dec® Momentary Toggle Valve "Rear Port"

GRAY	BLACK	
7169	**7168**	2-Way Toggle Valve (A-dec® #42.0537.03)


7166

Replacement A-dec® Momentary Toggle Valve "Round Body"

GRAY	BLACK	
7166	**7167**	2-Way Toggle Valve (A-dec® #33.0008.01)

- Fits cuspidor models prior to 1982

A-dec® and Century® are registered trademarks of A-dec®, Inc. These parts are manufactured by DCI to fit A-dec® equipment. DCI has no affiliation with A-dec(r) and A-dec(r) has not authorized DCI replacement parts to be used on or in connection with A-dec® products.

Easy Online Ordering



Air Q.D. Kit to fit A-dec® Handpiece Controls

PN **9290** Q.D. Kit for Air (A-dec® #026.130.00)

- Includes male & female Q.D.'s, Hardware & Tubing
- Plastic spacer



Self Contained Water Q.D. Kit to fit A-dec® Handpiece Controls

PN **9293** Q.D. Kit for Self Contained Water (A-dec® #90.0370.00)

PN **9298** Male Self Contained Water Q.D. (A-dec® #13.0375.00)

PN **9172** Female Self Contained Water Q.D. (A-dec® #026.125.00)

- Kit 9293 includes male & female Q.D.'s, Hardware
- Non-recessed



City Water Q.D. Kit to fit A-dec® Handpiece Controls

PN **9292** Q.D. Kit for City Water (A-dec® #026.134.00)

PN **9299** Male Adjustable City Water Q.D. (A-dec® #13.0381.00)

PN **9173** Female City Water Q.D. (A-dec® #026.157.00)

- Kit 9292 includes male & female Q.D.'s, Hardware & Tubing
- Recessed



Flow Restrictor to fit A-dec® Handpiece Controls

PN **9317** Double Flow Restrictor (A-dec® #23.0173.00)

- Flow control for 1/8" Tubing
- Used for syringe air/water flow control

A-dec® is a registered trademark of A-dec®, Inc. These parts are manufactured by DCI to fit A-dec® equipment. DCI has no affiliation with A-dec® and A-dec® has not authorized DCI replacement parts to be used on or in connection with A-dec® products.

Air Electric Switches to fit A-dec® Handpiece Controls


7080

PN **7084** Normally Open 10 PSI Switch (A-dec® #044.158.00)
PN **7080** Normally Open 25 PSI Switch (A-dec® #044.181.00)
PN **7089** Normally Closed 10 PSI Switch (A-dec® #044.159.00)
PN **7087** Normally Closed 25 PSI Switch

- 120 Volt / 5 amp
- Normally open or closed
- 10 PSI or 25 PSI

Replacement A-dec® Rectangular Pressure Gauge



PN **7270** Pressure Gauge 0-60 PSI (A-dec® #026.083.01)

- 0-60 PSI reading
- For air only
- 1/2" H x 1 3/4" W
- Vibration & shock resistant


Replacement A-dec® Pneumatic Indicator


7280

RED	GREEN	
7280	**7285**	Panel Mount On / Off Indicator (A-dec® #24.0100.03)

- 25-120 PSI
- 10-32 Port w/ barb for 1/8" O.D. tubing

Replacement A-dec® Tooth Dryer Relay



PN **9243** Tooth Dryer Relay Valve (A-dec® #34.0043.00)

- 1/16" Barb (qty 1), 1/8" Barbs (qty 2)

TECH TIP

TRYING TO SOLVE A TOUGH TECHNICAL PROBLEM?

Visit the DCI Service Forum at **www.dcionline.com** or the **DCI Video Library** where you can collaborate with fellow technicians and find the answers to the most challenging dental repairs!

A-dec® is a registered trademark of A-dec®, Inc. These parts are manufactured by DCI to fit A-dec® equipment. DCI has no affiliation with A-dec® and A-dec® has not authorized DCI replacement parts to be used on or in connection with A-dec® products.

Easy Online Ordering



Syringe Tips to fit A-dec® Syringes

PN **3054** Syringe Tip (each)
PN **3055** Syringe Tip (A-dec® #23.0872.01) (pkg of 5)
PN **3056** Syringe Tip (pkg of 50)

- Autoclavable











Parts to fit A-dec® Syringes

PN **9286** Tool to fit A-dec® Syringes (A-dec® #98.0010.00), Valve Core Removal Tool, .050 Hex Wrench for Button Screw, 5-32" Hex Wrench for Syringe Tip Insert

PN **9150** Syringe Button Screw (A-dec® #23.1193.01) (pkg of 5) (Product Produced 1995 & Later)

PN **3090** Valve Core (A-dec® #026.033.01) (pkg of 10) Fits Tri-Flow, Lever, Soft Touch Button & Continental® Syringe

PN **9028** Conical Button Spring (A-dec® #013.038.01) (pkg of 10) Fits Tri-Flow, Lever, Soft Touch Button & Continental® Syringe

PN **9186** Button Assy to fit A-dec® Syringes (each) (A-dec® #23.1232.01)

PN **2242** O-Ring, Viton, .114 I.D. X .070 Width, -006 (A-dec® #035.048.00) (Pkg of 12)

PN **2305** O-Ring, Viton, .056 I.D. x .060 Width (A-dec® #034.003.00) (Pkg of 12)

PN **9347** A-dec® Soft Syringe Buttons & Repair Kit



A-dec® Lever Syringe Repair Parts

PN **9326** Service Kit to fit A-dec® Lever Syringes (A-dec® #23.1093.00)

Kit includes:

PN **3070** Button for Lever Syringe (A-dec® #23.0048.01)
PN **9028** Conical Button Spring (A-dec® #013.038.00)
PN **8034** Silicone Lubricant (A-dec® #98.0090.01)

A-dec® and Continental® are registered trademarks of A-dec®, Inc. These parts are manufactured by DCI to fit A-dec® equipment. DCI has no affiliation with A-dec® and A-dec® has not authorized DCI replacement parts to be used on or in connection with A-dec® products.



Replacement A-dec® Style Cuspidor Bowl Screen

PN **5312** Cuspidor Screen (A-dec® #42.0085.00)

- Fits Decade® & Excellence®
- Includes 2 O-Rings (2246)
- Bowl 8" O.D. x 6 3/4" I.D.
- Stem 2 1/2" O.D. x 1 1/2" I.D.



Screens to fit A-dec® Cuspidors

PN **5314** White Cuspidor Screen, 1 5/8" (pkg of 144)
PN **5313** Gray Cuspidor Screen, 2 1/2" (pkg of 144)



Screens to fit A-dec® Solids Collectors

PN **6818** Screen, Disposable, Fits A-dec® Cascade®/Performer® (A-dec® #11.1191.00) (pkg of 144)
PN **5512** Screen, Disposable, Fits A-dec 300®/500® (A-dec® #11.1284.01) (pkg of 144)



Water Bottle Kit to fit A-dec® Cascade® Water Systems

PN **9327** 750 ml Water Bottle Kit (A-dec® #90.0460.03)

Kit includes:
PN **8652** 750 ml Bottle 2 ea. (A-dec® #14.0416.00)
PN **8126** Bottle Cap 2 ea.



Replacement A-dec® Style Asepsis 4 Hole Handpiece Tubing *(Dark Surf)*

PN **435CT** Coiled w/ Connector
PN **435T** Straight 7 ft. w/ Connector
PN **435** Straight (per ft.)
PN **435R** Straight 100 ft. Roll
PN **435B** Straight 100 ft. Box



Replacement A-dec® Style Asepsis 2 Hole Syringe Tubing *(Dark Surf)*

PN **235C** Coiled
PN **235** Straight (per ft.)
PN **235R** 100 ft. Roll
PN **235B** 100 ft. Box

A-dec®, Cascade®, Decade®, Excellence®, Performer®, A-dec 300® and A-dec 500® are registered trademarks of A-dec®, Inc. These parts are manufactured by DCI to fit A-dec® equipment. DCI has no affiliation with A-dec(r) and A-dec(r) has not authorized DCI replacement parts to be used on or in connection with A-dec® products.

Easy Online Ordering



Replacement A-dec® Style Vacuum Valves

PN **5061** Autoclavable Extended Vacuum Valve
PN **5060** Autoclavable Short Vacuum Valve
PN **5062** Autoclavable Saliva Ejector

Note: These parts are not made by or in any way connected to A-dec®.

PAGE 114 ILLUSTRATED Parts Breakdown


737

Replacement A-dec® Style Dark Surf Vacuum Tubing

PN **737** 1/2" I.D. Dark Surf (per ft.)
PN **S615** 3/16" I.D. Dark Surf (per ft.)

See PG. 107 for all SE tips & packages


5754

Push On Tip to fit A-dec® Saliva Ejectors

PN **5750** Black Tip (A-dec® #12.0183.00)
PN **5754** Gray Tip (A-dec® #12.0183.01)



Plug to fit A-dec® Solids Collectors

PN **9177** HVE Hole Plug (A-dec® #028.008.00) (pkg of 10)

- Plugs off extra HVE hole
- Easily removed to add HVE
- 1/2" O.D. x 1/4" I.D.

A-dec® is a registered trademark of A-dec®, Inc. These parts are manufactured by DCI to fit A-dec® equipment. DCI has no affiliation with A-dec® and A-dec® has not authorized DCI replacement parts to be used on or in connection with A-dec® products.



Replacement A-dec® Style Foot Control
(Dark Surf)

PN **6306** Wet/Dry & Scaler Button Foot Control w/signal relay (A-dec® #38.1601.00)


6110


6112


6103


6095

Parts to fit A-dec® Foot Controls
(Dark Surf)

PN **6110** Wet/Dry Toggle w/ 3-Way Valve (A-dec® #38.0604.00)

PN **6113** Toggle Kit, Surf (A-dec® #38.0075.03)

PN **6112** Scaler/Accessory Button w/ 3-Way Valve (A-dec® #38.0612.00)

PN **6111** Chip Blower Button w/ 2-Way Valve (A-dec® #38.0610.00)

PN **6102** Housing, No Holes (A-dec® #38.0319.02)

PN **6103** Housing, 1 Hole for Wet/Dry Toggle (A-dec® #38.0320.02)

PN **6106** Housing, 1 Hole for Button (A-dec® #38.0763.00)

PN **6104** Housing, 2 Holes (A-dec® #38.0321.02)

PN **6107** Retaining Ring (A-dec® #38.0237.00)

PN **6070** Cover (A-dec® #22.0110.00)

PN **6095** Spring Clip (A-dec® #010.056.00)


511


653

5 Hole Foot Control Tubing to fit A-dec® Foot Controls *(Dark Surf)*

PN **511** Per foot
PN **511R** 100 ft. Roll
PN **511B** 100 ft. Box
PN **653** Sheathed Asepsis 5-Hole Foot Control Tubing (per ft.) (A-dec® #024.202.01)

- Polyurethane

A-dec® is a registered trademark of A-dec®, Inc. These parts are manufactured by DCI to fit A-dec® equipment. DCI has no affiliation with A-dec® and A-dec® has not authorized DCI replacement parts to be used on or in connection with A-dec® products.

Parts to fit A-dec® Foot Control I


9141


9012

PN **9141** Service Kit (A-dec® #90.0010.00)

Kit includes:

PN **9010** Plastic Poppet
(A-dec® #22.0060.00) (pkg of 10)

PN **9160** Piston Assembly (A-dec® #22.0081.00)

PN **6098** Relay Stem (A-dec® #22.0778.00)

PN **9012** Relay Diaphragm
(A-dec® #38.0054.02) (pkg of 10)

PN **9029** Foot Control Spring

- Foot Control (A-dec® #38.0050.00)
- Prior to 1980

Parts to fit A-dec® Foot Control II


9049

PN **9049** Service Kit (A-dec® #90.0312.00)


9026

PN **9125** Main Compression "Cover" Spring
(A-dec® #013.011.00) (pkg of 10)

PN **9026** Conical "Plunger Stem" Spring
(A-dec® #013.022.00) (pkg of 10)


6070

PN **6096** Stem Assy (A-dec® #38.0246.00)

PN **6070** Cover (A-dec® #22.0110.00)
Fits All A-dec® Foot Controls


6046

PN **6046** Retaining Ring, Gray (A-dec® #38.0237.00)
Also Fits A-dec® Foot Control III


6098

PN **6098** Signal Relay Stem w/ O-Rings (A-dec® #22.0778.00)


9012

PN **9012** Diaphragm (A-dec® #38.0054.02) (pkg of 10)

PN **9029** Foot Control Spring

A-dec® is a registered trademark of A-dec®, Inc. These parts are manufactured by DCI to fit A-dec® equipment. DCI has no affiliation with A-dec® and A-dec® has not authorized DCI replacement parts to be used on or in connection with A-dec® products.


9082

Parts to fit A-dec® Foot Control III

PN **9082** Service Kit (A-dec® #90.0593.00)

Kit Includes:

PN **8034** Silicone Lubricant
PN **9010** Plastic Poppet
PN **9029** Foot Control Spring
PN **9012** Diaphragm
PN **6042** Compression Spring
PN **2210** O-Ring
PN **6097** Piston w/Seal
PN **6098** Stem w/O-Rings
PN **9066** Compression Spring (A-dec® #22.0580.00) (pkg of 10)



9144

Parts to fit A-dec® Lever Style Foot Control

PN **9144** Service Kit (A-dec® #90.0313.00)

Kit Includes:

PN **9166** Valve Stem Assy (A-dec® #38.0211.00)
PN **6098** Relay Stem Assy (A-dec® #22.0778.00)
PN **9121** Extension Spring (A-dec® #38.0208.00)
PN **9124** Compression Spring (A-dec® #013.019.00) (pkg of 10)
PN **9012** Diaphragm (A-dec® #38.0054.02) (pkg of 10)
PN **9171** Brass Washer (A-dec® #004.057.00) (pkg of 10)
PN **9029** Foot Control Spring (A-dec #10.0440.00)


9039
9002

Parts to fit A-dec® Water Filter

PN **9039** Filter Disc "Bronze" (A-dec® #19.0220.01) (pkg of 5)
PN **9002** Diaphragm (A-dec® #22.0440.02) (pkg of 10)


3090

Parts to fit A-dec® Air Filter/Regulator

PN **7226** Filter Element 40 micron (A-dec® #97.0280.02)
PN **3090** Valve Core (A-dec® #026.033.01) (pkg of 10)

A-dec® is a registered trademark of A-dec®, Inc. These parts are manufactured by DCI to fit A-dec® equipment. DCI has no affiliation with A-dec® and A-dec® has not authorized DCI replacement parts to be used on or in connection with A-dec® products.

Easy Online Ordering



Shut-Off Valve/Filter Assemblies to fit A-dec® Utility Centers

PN **9187** Air Shut-Off Valve
PN **9188** Water Shut-Off Valve

- For air or water
- 3/8" compression tube connection
- Includes 40 micron filter



Parts to fit A-dec® Air/Water Filters

PN **9107** Filter Kit (A-dec® #24.0229.00 / #24.0234.01 / #030.019.00)
PN **9108** Filter Housing (A-dec® #24.0229.00)
PN **7247** Filter Element (A-dec® #24.0234.01) (ea.)
PN **7248** Filter Element (A-dec® #24.0234.01) (pkg of 6)

- Kit Includes: housing, O-Rings, 40 micron filter element



Parts to fit A-dec® Air/Water Shut-off Valves

PN **9140** Service Kit (A-dec® #90.0090.00)

Kit Includes:

PN **9163** Stem (A-dec® #30.0731.00)
PN **9127** Compression Spring (A-dec® #19.0230.00) (pkg of 10)
PN **9002** Diaphragm (A-dec® #24.0440.02) (pkg of 10)

- Kit Includes: stem, spring, diaphragm



Parts to fit A-dec® Air Valve, White Body

PN **9105** Service Kit

Kit Includes:

PN **9097** White Body Only (A-dec® #24.0135.00)
PN **9106** Plastic Piston Assy (A-dec® #24.0132.00)
PN **9098** Conical Spring (A-dec® #22.0460.00) (pkg of 10)
PN **9004** Gasket 9-Hole (A-dec® #24.0137.01) (pkg of 10)
PN **9002** Diaphragm (A-dec® #22.0440.02) (pkg of 10)

A-dec® is a registered trademark of A-dec®, Inc. These parts are manufactured by DCI to fit A-dec® equipment. DCI has no affiliation with A-dec® and A-dec® has not authorized DCI replacement parts to be used on or in connection with A-dec® products.



Parts to fit A-dec® Water Valve, Black Body

PN **9093** Service Kit

Kit Includes:

PN **9094** Black Body Only (A-dec® #24.0355.00)
PN **9106** Plastic Piston Assy (A-dec® #24.0132.00)
PN **9095** Conical Spring (A-dec® #13.032.00) (pkg of 10)
PN **9004** Gasket 9-Hole (A-dec® #24.0137.01) (pkg of 10)
PN **9002** Diaphragm (A-dec® #22.0440.00) (pkg of 10)



Stems to fit A-dec® Micro Valves

PN **9013** Micro Valve (A-dec® #29.0810.00)
Fits 2-way (A-dec® #38.0062.00)
PN **9014** Micro Valve (A-dec® #29.0820.00)
Fits 3-way (A-dec® #29.0185.00)
PN **9017** Balanced Micro Valve (A-dec® #38.0087.00)
Fits 2-way (A-dec® #38.0086.00)



Stems to fit A-dec® Valves

PN **9016** Fits Century® II Cartridge Valve (A-dec® #29.0840.00)
PN **9048** Fits Century® II Block w/ Water Retraction (A-dec® #29.0835.00)
PN **9050** Fits Century® II Control Block (A-dec® #29.0831.00)
PN **9015** Fits Century® II Water Coolant Valve (A-dec® #29.0840.00)
PN **6098** Fits Foot Control Relay (A-dec® #22.0778.00)



Parts to fit A-dec® Air Coolant Auto Block

PN **9142** Service Kit (A-dec® #90.0012.00)
PN **9164** Valve Stem (A-dec® #22.0999.00)



Parts to fit A-dec® Water Valve Auto Block

PN **9143** Service Kit (A-dec® #90.0014.00)

Kit Includes:

PN **9165** Valve Stem (A-dec® #22.0776.00) (pkg of 3)
PN **9109** Valve Stem "Pin Style" (A-dec® #29.0972.00) (pkg of 3)
PN **9098** Compression Spring (A-dec® #22.0460.00) (pkg of 10)

A-dec® and Century® are registered trademarks of A-dec®, Inc. These parts are manufactured by DCI to fit A-dec® equipment. DCI has no affiliation with A-dec® and A-dec® has not authorized DCI replacement parts to be used on or in connection with A-dec® products.

Easy Online Ordering


9038

Replacement A-dec® Style External Retaining Ring

PN **9038** Fits Vacuum Valve Stems (A-dec® #010.019.00) (pkg of 10)
PN **9035** Fits Needle Valve & Air Saliva Ejector Jet Assy Cartridge (A-dec® #010.002.00) (pkg of 10)


9037

Replacement A-dec® Style Internal Retaining Ring

PN **9037** Internal 1/4" O.D. Fits Century® II Old Style (A-dec® #010.017.00) (pkg of 10)
PN **9036** Internal 3/8" O.D. Fits Century® II New Style (A-dec® #010.013.00) (pkg of 10)


9021


9025

Miscellaneous Screws to fit A-dec® Equipment

PN **9021** Socket Head 6-32 x 1/4" Stainless Steel (A-dec® #001.034.00) (pkg of 10)

PN **9024** Pan Head Slotted 6-32 x 1/4" (A-dec® #001.073.00) (pkg of 10)

PN **9025** Truss Head Slotted 2-56 x 1/8" Stainless Steel (A-dec® #001.002.00) (pkg of 10)


2310


2312

O-Rings to fit A-dec® Vacuum Systems

PN **2310** Non-Autoclavable O-Ring (A-dec® #030.026.01) (pkg of 12)
PN **2312** Non-Autoclavable O-Ring (A-dec® #030.014.02) (pkg of 12)

- 2312 for A-dec® Cascade® solids collector ports
- 2310 fits A-dec® Cascade® solids collector lid

Replacement A-dec® Nylon Washer "Small I.D."

PN **9042** Nylon Washer, .142 I.D. x .312 O.D. (A-dec® #004.036.00) (pkg of 50)



Replacement A-dec® Pivot Arm Locking Tab

PN **9184** Arm Locking Tab (A-dec® #28.0566.00) (6300)

A-dec®, Cascade® and Century® are registered trademarks of A-dec®, Inc. These parts are manufactured by DCI to fit A-dec® equipment. DCI has no affiliation with A-dec® and A-dec® has not authorized DCI replacement parts to be used on or in connection with A-dec® products.

Hardware Kit to fit A-dec® Equipment



9053

- 12 Common Replacement Socket Head Screws to fit A-dec® delivery systems. 25 each of the screws packaged in a 12 compartment box.

PN **9053** Hardware Kit

Kit includes the following screws:

PN **9064**	1/4 - 20 x 5/8", Zinc, pkg of 25	(A-dec® #001.089.00)
PN **9054**	6-32 x 3/8", Zinc, pkg of 25	(A-dec® #001.033.00)
PN **9055**	6-32 x 1/2", Zinc, pkg of 25	(A-dec® #001.042.00)
PN **9056**	6-32 x 5/8", Zinc, pkg of 25	(A-dec® #001.010.00)
PN **9057**	6-32 x 7/8", SST, pkg of 25	(A-dec® #001.026.00)
PN **9058**	6-32 x 1/4", Zinc, pkg of 25	(A-dec® #001.034.00)
PN **9071**	6-32 x 1", SST, pkg of 25	(A-dec® #002.011.00)
PN **9059**	4-40 x 1/4", Zinc, pkg of 25	(A-dec® #003.078.00)
PN **9060**	4-40 x 3/8", SST, pkg of 25	(A-dec® #001.024.00)
PN **9061**	4-40 x 1/2", SST, pkg of 25	(A-dec® #001.021.00)
PN **9062**	4-40 x 3/4", Zinc, pkg of 25	(A-dec® #002.024.00)
PN **9063**	2-56 x 1/2", Zinc, pkg of 25	(A-dec® #001.070.00)

Replacement A-dec® Style Tubs & Trays



8410



8013

PN **8410** Plastic Tub for Trays & Carts (A-dec® #16.0562.00)
PN **8013** Stainless Steel Tray 9 3/4" x 13 1/2" (A-dec® #043.001.00)

See PG. 129 for complete parts of tubs

5/16" O.D. Polyurethane Supply Tubing (3/16" I.D.)



1706

BLACK	BLUE	CLEAR	ORANGE	YELLOW	
1701	1702	1703	1706	1708	Per foot
1701R	1702R	1703R	1706R	1708R	100 ft. Roll
1701B	1702B	1703B	1706B	1708B	100 ft. Box

- 5/16" OD tubing is used by A-dec®

5/16" Barb Fitting to fit A-dec® Tubing




PN **0171** 10-32 x 5/16" Barb (A-dec® #023.805.01) (pkg of 10)

A-dec® is a registered trademark of A-dec®, Inc. These parts are manufactured by DCI to fit A-dec® equipment. DCI has no affiliation with A-dec® and A-dec® has not authorized DCI replacement parts to be used on or in connection with A-dec® products.

Easy Online Ordering

Dentech® Style Multi-Function Block Assembly Repair Kit




PN **9090** Block Repair Kit

Kit Includes:

PN **9086**	Flat Seal Gasket
PN **9085**	Diaphragm, Control Block
PN **2203**	O-Ring 11-006
PN **2230**	O-Ring 11-002
PN **9081**	Spring, Check Valve
PN **9084**	Diaphragm, Coolant Block
PN **9083**	Spring, Coolant Valve
PN **9080**	Piston w/ O-Rings

- Used to repair (Dentech® #20-02-115) block assembly w/ 3 handpieces & syringe

Dentech® Style Multi-Function Block Assembly Repair Kit



PN **9089** Block Repair Kit

Kit Includes:

PN **9085**	Diaphragm, Control Block
PN **2230**	O-Ring 11-002
PN **2203**	O-Ring 11-006
PN **9086**	Flat Seal Gasket

- Dentech® repair kit (Dentech® #40-02-062)

Dentech® Style Multi-Function Block Repair Kit



PN **9088** Block Repair Kit

Kit Includes:

PN **9083**	Spring, Coolant Valve
PN **9080**	Piston w/ O-Rings
PN **9084**	Diaphragm, Coolant Block
PN **9081**	Spring, Check Valve
PN **2230**	O-Ring 11-002
PN **2229**	O-Ring 11-004

- Dentech® repair kit (Dentech® #30-02-080)

These parts are manufactured by DCI to fit Dentech® equipment. DCI has no affiliation with Dentech. DCI replacement parts are not manufactured under license or supervision of Dentech®.



Dentech® Style Coolant Block Repair Kit

PN **9087** Coolant Block Repair Kit

Kit Includes:

PN **9083** Spring, Coolant Valve
PN **9080** Piston w/ O-Ring
PN **9084** Diaphragm
PN **9081** Spring, Check Valve

- Dentech® repair kit (Dentech® #40-02-036)



Dentech® Style Coolant Block Diaphragm

PN **9084** Coolant Block Diaphragm (pkg of 5)

- Replaces (Dentech® #01-05-024)



Dentech® Style Control Block Diaphragm

PN **9085** Control Block Diaphragm (pkg of 5)

- Replaces (Dentech® #01-05-002)



Dentech® Style Flat Seal Gasket

PN **9086** Flat Seal Gasket (pkg of 5)

- Replaces (Dentech® #01-05-001)



Dentech® Style Piston Assembly w/ O-Rings

PN **9080** Piston Assembly

- Replaces (Dentech® #01-02-081)
- Multi-function block
- Coolant Block
- Includes O-Rings



Dentech® Style Coolant Valve Spring

PN **9083** Coolant Valve Spring (pkg of 10)

- Replaces (Dentech® #01-10-019)
- Multi-function block
- Coolant block



Dentech® Style Check Valve Spring

PN **9081** Check Valve Spring (pkg of 10)

- Replaces (Dentech® #01-10-039)
- Multi-function block

These parts are manufactured by DCI to fit Dentech® equipment. DCI has no affiliation with Dentech. DCI replacement parts are not manufactured under license or supervision of Dentech®.

Easy Online Ordering



Forest Style Control Block

PN **4437** Forest 3 HP block Gasket (Forest #0022-020)

- Replacement for Forest tri-block 1100-170



Master Shut-off/Regulator – Air

PN **7287** Master Shut-off/Regulator for Air

- Includes regulator, shut-off valve, filter and gauge for air
- 125 PSI Maximum



Master Shut-off/Regulator – Water

PN **7288** Master Shut-off/Regulator for Water

- Includes regulator, shut-off valve, filter and gauge for water



Water Relay & Flow Control "Combo" Valves

PN **7187** Midmark® Combo Valve (Midmark® #029-3411-00)

- Water relay valve with flow
- Replacement for most newer Midmark® Dental Units
- 35 PSI Activation Pressure
- Signal relay foot control required



Needle Valve "Hex Body" Knobs

PN **7185** Flow Control Knob, Blue (Midmark® #053-1165-01)

- 1/4" Brass insert shaft
- Smooth type knob

These parts are manufactured by DCI to fit Midmark & Forest equipment. DCI has no affiliation with Midmark or Forest. DCI replacement parts are not manufactured under license or supervision of Midmark or Forest.


Pelton & Crane™ Style Executive Conversion Kit



PN **4446** Executive Conversion Kit


- Precision Comfort™ Premium Autoclavable Vacuum Valves include two 5112 HVEs & one 5222 SE
- Automatic control for three handpieces
- Individual flow control for water coolant to each handpiece
- Individual handpiece pressure adjustments
- Includes 8323 utility center
- Automatic handpiece holders w/ manual lockout toggle
- Variable speed disc-type foot control w/ wet/dry toggle
- Precision Comfort™ three-way syringe
- Dimensions: 12 1/2" x 18" x 4 1/2"
- 6 ft. Umbilical
- Specify tubing color & type

P&C / Marus® Style Handpiece Control Blocks



4421

PN **4380** Twin-Block w/ Long Adjustment Screws
PN **4382** Twin-Block w/ Std. Adjustment Screws
PN **4421** Tri-Block
PN **4425** Quad-Block
PN **4427** Quin-Block
PN **4381** Diaphragm, Twin-Block
PN **4430** Diaphragm, Tri-Block
PN **4433** Diaphragm, Quad-Block
PN **4434** Diaphragm, Quin-Block
PN **4432** Drive Air Adjusting Screw
PN **4426** Mounting Bracket




4427

- Consistent flow control for handpiece pressure adjustments
- Higher output due to improved airflow
- Longer lasting diaphragm
- No internal cross-over of air or water
- Block dimensions, 1 1/2" x 1 1/2" x 1" (4382)
- Block dimensions, 2 3/8" x 1 1/2" x 1" (4421)
- Block dimensions, 3 1/8" x 1 1/2" x 1" (4425)
- Block dimensions, 3 3/4" x 1 1/2" x 1" (4427)

These parts are manufactured by DCI to fit Pelton & Crane® and Marus® equipment. DCI has no affiliation with Pelton & Crane or Marus. DCI replacement parts are not manufactured under license or supervision of Pelton & Crane® or Marus®.


Easy Online Ordering



Toggle On / Off Valve "Hex Body" *(Gray)*

PN **7012** 2-Way Valve
PN **7016** 3-Way Valve

- Panel-mounting 15/32-32 thread w/ nut
- 2-way for air or water; 3-way for air only



Toggle Momentary Valve "Hex Body" *(Gray)*

PN **7021** 2-Way Valve Normally Closed
PN **7026** 3-Way Valve Normally Closed
PN **7027** 3-Way Valve Normally Open


- Panel-mounting 15/32-32 thread w/ nut
- 2-way for air or water; 3-way for air only



Toggle Routing "Selector" Valve Hex Body *(Gray)*

PN **7001** Routing Valve

- Toggle on/off for routing 1 input & 2 output, or 2 input & 1 output
- Panel-mounting 15/32-32 thread w/ nut
- For air or water



Needle Valve "Hex Body" *(Gray)*

PN **7052** Needle Valve
PN **7069** Knob

- Fine flow control adjustment for air or water
- Panel-mounting 15/32-32 thread w/ nut



Toggle On / Off Valve Side Port "Round Body" *(Gray)*

PN **7156** 3-Way Valve

- Port barbs for 1/8" O.D. tubing
- 3-way for air only
- Panel-mounting 15/32-32 thread w/ nut



Toggle Routing "Selector" Valve Round Body *(Gray)*

PN **7151** Selector Valve

- Panel mounting 15/32-32 thread w/ nut
- Routes signal air
- Port barbs for 1/8" O.D. tubing
- Exhausting valve, for air only

These parts are manufactured by DCI to fit Pelton & Crane® and Marus® equipment. DCI has no affiliation with Pelton & Crane or Marus. DCI replacement parts are not manufactured under license or supervision of Pelton & Crane® or Marus®.

FEATURED

Water Relay & Flow Control Combo Valves



7139



7133

PN **7139** Water Relay w/ Flow Control
PN **7068** Water Relay, non-retracting
PN **7302** Water Relay w/ Double Barb Swivel
PN **7309** New Style, Repair Kit for 7139 Valve
PN **7133** Old Style, Repair kit for 7130 Valve

- Non retraction type
- Combination pilot valve & needle valve
- 10-32 side ports
- Low Activation Pressure of 25 PSI
- Used on DCI Series 4 and Series 5 units
- Precision Flow Control

Toggle Momentary On / Off "Rear Ported"



GRAY | BLACK

7169 | **7168** 2-Way Valve

- Rear ported valve
- 2-way valve for air or water
- Panel-mounting 15/32-32 thread w/ nut

Cuspidor / Cup Filler Time Delay Valve Assembly



9275

9134

PN **9275** Time Delay Valve (P&C #043990)
PN **9134** Time Delay, Relay Assy.

- Controls length of time bowl or cup fill is activated
- 1/4" Poly Inlet & Outlet

Junction Box Valve Kit



PN **9118** Junction Box Valve Kit Air & Water Shut

- Off w/ filter element
- 40 micron filter element
- Air pilot controlled
- Includes 3-way on / off toggle valve
- 3/8" compression inlet

Inline Check Valve



PN **7140** Check Valve w/ Ball, 1/16" Barb
PN **7141** Check Valve w/ Ball, 1/8" Barb

- For use w/ non water retraction
- 1/16" or 1/8" barbs
- Allows flow in 1 direction only

These parts are manufactured by DCI to fit Pelton & Crane® and Marus® equipment. DCI has no affiliation with Pelton & Crane or Marus. DCI replacement parts are not manufactured under license or supervision of Pelton & Crane® or Marus®.

Easy Online Ordering



Rectangular Pressure Gauge

PN **7270** Rectangular Air Gauge

- 0-60 PSI reading
- For air only
- 1/2" H x 1 3/4" W



Asepsis Handpiece Holder

PN **4869** Asepsis Holder, Gray, Normally Closed
PN **4568** Standard Asepsis Holder, Gray
PN **5983** Rear Port Micro Valve, Normally Closed

- Air operated actuator control
- Resists chemical discoloration
- Designed for 1/2" bar-mounting
- Adjustable tilt angle



Exhaust Muffler / Oil Collector

PN **7321** Muffler

- Can be mounted through frame for removal from outside control head
- Will handle up to four handpieces
- Minimum back pressure
- Compact size to fit inside control head
- Filter media is standard cotton swab material



Syringe Components

PN **3085** Syringe Button Cartridge
PN **3066** Syringe Repair Kit

- Fits standard style syringe



Foot Control Repair Kits

PN **6163** Foot Control Repair Kit

- Wet / Dry Disc Type



Solids Collector Screens

PN **5823** Collector Screen
PN **5822** Collector Screen (pkg of 100)
PN **6821** Pelton & Crane® Spirit Line Solids Collector (pkg of 144)

- For use w/ 1500 series units
- Sirona / Siemens C2, C3, C4, C6
- Pelton & Crane™® S1 & S2

These parts are manufactured by DCI to fit Pelton & Crane® and Marus® equipment. DCI has no affiliation with Pelton & Crane or Marus. DCI replacement parts are not manufactured under license or supervision of Pelton & Crane® or Marus®.



Marus Foot Style Control Repair Kit

PN **6166** Kit (Marus #85R186)

Kit includes:


PN **6011**	Large Spring
PN **6018**	Piston
PN **2210**	Piston O-Ring (pack of 12)
PN **6012**	Conical Spring
PN **2207**	Body O-Ring (pack of 12)
PN **9010**	Poppet
PN **6016**	Poppet Cap
PN **6013**	Toggle Spring
PN **5948**	Pilot Valve
PN **9746**	6 x 1/2 Pan Head Phillips Screw
PN **6014**	6-32 x 1/4 Pan Head Phillips Screw



Adjustable Cuspidor Hinge

PN **4152** Adjustable Cuspidor Hinge

- Fits DCI 6000 and older Belmont cuspidors



Foot Control Relay Repair Kit

PN **6165** Signal Relay Repair Kit



6132

Foot Control Toggle & Scaler Control Valves

PN **6132** Toggle Valve Assembly
PN **6094** 3 Way Scaler Button Valve Assembly

- Wet / Dry control toggle

These parts are manufactured by DCI to fit Pelton & Crane® and Marus® equipment. DCI has no affiliation with Pelton & Crane or Marus. DCI replacement parts are not manufactured under license or supervision of Pelton & Crane® or Marus®.

Easy Online Ordering

Light Parts & Bulbs

Retail pricing available at dciparts.com





260-263

A-dec® Style Parts



264-265

Belmont® Style Parts

266

Marus/Ritter/MDT Style Parts



267-271

Pelton & Crane® Parts



272-275

Replacement Bulbs



276

Light Posts & Accessories

A-dec® is a registered trademark of A-dec, Inc. DCI has no affiliation with A-dec and A-dec has not authorized DCI replacement parts to be used on or in connection with A-dec® products.

DCI PARTS TO FIT A-DEC® LIGHTS

FEATURED



Light Shield to fit A-dec® 6300

PN **9390** Light Shield Only (A-dec® #28.0503.01)

- Replacement for A-dec 500®/6300 halogen lights
- Coated for easier cleaning and protection

PN **9391** Nosepiece Only
PN **9392** Light Shield w/Nosepiece (A-dec® #28.0503.02)



Bulb to fit A-dec® 6300

PN **9364** Bulb (A-dec® #041.709.00)

- 17 Volt / 95 watt
- Fits Cascade® "6300" lights
- Replaces older 24V 150W bulbs



Light Shield Bracket Assembly to fit A-dec® 6300

PN **8619** Bracket Assembly, Surf (pkg of 2)
(A-dec® #28.1012.00)

A-dec®, Cascade® and A-dec 500® are registered trademarks of A-dec, Inc. These parts are manufactured by DCI to fit A-dec® equipment. DCI has no affiliation with A-dec and A-dec has not authorized DCI replacement parts to be used on or in connection with A-dec® products.


Power Switch to fit A-dec® Cascade® 6300



PN **8114** Power Switch

- SPST Switch
- 125 Volt rating, 6" leads

Intensity Switch to fit A-dec® Cascade® 6300



PN **2885** Intensity Switch (A-dec® #90.1043.00)

- 3 position – High/Med/Low
- 6 amp rating
- 125 VAC
- Factory Installed Wires

Circuit Breaker to fit A-dec® Cascade® 6300



2888



9304

PN **2888** Circuit Breaker (A-dec® #046.123.000)
PN **9304** Circuit Breaker Cascade® & Pre-Cascade® (A-dec® #28.0758.00)

- 10 amp
- Manual reset

Bulb to fit A-dec® Performer®



PN **8688** Performer® Bulb (A-dec® #041.513.00)

- H-3 Bulb Type, 12 Volt AC/55 watt

A-dec®, Cascade® and Performer® are registered trademarks of A-dec, Inc. These parts are manufactured by DCI to fit A-dec® equipment. DCI has no affiliation with A-dec and A-dec has not authorized DCI replacement parts to be used on or in connection with A-dec® products.



Replacement Light Cable Assy

PN **9576** Replacement A-dec® 571 Light Cable Assy 216"

- A-dec® #28.1838.00



Replacement Cable Kit for Light

PN **9581** Replacement A-dec® Performer® & Pre-Cascade® 6300 Cable Kit from Light Through Flexarm to Postbox

- A-dec® #90.1054.00



Replacement Upgrade Toggle Kit

PN **9582** Replacement Upgrade Toggle Kit A-dec® 371 Light Cable Ass

- A-dec® #90.1314.00



Replacement Cable Kit for Lights

PN **9583** Replacement A-dec® Cascade® 6300 Cable Kit for Lights Prior to April 1, 2004

- A-dec® #90.1053.00

A-dec®, Cascade®, Performer® and Perference® are registered trademarks of A-dec, Inc. These parts are manufactured by DCI to fit A-dec® equipment. DCI has no affiliation with A-dec and A-dec has not authorized DCI replacement parts to be used on or in connection with A-dec® products.



Replacement Ceiling Mount Cable Assy

PN **9575** Replacement A-dec® 6300 Ceiling Mount Cable Assy for Lights after April 1, 2004

- A-dec® #28.1587.00



Replacement Wall Mount Cable Assy

PN **9577** Replacement A-dec® 6300 Wall & Preference® Mount Cable Assy for Lights after April 1, 2004

- A-dec® #28.1585.00



Replacement Track Flexarm Cable Assy

PN **9578** Replacement A-dec® 6300 Track Flexarm Cable Assy for Lights after April 1, 2004

- A-dec® #28.1584.00



Replacement Post Mount Cable Assy

PN **9579** Replacement A-dec® 6300 Post Mount Cable Assy for Lights after April 1, 2004

- A-dec® #28.1586.00



Replacement Track & Trolley Cable Assy

PN **9580** Replacement A-dec® 6300 Track & Trolley Cable Assy for Lights after April 1, 2004

- A-dec® #28.1604.00

A-dec®, Cascade®, Performer® and Perference® are registered trademarks of A-dec, Inc. These parts are manufactured by DCI to fit A-dec® equipment. DCI has no affiliation with A-dec and A-dec has not authorized DCI replacement parts to be used on or in connection with A-dec® products.

Belmont X-Calibur Light Shield

PN **8631** Belmont X-Calibur Light Shield (Belmont #HLU 2005)

- Fits all rectangular shaped shields



8959

Belmont Light Shield

PN **8603** Belmont Light Shield (Belmont #8000 2005)
PN **8959** Clesta Light Shield

- Fits all oval shaped shields



Belmont Power Switch

PN **2886** Belmont Power Switch

- DPDT – 3 position
- 115 Volt AC / 10 amp

These parts are manufactured by DCI to fit Belmont® equipment. DCI has no affiliation with Belmont. DCI replacement parts are not manufactured under license or supervision of Belmont®.

Belmont Bulbs



PN **8688** Belmont X-Calibur Bulb (Belmont #8000 1006)

- H-3 Bulb Type
- 12 Volt AC / 55 watt



PN **8890** Belmont Clesta Light Bulb w/Black Tip (Belmont #501074)

- 24 Volt / 60 Watt Black Tip
- Fits all Belmont Clesta Lights (Belmont# 501074)



PN **9377** Belmont ECO Light Bulb w/Black Tip

- 12 Volt / 55 Watt Black Tip
- Fits all Belmont ECO Lights (Belmont# GO4CADN29AO)

TECH TIP

TRYING TO SOLVE A TOUGH TECHNICAL PROBLEM?

Visit the DCI Service Forum at **www.dcionline.com** or the **DCI Video Library** where you can collaborate with fellow technicians and find the answers to the most challenging dental repairs!

These parts are manufactured by DCI to fit Belmont® equipment. DCI has no affiliation with Belmont. DCI replacement parts are not manufactured under license or supervision of Belmont®.

Marus & Ritter® Lens Shield

PN **8602** Marus & Ritter® Lens Shield (Ritter #122845)

- Redesigned to include notches for the bulb housing



Marus & Ritter® Bulb

PN **8687** Marus & Ritter® Bulb (Ritter #121720, Marus #014R207)

- 24 Volt AC / 150 watt



Marus & Ritter® Light Socket

PN **2965** Marus & Ritter® Light Socket

- Fits all Marus & Ritter lights
- 17.5" factory installed wires



Marus & Ritter® Power Switch

PN **8699** Toggle Switch (Ritter #WO-34566)

- SPST Switch
- 125 Volt AC / 10 amp

These parts are manufactured by DCI to fit Marus & Ritter® and MDT equipment. DCI has no affiliation with Marus & Ritter or MDT. DCI replacement parts are not manufactured under license or supervision of Marus & Ritter® or MDT.



Pelton & Crane® LF I Lens Shield

PN **8600** LF I Shield (P&C #006777)



Pelton & Crane® LF I & LF + Bulb

PN **8683** LF I & LF + Bulb (P&C #3321879)


- 25 Volt AC / 150 watt



Pelton & Crane® LF I Switch

PN **8114** Pelton & Crane® LF I Switch (P&C #007096 & 3321853)

- SPST switch
- 125 Volt AC / 15 amp




Pelton & Crane® LF I, LF II & LF III Light Socket

PN **8636** Pelton & Crane® Light Socket (P&C #3336992)

- Replacement lamp socket
- Improved contactor
- Stronger spring
- Improved wire connection

These parts are manufactured by DCI to fit Pelton & Crane® equipment. DCI has no affiliation with Pelton & Crane. DCI replacement parts are not manufactured under license or supervision of Pelton & Crane®.



Pelton & Crane® LF II Lens Shield

PN **8601** LF II Shield (P&C #3321598)



Pelton & Crane® LF II Bulb

PN **8683** Pelton & Crane® LF II Bulb (P&C #3321879)


- 25 Volt AC / 150 watt



Pelton & Crane® LF II Switch

PN **8114** Pelton & Crane® LF II Switch (P&C #007096 & 3321853)

- SPST Switch
- 125 Volt AC / 15 amp



Pelton & Crane® LFII Dimmer Switch

PN **2966** Pelton & Crane® LFII Dimmer Switch w/ Knob
PN **2960** Pelton & Crane® LFII Dimmer Switch (P&C ##3321820 & 013553)
PN **2961** Pelton & Crane® LFII Dimmer Switch Knob (P&C #3322646/844845/015408)

- 125 Volt AC / 15 amp

These parts are manufactured by DCI to fit Pelton & Crane® equipment. DCI has no affiliation with Pelton & Crane. DCI replacement parts are not manufactured under license or supervision of Pelton & Crane®.



Pelton & Crane® LF II Reflector Bushing

PN **8700** Pivot Bushing (pkg of 2) (P&C #023940)

- For use on LF II Yoke & Frame Assembly
- Replaces existing worn bushings
- Slot for 5/8" wrench
- New high temperature material



Pelton & Crane® LF II Light Post Bushing

PN **8470** Pelton & Crane® Light Post Bushing

- Light Post Bushing
- 1 7/8" O.D. x 1 11/16" I.D. x 3" Long



Pelton & Crane® Gas Spring Adjusting Tool

PN **8697** Gas Spring Adjusting Tool (P&C #016749)

- For adjusting LF II light arm cylinder
- 5/16" Hex



Pelton & Crane® Socket Retractor

PN **9289** Pelton & Crane® Socket Retractor

VIDEO Check out the **DCI Video Library** for how to use the P&C socket retractor!

These parts are manufactured by DCI to fit Pelton & Crane® equipment. DCI has no affiliation with Pelton & Crane. DCI replacement parts are not manufactured under license or supervision of Pelton & Crane®.

LF II Light Spring Assembly

The LF II Light Spring Assembly directly replaces Pelton & Crane® unit, track, and ceiling-mount light arm springs and features a more durable brake block.



2733 Detail



2733
Top View

FEATURED

LF II Light Spring Assembly

PN **2733** Unit Mount (P&C #9439738)

PN **2734** Track/Ceiling Mount (P&C #1532907)

- Replaces all unit, track or ceiling mount light arm springs
- Innovative durable brake block design
- Hardware & instructions included

Robust Brake Block Design

Machined Delrin improves glide force & maintains tension

Steel pins hold brake block in place

Heavy Duty Steel Stops





9584



9572

Pelton & Crane® LF II Knuckle Supports

PN **9584** Pelton & Crane® Rear Knuckle Support (P&C #015806)

PN **9572** Pelton & Crane® Front Knuckle (P&C #4191222)

- Machined Aluminum
- Includes: front knuckle support, 2 screws, pivot pin and installed bushing



Pelton & Crane® LF II Pivot Pin

PN **9570** Pelton & Crane® Pivot Pin (P&C #3322604) (pkg of 2)



Pelton & Crane® Drift Screw Kit

PN **9571** Pelton & Crane® Drift Screw Kit (P&C #006804)

These parts are manufactured by DCI to fit Pelton & Crane® equipment. DCI has no affiliation with Pelton & Crane. DCI replacement parts are not manufactured under license or supervision of Pelton & Crane®.







Replacement LED Handpiece Bulbs

PN **9372** Kavo LED Handpiece Bulb

- Requires 3.5 Volt DC
- Fits Kavo Turbines & Micro Motors

PN **9374** Bien-Air LED Handpiece Bulb

- Requires 3.5 Volt DC
- Fits Bien-Air Micro Motors

PN **9395** Universal Tubing LED Bulb 3.5v DC

- Fits DCI Universal ISO-C/ISO tubing, Midwest XGT, Stylus & Stylus ATC handpieces, and Beaverstate



Replacement Handpiece Bulbs

PN **9360** Midwest Handpiece Bulb

- 3.5 Volt / 750 MA
- Fits Midwest XGT, Stylus & Stylus ATC handpieces (DENTSPLY® #790257)



PN **9361** A-dec® / W&H Handpiece Bulb

- 3.5 Volt / 750 MA
- Fits A-dec® / W&H handpieces 896, 898 & 898-LE
- (A-dec® #0.02207610)



PN **9362** Kavo Handpiece Bulb

- 3.3 Volt / 4 watt
- Kavo Lux coupler previous PN 553-3881
- Current Kavo #1002.2928
- Dabi Atlante



PN **9363** A-dec® Handpiece Bulb (A-dec® #041.317.00)

- 3.5v, 750 MA
- Fits A-dec® 5-hole handpiece tubing

A-dec® is a registered trademark of A-dec, Inc. These parts are manufactured by DCI to fit A-dec® equipment. DCI has no affiliation with A-dec and A-dec has not authorized DCI replacement parts to be used on or in connection with A-dec® products.

Replacement Bulbs


9364

PN **9364** 17 Volt / 95 watt, Cascade® Bulb (A-dec® #041.709.00)

- Fits A-dec® Cascade® "6300"/ Midmark® AAII/ Forest 9000 series/ LSM/ A-dec® previously used bulb PN 041.179.01, 24 Volt AC / 150 watt


8890

PN **8890** 24 Volt / 60 Watt Black Tip (Belmont# 501074)

- Fits all Belmont Clesta Lights


9377

PN **9377** 12 Volt / 55 Watt Black Tip (Belmont# GO4CADN29AO)

- Fits all Belmont ECO Lights


8688

PN **8688** 12 Volt / 55 Watt H-3 Bulb

- Fits A-dec® Performer® / Ampco Contender, Fiad / Healthco / SDS Fantastic Belmont / Celux / Chayes Virginia, DCI Equipment Pro 70 / Marus® Pro 72/ TPC L800/ SDS 1355


8687

PN **8687** 24 Volt AC / 150 Watt Bulb

- Fits DentalEZ® Distinction / Forest, Faro Cool Beam / Henry Schein Knight / Marus® / Old Forest / Porter Daystar, Ritter K / Vacudent

A-dec®, Cascade® and Performer® are registered trademarks of A-dec, Inc. These parts are manufactured by DCI to fit A-dec® equipment. DCI has no affiliation with A-dec and A-dec has not authorized DCI replacement parts to be used on or in connection with A-dec® products.

Replacement Bulbs


8696

PN **8696** 24 Volt AC / 150 Watt Bulb

- Fits Dentech® / Eurodent, Faro Sunlight 70 / J. Morita / Knight L LSM / Planmeca Delight / SDS 1350, Siemens A1/E1 Sirona/ DentalEZ ® Simplicity 3801-797/ DentalEZ ® Advantage & Axcs


8683


PN **8683** 25 Volt AC / 150 Watt Bulb (P&C #3321879)

- Fits Pelton & Crane® LF+ / LF I / LF II / LF III


8684

PN **8684** 24 Volt AC / 100 Watt Bulb

- Fits DCI Equipment light/ Midmark 355 (002-0640-00)



Replacement Bulb Warranty

Bulbs are warranted to be free from manufacturing defect in material and workmanship at the time of installation in an electrical circuit having the correct characteristics. Bubbles in the quartz products are not defects and are not subject to warranty. Useful life of bulbs is not covered under warranty.

Fiber Optic & Curing Light Replacement Bulbs



8692
120 Volt AC /
250 watt

PN **8692**

Fits:

- Chapman Huffman
- 60-575-00, 60-580-00, 60-585-00,60-590-00
- DENTSPLY® Triad 2000
- Kavo Vicon DLS, LS Illuminator, Polar II
- Lares Quartz Fire SX
- Midwest Insight I and II, Tradition I
- Sci Can Dual Lux 2 Curing



8693
12 Volt AC /
75 watt (Flat Pins)

PN **8693**

Fits:

- 3M Visilux I, Visilux II, XL3000
- Almore OP II
- Coltene Coltolux Curing Units II, III and IV
- Darby Dental Superdent 2001, 2005
- Degussa Degulux
- Demetron Optilux 101, 400, 403
- Demetron VCL-100, VCL-200, VCL-300
- First Medica Hilux 200
- Lares Apollo CP
- Lasac Tech LTI-5000
- Megadental Megalux
- Motloid Compolite 660
- Penn Med 300L and 310 Curing Guns
- Phasealloy Witelite Gun
- Unitek Ortholux, Ortholux XT
- Viva Dent Heliolux GT
- COE Lunar TA



8694
12 Volt AC /
100 watt

PN **8694**

Fits:

- EFOS Lite
- Proden Executor
- Henry Schein
- Kinetic Instrument Sunspot
- S.S. White Profile Curing Lite
- Teledyne Getz Focus
- L.D. Caulk Prismetics Lite



9365
15 Volt AC /
150 watt

PN **9365**

Fits:

- Air Tech VistaCam & VistaCam Elite
- Bosworth Superlight, Fuji
- DentaCam 2 & 50
- Healthco VLC Illumination Wand
- Deller Fiberlight Deadlight



9368
12 Volt AC /
75 watt (Round Pins)

PN **9368**

Fits:

- DENTSPLY®/Heathco Celebrity Perspective 1 & 2
- Integra ViperCam, Medtronics Dent03
- QuickCam DDS, Welsh Allyn Perspective 2



9370
12 Volt AC /
100 watt

PN **9370**

Fits:

- Acu-Cam Polo, Dentech Ultima II
- Kavo Vicon LS & LSII
- Micro Motors LHS 710 Fiberoptic

FEATURED


53066

Light Shield

PN **53066** DCI Edge/Reliance Light Shield

- For DCI Edge/Reliance lights made January 2016 to present


8470


8476


8408

Light Post Accessories

PN **8470** Pelton & Crane™ Light Bushing
PN **8471** Ritter Light Bushing
PN **8476** Crush Bushing for Base of Post
PN **8472** Power Cord (8')
PN **8474** 2" White Post Cap
PN **8408** 2" Gray Post Cap
PN **8475** 2" Stainless Post Cap

- Nylon Bushing fits 2" Posts
- **8470:** 1 7/8" O.D. x 1 11/16" I.D. for P&C, A-dec®, Marus™, Belmont, Knight L, Midmark, TPC lights
- **8471:** 1 7/8" O.D. x 1 3/8" I.D. for Ritter K, Dental EZ, Proma, Daray, Faro, Forest lights


8431

Light Post Extensions

WHITE	GRAY	METAL	LENGTH
8921	**8969**	**8431**	24" Post w/ P&C Bushing
8922	**8972**	**8432**	24" Post w/ Ritter Bushing
8463	**8986**		30" Post w/ P&C Bushing
8464	**8987**		30" Post w/ Ritter Bushing
8466	**8409**	**8465**	Butterfly Clamp For 2" Post

- Kit includes light post bushing, "Butterfly" clamp, 8' extension cord & post
- 24" or 30" post length
- Scratch resistant powder coat finish



Light Posts

WHITE	GRAY	METAL	LENGTH
8912	**8939**	**8478**	24" Post
8421	**8940**	**8218**	30" Post
8913	**8945**	**8454**	40" Post
8449	**8949**	**8453**	48" Post
8914	**8952**	**8450**	60" Post
8474	**8408**	**8475**	Post Cap

- 2" Diameter posts
- Post painted w/ a scratch resistant powder coat finish

A-dec® is a registered trademark of A-dec, Inc. These parts are manufactured by DCI to fit A-dec® equipment. DCI has no affiliation with A-dec and A-dec has not authorized DCI replacement parts to be used on or in connection with A-dec® products.

Chair & Stool Parts

Retail pricing
available at
dciparts.com





278-279
Chair Accessories



280-282
Stool Parts



283-284
A-dec®



285
DentalEZ®



286
Pelton & Crane®




287-288
Chair Adapters

A-dec® is a registered trademark of A-dec, Inc. DCI has no affiliation with A-dec and A-dec has not authorized DCI replacement parts to be used on or in connection with A-dec® products.

FEATURED

Toeboard Covers

Comes with all necessary attachment materials



2478

PN **2478** MDT Shampaine 1000

PN **2801** Healthco Celebrity

PN **2802** Belmont Bel 10

PN **2803** Marus® DC1690 & DC1535

PN **2804** Royal Model 16

PN **2807** Pelton & Crane® Coachman I & II

PN **2808** Pelton & Crane® Chairman

PN **2809** Pelton & Crane® Chairman 5000

PN **2980** Pelton & Crane® Spirit 3000

Toeboard Covers to fit A-dec® Chairs

Comes with all necessary attachment materials



2954

PN **2806** Cover to fit A-dec® Cascade® 1040 Seamless, Decade 1011/1021/1221, Performer I & II (61-1679-00)

PN **2954** Cover to fit A-dec® 511 Seamless (A-dec® #62.0156.00)



2955

PN **2955** Cover to fit A-dec® 311 Seamless (A-dec® #62.0676.00)

PN **2956** Cover to fit A-dec® 511 Sewn (A-dec® #62.0184.00)

PN **2957** Cover to fit A-dec® 311 Sewn (A-dec® #62.0685.00)

PN **2958** Cover to fit A-dec® 1040 Sewn & Performer® III (A-dec® #61.2619.00)



2956



2957



2958

A-dec®, Decade®, Cascade® and Performer® are registered trademarks of A-dec, Inc. These parts are manufactured by DCI to fit A-dec® equipment. DCI has no affiliation with A-dec and A-dec has not authorized DCI replacement parts to be used on or in connection with A-dec® products.

DCI Edge Foot Switches



PN **51770** Foot Switch Assembly, Series 4, Models C5550 & C4550

PN **51979** Foot Switch Assembly, Series 5, Model C5052 (prior to March 2019)

FEATURED

Pelton & Crane and Marus Footswitch Assembly



9568

PN **9568** Replacement footswitch for Pelton & Crane and Marus System

FEATURED

Pelton & Crane and Marus Touchpad Assembly



9567

9569

LEFT	RIGHT	
9567	**9569**	Replacement touchpad for Pelton & Crane and Marus System

Compatible with:
Pelton & Crane Spirit 3000, 2000, 1800, 1700, 1500 series chairs
Marus 1300, 1400, 1500, 1600, 1700 (NuStar) series chairs
* 9567 and 9569 do not fit Pelton & Crane Spirit 3000 series chair

Marus Foot Switch Rebuild Kit



PN **2761** Marus Foot Switch Rebuild Kit (Marus #85R233)

Kit includes:

- 3/8" Nylon Balls, 2 ea.
- 1/4" Nylon Balls, 4 ea.
- Micro Switches, 6 ea.
- 1/8" x 1/2" Stainless Pins, 4 ea.
- Cover Plate Assy, 1 ea.
- Switch with Pin Assy, 2 ea.
- Activator Springs, 2 ea.
- Activator Pin Bushings, 4 ea.
- Foot Switch Insulator, 1 ea.

Hydraulic Oil



PN **2691** Hydraulic Oil

- 10 wt Hydraulic Oil
- For use on all Hydraulic Chairs
- 1 Pint
- Non-Foaming

Cart & Stool Casters

Our Cart & Stool Casters are replacements for most dental stools. Offered in gray and surf to match existing casters.



54108

FEATURED



2946

2948

8010

Cart & Stool Casters

PN **2946** Soft wheel for hard floor caster, Gray
PN **2972** Soft wheel for hard floor caster, Gray (pkg of 5)
PN **2948** Soft wheel for hard floor caster, Surf
PN **2973** Soft wheel for hard floor caster, Surf (pkg of 5)
PN **8010** Hard wheel for carpet, Gray
PN **8002** Cart Caster Insert
PN **54108** Hard Floor Caster, PU Tread, Taupe (DCI Edge/Reliance)

Easy Online Ordering



Replacement For Most Dental Stools
Casters fit DCI Stools and several manufacturer lines of dental stools.



Available In Two Popular Manufacturers Colors
Match existing casters with a choice of gray or surf.



Soft Wheels For Hard Floor
Most DCI's Cart & Stool Casters are made to roll smoothly on hard floors.

TECH TIP

LOOKING FOR STOOLS TO PAIR WITH YOUR CASTERS?

Refer to our Reliance tab on page 12 in the catalog for more information on the types of stools that we offer.




2952


2962


2963


2953


2964

See our ***Stool Cylinder Guide*** at **www.dcionline.com**

Stool Cylinders

PN **2952** Assistant Stool Cylinder, 50mm Dia.
(P&C #047039, Marus #30509)
- 22.5" Fully Extended, 7.5" Travel
- For use on Pelton & Crane® Model 2004 & Marus Models DC5130 & DC5030

PN **2953** Doctor Stool Cylinder, 50mm Dia.
(P&C #047038, Marus #30510)
- 17" Fully Extended, 5.5" Travel
- For use on Pelton & Crane Model 2003 & Marus Models DC5140 & DC5040

PN **2962** Assistant Stool Cylinder, 45mm Dia.
(P&C #041772, Marus #75R089, A-dec® #65.0208.00)
- 22.5" Fully Extended, 7.5" Travel

PN **2963** A-dec® Assistant Stool Cylinder, 45mm Dia.
(A-dec #65.0209.00)
- 22.5" Fully Extended, 7.5" Travel

PN **2964** Doctor Stool Cylinder, 45mm Dia.
(A-dec® #65.0227.00, P&C # 041789, Marus 75R088)
- 17" Fully Extended, 5.5" Travel


PN **54115** Assistant's Stool Gas Cylinder, 200mm (DCI Edge/Reliance)

PN **54106** Doctor's Stool Gas Cylinder, 140mm (DCI Edge/Reliance)

PN **54117** Stool Gas Cylinder, 100mm (DCI Edge/Reliance)

FEATURED

Backrest Knobs


2967

PN **2967** Backrest Knob, Surf (A-dec® #027.074.00)
PN **2968** Backrest Knob, Gray
- For Newer Pelton & Crate®, Marus, & A-dec®

PN **54628** Assistant's Stool Arm Swing Support Replacement Knob (DCI Edge/Reliance)

PN **54627** Dr's Stool Backrest Adjustment Replacement Knob (DCI Edge/Reliance)

PN **54626** Dr's Stool Backrest Adjustment Replacement Bolt (DCI Edge/Reliance)

TECH TIP

Measure the largest diameter of the Stool Cylinder
to confirm if it's 45 or 50mm before ordering!

A-dec® is a registered trademark of A-dec, Inc. These parts are manufactured by DCI to fit A-dec® equipment. DCI has no affiliation with A-dec and A-dec has not authorized DCI replacement parts to be used on or in connection with A-dec® products.



Rocker Switch to fit A-dec® Multi-Function Foot Switch

PN **2810** Rocker Switch (A-dec® #041.119.00)

- For Multi-Function Switch 10A, 125/250 VAC




Push-Button Switch to fit A-dec® Multi-Function Foot Switch

PN **9260** Push-Button Switch (A-dec® #041.059.00)

- For Auto Return & Pre-Positioning Functions: SPST 5A, 24 VAC

FEATURED



2943

Membrane to fit A-dec® Foot Switch

PN **9588** Foot Switch Assembly (Includes 2943 Membrane)
PN **2943** Membrane (A-dec® #61.3048.00)

- Fits on A-dec® Performer®, 1021, 1040, 311 & 511 Series Chairs

PN **9589** Foot Switch Cover Only
(Includes 6 Screws, A-dec® 61.3049.00)



9588



Cable Assembly to fit A-dec® Foot Switch

PN **9587** Cable Assembly (A-dec® #62.0186.00)

- Fits on A-dec® Performer®, 1021, 1040, 311 & 511 Series Chairs

A-dec®, and Performer® are registered trademarks of A-dec, Inc. These parts are manufactured by DCI to fit A-dec® equipment. DCI has no affiliation with A-dec®. DCI replacement parts are not manufactured under license or supervision of A-dec®.



Capacitor to fit A-dec® Chairs

PN **9245** Capacitor w/ Boot for 100 Volt, 115 Volt or 240 Volt (A-dec® #90.1031.00)

- Fits Cascade®, Decade®, Positioner, Priority & Performer® III chairs manufactured before 2/2001
- MF-UF 50 +/- 10%

Limit Switches to fit A-dec® Chairs



PN **9240** Chair Limit Switch (A-dec® #044.184.01)

- Base function: Cascade® 1040, Decade® 1021/1020,1010/1011, Priority 1005, Performer® III
- Back function: Priority 1005
- Stop function: Decade® 1020/1021, Priority 1005



PN **9242** Chair Limit Switch (A-dec® #61.2065.00)

- Back function: Cascade® 1040



PN **9244** Chair Limit Switch (A-dec® #044.183.00)

- Chair stop function: Cascade® 1040, Decade® 1021 "after 6-1998", Performer® I & II

Limit Switch


PN **2794** Limit Switch



- "Cherry" Limit Switch
- 125/250 volt AC 6/3 amp
- Used on P&C Chairman, P&C Coachman, DentalEZ®, Chayes Virginia and A-dec® chairs
- Spade Terminal Connections
- Base up/down Performer® 1 & 2
- Back up function Decade® 1020/1021, 1010/1011, Performer® 3

A-dec®, Performer®, Decade® and Cascade® are registered trademarks of A-dec, Inc. These parts are manufactured by DCI to fit A-dec® equipment. DCI has no affiliation with A-dec and A-dec has not authorized DCI replacement parts to be used on or in connection with A-dec® products.

Easy Online Ordering



DentalEZ® Chair Momentary Switch Kit

PN **2928** On-Off-On Three Position Switch (DentalEZ® #3800-100)


- On/Off/On Momentary
- Kit includes Switch, Push Nuts (Qty 10), #6 x 5/8" Screws (Qty 2)
- PL200, J & V Series



DentalEZ® Chair Maintained Switch Kit

PN **2930** Switch Replacement Kit (DentalEZ® #3800-148)


- On/Off/On Momentary
- Kit includes Auto Position Switch, Tinnerman Nuts (Qty 4), #8 Lock Washer, 8-32 x 1/4" Cut Screw, #6 x 5/8" Sheet Metal Screws (Qty 2)
- PL200, J & V Series
- For Seat Tilt



DentalEZ® Chair Momentary Switch Kit

PN **2929** Momentary Switch Replacement Kit (DentalEZ® #3800-101)

- On/Off/On Momentary
- Textured rocker switch
- Kit includes Momentary Switch, Qty 4 Tinnerman Nuts, #8 Lock Washer, 8-32 x 1/4" Cut Screw, #6 x 5/8" Sheet Metal Screws (Qty 2)
- PL200, J & V Series
- For Auto Position / Return



DentalEZ® Chair Switch Kit

PN **2931** Chair Switch Kit (DentalEZ® #3800-579)

- On/Off Maintained
- Kit includes on/off switch, Qty 4 Tinnerman Nuts, #8 Lock Washer, 8-32 x 1/4" Cut Screw, #6 x 5/8" Sheet Metal Screws (Qty 2)
- JSR / VSR chair top



DentalEZ® J Chair Arm Pivot Stop

PN **2799** Arm Pivot Stop (pkg of 2) (DentalEZ® #3800-112)

- Slotted on both ends for easy removal
- 5/16" – 24


These parts are manufactured by DCI to fit DentalEZ equipment. DCI has no affiliation with DentalEZ. DCI replacement parts are not manufactured under license or supervision of DentalEZ.



Pelton & Crane™ Potentiometer

PN **9258** Potentiometer

- P&C & Marus #015R017, Spirit chairs & Marus hydraulic chairs
- 5 ohm +/- 20%



Pelton & Crane® Chairman Chair Switch

PN **9247** Back Recline Switch (P&C #007428)

- White toggle
- Momentary



Pelton & Crane® Chairman Chair Switch

PN **9248** Base Lift Switch (P&C #007427)

- Black toggle
- Can also be used for Traverse Switch
- Momentary



Pelton & Crane® Chairman Chair Auto Position Switch

PN **9249** Pre Position Switch (P&C #007898)

- Red push button
- Wires already attached



Pelton & Crane® Chairman Chair Auto Return Switch

PN **9254** Auto Return Switch (P&C #007899)

- Black push button
- Wires already attached

These parts are manufactured by DCI to fit Pelton & Crane® equipment. DCI has no affiliation with Pelton & Crane. DCI replacement parts are not manufactured under license or supervision of Pelton & Crane®.

Easy Online Ordering

Chair Adapters to fit:



PN **8522** A-dec® Cascade® 1040



PN **8515** A-dec® Priority 1005 & 1010



PN **8500** A-dec® Decade® 1020, 1021, 1221 and 1015



PN **8538** A-dec 500®



PN **8493*** Belmont Bel 07-50 Celib-Pro-Xcal, Westar 2001, Westar 5000, LSM DC-100, LSM C0H0



PN **8917** Belmont Acutrac, B99, Clesta



PN **8552** DentalEZ® E3000

- Chair adapters feature a scratch resistant light gray powder coat finish.

  ***** White scratch resistant powder coat finish

A-dec®, Cascade®, Decade® and A-dec 500® are registered trademarks of A-dec, Inc. These parts are manufactured by DCI to fit A-dec® equipment. DCI has no affiliation with A-dec and A-dec has not authorized DCI replacement parts to be used on or in connection with A-dec® products.

FEATURED

Chair Adapters to fit:



PN **8919** DentalEZ® Advantage E2000



PN **8506** DentalEZ® J, PL200



PN **8920** Chair Adapter Forest 6000 Assy



PN **8561** Marus™ Pro 1300-1600, DCI Equipment, Pelton & Crane 1700

PN **8497** Royal



PN **8918** Pelton & Crane™ Spirit 1500, 1800, 2005, 330, 3000, SP30, Marus™ / Schein Empire



PN **8568** Pelton & Crane™ Coachman, Chairman 5000



PN **8488** 2" Hub



PN **8438** 8" Floor mount for 2" post

- Chair adapters feature a scratch resistant light gray powder coat finish.

A-dec® is a registered trademark of A-dec, Inc. These parts are manufactured by DCI to fit A-dec® equipment. DCI has no affiliation with A-dec and A-dec has not authorized DCI replacement parts to be used on or in connection with A-dec® products.

Retail pricing
available at
dciparts.com

Compressor & Vacuum Parts





290-292

Mechanical Room Accessories



293-303

Compressor Parts



304-307

Vacuum Parts


ILLUSTRATED Parts Breakdown

308

Illustrated Parts Breakdown

Water Security Systems

The new Water Security Systems come in 3/4" and 1" sizes, including replaceable water filters, a control panel shut-off, and durable pex pipes.



2396

FEATURED

Water Security Systems

PN **2396** 3/4" System, PEX, w/ Filter & 24 Volt Relay
PN **2395** 1" System w/ Filter & 24 Volt Relay

- Filters incoming water supply & shuts off water from control panel
- Remote shut off of all water supply to dental equipment to prevent accidental water damage
- Allows servicing without disruption to the dental practice
- 20 Micron Filter
- 4BA72 Housing Wrench used for W1100 can be purchased from Granger to aid in Housing removal
- 4BA73 Housing Wrench used for W2100 can be purchased from Granger to aid in Housing removal



Replaceable Water Filter
Filters can be easily swapped out by simply screwing or un-screwing the bottle from the cap.



Control Panel Shut-Off
Remotely shut off water to the office when closed.



Durable Pex Pipes
The pex pipes filter the water and increase the longevity of the delivery unit.

FEATURED

Water Security Replacement Parts



2051

PN **2051** Water Filter 2 1/2" x 10" (pkg of 2)

PN **2076** Water Filter 4 1/2" x 10" (pkg of 2)

PN **2302** Flat Gasket For Filter Housing 3/4”

PN **2303** Flat Gasket For Filter Housing 1”, 1 1/4”, 1 1/2”

PN **2050** Filter Housing 3/4” FPT

PN **2073** Filter Housing 1" FPT



2076

PN **2052** 115V Solenoid 3/4”

PN **2030** Low Voltage Control Box, 115/230 Input 24 VAC



2075

PN **2075** 115V Solenoid 1”



2970

Buck & Boost Transformers

PN **2969** Single Phase 3500 VA Buck & Boost Transformer

PN **2970** Single Phase 5000 VA Buck & Boost Transformer

PN **2971** Single Phase 7500 VA Buck & Boost Transformer

- UL & CSA Approved
- Front accessible separate High and Low voltage leads



2030



2862

Low Voltage Control Box

PN **2030** Low Voltage Control Box, 115/230 Input

PN **2862** Fuse Holder

*Contact **Customer Service** for replacement parts.*



Control Panels

LED BULBS NOW COME STANDARD

PN **2900** Single Switch Panel / Expandable to 4
PN **2901** Dual Switch Panel / Expandable to 4
PN **2902** Triple Switch Panel / Expandable to 4
PN **2904** Quad Switch Panel
PN **2723** Remote 24 Volt Red LED Light Switch

- Fits standard 2 gang electrical box
- Includes custom labeling kit
- 24 Volt lighted LED rocker switches


2487

Copeland Capacitor / Relay Controls

PN **2509** 1 HP 115 Volt (MDT # 3-08-0233-07)
PN **2487** 1 HP 230 Volt (MDT #3-08-0234-07)

- Original Copeland component
- Prewired & tested
- 115 or 230 Volt AC


2606

Copeland Start / Run Capacitors

PN **2420** Start Capacitor 3/4 & 1 HP 230 Volt (MDT #3-08-0219-10)
PN **2606** Start Capacitor 1 HP 115 Volt (MDT #3-08-0218-10)
PN **2702** Run Capacitor 1 HP 115 Volt (MDT #3-08-0223-10)
PN **2703** Run Capacitor 1 HP 230 Volt (MDT #3-08-0224-10)

- Original Copeland component
- 115 or 230 Volt AC
- 3/4 or 1 HP



Copeland Thermal Protector

PN **2694** 3/4 HP 230 Volt (MDT #3-08-0231-10)
PN **2566** 1 HP 230 Volt (MDT #3-08-0229-10)

- Original Copeland compnent
- 3/4 or 1 HP


2698

Compressor Relay Assembly

PN **2699** 1 HP Relay Assembly, 115 VAC (MDT #3-08-0213-00)
PN **2419** 1 HP Relay Assembly, 208-230 VAC (MDT #3-08-0214-10)

- Original Copeland components
- Available in 115 or 208-230 VAC



Lubricated Compressor Head Repair Kits

PN **2619** Head Gasket (MDT #3-08-0243-10)
PN **2711** Valve Plate Kit (MDT #3-08-0278-10)

- Original Copeland components
- 3/4 or 1 HP



Copeland Sight Glass Kit

PN **2649** Sight Glass Kit
PN **2414** Sight Glass Only (MDT #3-08-0092-10)
PN **2633** Sight Glass Tool (MDT #301789)

- Original Copeland component
- Replaces damaged sight glass
- Requires DCI tool 2633



Copeland Intake Filter

PN **2545** Filter Assembly
PN **2423** Element Only

- Filters intake air to 40 microns
- Reduces noise
- Extends service life of compressor
- 1/2" ID Intake Tubing



Copeland Oil Filler / Breather

PN **2540** Breather Filter (MDT #301876)

- Vents crankcase
- Reduces crankcase oil foaming



Cooling Fan Assembly

PN **2696** 115 Volt Fan (MDT #3-08-0578-10)
PN **2422** 230 Volt Fan (MDT #3-08-0563-10)
PN **2697** Finger Guard (MDT #3-08-0399-10)

- Cools compressor heads
- Cools sound covers
- 105 cfm



P Series Portable Lubricated Air Compressor

PN **P050** 1 User / 1/2 HP / Single Head /.93 Gal Tank / 115 Vac

- 115 Volt – 50-60 Hertz
- Quiet operation
- 2.1 CFM
- Relief Valve Rated at 145 PSI
- Only 44 lbs
- Compact size 11" x 11" x 11 7/8"
- 6 month warranty









Jun-Air & Panther Compressor Parts

PN **2920** Valve Plate

PN **2921** Case Cover O-Ring Seal

PN **2813** Intake Filter (Jun-Air 541200)

PN **7242** Coalescing Filter 40 Micron

- For repairing Jun-Air & Werther compressors



Jun-Air Synthetic Lubricated Compressor Oil

PN **2945** Synthetic Lubricated Compressor Oil,
24 oz (Jun-Air # SJ-27)

- 20 wt



2485

Non-Synthetic Lubricated Compressor Oil

PN **2485** 16 oz. Bottle
PN **2647** Case of 6

- 20w non-detergent (non-synthetic)
- High grade lubricating oil
- High dielectric properties



2012



2170

Oil-less Head Intake Filter Element

PN **2170** Intake Filter w/ Housing, 1/4 MPT
PN **2012** Oil-less Head Intake Filter Element, 2"

- 5 Micron element
- Fits DCI & Tech West compressors
- Extends coalescing filter life



Oil-less Head Intake Filter Element

PN **2947** Oil-less Head Intake Filter Element, 3"

- 2 Micron Paper Filter
- 3" OD x 1.38" tall
- Fits Tech West Oil-less Compressor models ACO4S2, ACO4S2ND, ACO8D2, ACO8D2ND



2867

Discharge Hoses

PN **2868** 13" Hose
PN **2869** 16" Hose
PN **2870** 20" Hose

- Braided stainless steel construction
- 200 PSI rating
- 1/4" MPT x #6 SAE Female swivel (3/8" Flair)
- Fits DCI / Air Tech / others


2003


2925

DCI Coalescing Filter

PN **2003** Coalescing Filter
PN **2925** Check Valve

- Teflon coated interior
- FDA approved high efficiency
- 0.01 micron rating
- 1/4" NPT
- Fits DCI compressors
- Not compatible to compressors with sound covers



DCI Coalescing Filter Indicator

PN **2008** Coalescing Filter Indicator

- Informs user of clogged element
- Changes from green to red
- Includes O-Ring
- Use a 15/16" wrench for removal



DCI Coalescing Filter Element

PN **2006** Coalescing Filter Element

- High particle holding capacity
- 0.01 micron rating
- FDA approved for high purity applications



Parker Coalescing Filter Element

PN **2692** Replacement Element

- Fits newer Tech West & older MDT compressors
- 0.01 micron rating
- Fits in older DCI 2401 Coalescing Filter 10oz



Coalescing Filter to fit DentalEZ®

PN **2935** Coalescing Filter to fit DentalEZ® (DentalEZ® #JA081602)

- For DentalEZ® current 10 series compressors



Intake Filter to fit DentalEZ®

PN **2932** Intake Filter to fit DentalEZ® (DentalEZ® #5412210)

- For DentalEZ® 700 & 800 series prior to serial #440537



Carbon Filter to fit DentalEZ®

PN **2821** Carbon Filter to fit DentalEZ® (DentalEZ® #JA4080500)

- For DentalEZ® 700 series lubricated compressors
- For JUN-AIR lubricated compressors
- Combo filter



2421



2424

MDT Quick Exhaust Purge Valves

PN **2421** Quick Exhaust Valve (MDT #3-08-0308-10)
PN **2424** Exhaust Muffler 1/4" (MDT #3-08-0942-10)

- Use w/ MDT style drying chambers
- Used to purge drying chamber
- 1/4" NPT



2501

Desiccant Chambers

PN **2501** MDT Chamber w/o Window

PN **2400** Blue Recharge Kit For 2541, Single Tank


PN **2481** Brown Recharge Kit For 2501, Single Tank

PN **2923** Nipple w/ Filter 3/8" x 2" w/ .015 wire mesh (used in 2014 chamber)



2923

- MDT chamber includes silica gel desiccant
- Removes moisture from air



2950



2951

Desiccant

PN **2950** Blue Silica Gel Desiccant
PN **2951** Brown Silica Gel Desiccant
PN **2016** White Molecular Sieve Desiccant

- Sold in 1 lb bags



Air Techniques Drying Chamber Purge Valve

PN **2940** Purge Solenoid Valve, 230 Volt (Air Techniques #85946)

- 1/4" NPT normally open
- Includes conduit
- 9.5 Watts
- 150 PSI
- 3/32 Orifice



2848

Time Operated Purge Valve

PN **2848** 115 Volt

PN **2011** 230 Volt

PN **2166** Solenoid Repair Kit

- Normally closed valve
- Adjustable interval & duration
- Replaces DCI C series & DentalEZ®
- 6 ft. power cable
- 1/4" FPT


2417


2005

Pressure Switches

PN **2417** Unloading for MDT, Apollo/Midmark (ECS10445), Compressors

PN **2005** Non-unloading for DCI, Tech West PSC-3 Compressors

PN **2489** Pressure Switch, Unloading for Dual & Triple Head Compressors

- Starts and stops compressor motors
- 1/4" FPT


2826


2856

Pressure Gauges

PN **2826** Economy
PN **2856** Liquid Filled

- 2" dial face
- 0-160 PSI
- 1/4" Center back connection

Check Valves


2135


2502

PN **2135** Stainless Check Valve 1/4" Male x Female
PN **2502** 3/8" FPT w/ Internal Bleed, 15 or 30 Gallon Tank
PN **2572** 3/8" FPT w/ Internal Bleed, 5 Gallon Tank
PN **2550** 3/8" FPT w/o Internal Bleed

- Allows flow in one direction only

FEATURED

Relief Valve


2513

PN **2513** Relief Valve 125 PSI
PN **2013** Relief Valve 165 PSI


- ASME certified
- 1/4" MPT

Compressor Hook-up Hose



PN **2857** Hook-up Hose

- 6 ft. flexible hose
- 250 PSI rated
- 3/8" MPT x 1/2" MPT



24 Volt Contactor

PN **2858** Contactor

- 24 Volt AC coil
- 30 amp / 1.5 hp rating
- Double pole contacts
- Fits most low voltage controls



Control Transformer

PN **2846** Transformer 115/230 x 24 VAC

- Used in low voltage control systems
- Amperage rating 40 VA
- Transforms 115V, 208V, 230V to 24 VAC



2833

Vacuum Breaker

PN **2833** 1/4" NPT
PN **2834** 3/8" NPT (DentalEZ 64622011)
PN **2941** Vacuum Breaker Repair Kit for 1/4" & 3/8" NPT
PN **2835** 1/2" NPT
PN **2942** Vacuum Breaker Repair Kit for 1/2" FPT

- Anti-siphon valve
- For use on all liquid ring pumps
- Chrome plated brass version



2676

Brass Swing Check Valve

PN **2676** 3/4" NPT
PN **2839** 1" NPT

- Used on dual vacuum pumps
- Prevents vacuum loss while running one pump


2841

Water Flow Controls

PN **2841** 0.13 GPM
PN **2842** 0.19 GPM
PN **2843** 0.25 GPM
PN **2844** 0.5 GPM
PN **2845** 1.0 GPM

- Original OEM valve
- 3/8" NPT
- Nickel plated brass
- Multiple flow rates
- For use on all liquid ring pumps


2838

Inline Strainer

PN **2837** 3/4" NPT
PN **2838** 1" NPT (DentalEZ 64501940)
PN **2028** 1 1/2" NPT

- For use on all vacuum systems
- 3/4" / 1" / 1 1/2" NPT

Inline Strainer Components


2149


2148


2677

PN **2677** 1 1/2" x 3 11/16" Long Strainer Screen, for 3/4" strainer

PN **2678** 2 1/4" x 4 7/32" Long Strainer Screen, for 1" strainer

PN **2054** 2 1/2" x 5 1/2" Long Strainer Screen, for 1.5" strainer

PN **2149** Bowl for 3/4" Inline Strainer

PN **2567** Bowl for 1" & 1 1/2" Inline Strainer

PN **2148** Gasket for 3/4" Inline Strainer Bowl

PN **2096** Gasket for 1" & 1 1/2" Inline Strainer Bowl

Vacuum Gauge



PN **7268** Vacuum Gauge

- 1/4" NPT Bottom connection
- 0-30" hg

Vacuum Tubing


704

PN **704** 3/4" I.D. Hose (per ft.)
PN **705** 1" I.D. Hose (per ft.)
PN **707** 1 1/2" I.D. Hose (per ft.)
PN **709** 2" I.D. Hose (per ft.)

- For connection from pump to building plumbing
- Rated to 29" hg
- Provides flexible connection
- Order clamps separately

Stainless Steel Hose Clamps


9350

PN **9350** Stainless Steel Hose Clamps 3/8" - 7/8" (pkg of 10)
PN **9351** Stainless Steel Hose Clamps 1/2" - 1 1/4" (pkg of 10)

Garden Hose Connector


0858


0850

PN **0858** Barb Connector
PN **0850** Washer (pkg of 10)

- 3/4" male barb x garden hose female
- For use on suction & drain
- Includes sealing washer

Vacuum Line Cleaner



5835

PN **5835** Pint Bottle
PN **5836** Case of 12 Pints
PN **5837** 1/2 Gallon Bottle

- Continuous cleaning action
- Environmentally safe
- NON foaming
- Contains NO hazardous materials
- 1/2 Gallon provides 128 uses
- Cleans vacuum systems & eliminates odors associated w/ organic waste

Vacuum Pump Oil for use with RAMVAC®



2155

PN **2155** Vacuum Pump Oil, 1 Quart
PN **2156** Vacuum Pump Oil, 1 Quart – Case of 6

- Mobil oil 1 – 15W50, fully synthetic

V Type Drive Belts to fit RAMVAC® Bison


2879

PN **2879** 002163, Bison 3 & 9
PN **2880** 002164, Bison 5
PN **2881** 002360, Bison 7

- V-type belts
- Fits Bison vacuums
- Exact OEM replacement

These parts are manufactured by DCI to fit RAMVAC equipment. DCI has no affiliation with RAMVAC. DCI replacement parts are not manufactured under license or supervision of RAMVAC.

Cogged-Type Belts to fit RAMVAC® Bulldog



2874

PN **2874** OO2035 / 580 mm, Bulldog QT 1
PN **2875** OO2027 / 600 mm, Bulldog QT 2
PN **2876** OO2034 / 545 mm, Bulldog QT 3
PN **2877** OO273 / 650 mm, Bulldog 855 w/ 615 RPM
PN **2878** OO274 / 670 mm, Bulldog 855 w/ 815 RPM

- Cogged type belt
- Exact OEM replacement

Line Strainer



2028



2096

PN **2028** Strainer Assy

- Captures large contaminants
- May be cleaned or disposable
- Transparent bowl
- 1 1/2" NPT

PN **2567** Bowl Only
PN **2054** 2 1/2" x 5 1/2" Long Screen Only
PN **2096** Gasket Only

Slip Fit Check Valve



PN **2884** 1 1/2" Check Valve

- Double union design
- Easily removed from piping
- NOT threaded or glued
- Used on drains

Replacement Dry Rotary Vane Pump



2019

PN **2019** 3/4 HP Vacuum Pump

- Gast®
- 3/4 HP
- Dual voltage 115 / 230 Volt
- Fits Apollo / Matrix / Midmark® / Tech West / DCI

SHIPS VIA **UPS GROUND**



2137

PN **2137** Filter Elements



2128

PN **2128** Exhaust Silencer



2139

Vane Kit for Thomas Surgical Pump

PN **2139** Replacement Vane Kit-Thomas Surgical Vacuum (pk of 4)



2604



2415

Surgical Suction Collection Bottle Gaskets

PN **2604** Surgical Suction Collection Bottle Assembly Gasket, Suction Bottle Cap 2.73" O.D., .180" THK

PN **2415** Surgical Suction Collection Bottle Gasket 2" I.D., 2.73" O.D., .125" THK



5586

Holder Activated AVS System

PN **5586** Holder Activated AVS System

- Air powered oral evacuation
- Requires 50 PSI minimum air pressure
- 1 quart plastic collection bottle
- Mounts to underside of dental unit or cabinet
- Precision Comfort® HVE & Traditional Tubing




5582


PN **5582** 1 Quart Replacement Bottle

- 1 quart plastic collection bottle

Oil-Less Compressor



Lubricated Compressor



Sterilizer Parts

Retail pricing
available at
dciparts.com





310-311

A-dec®/W&H Lisa



311-313

Midmark/Ritter



313-314

MDT & Harvey



315-318

Pelton & Crane®



319-320

SciCan® 2000



321-323

Tuttnauer®

A-dec® is a registered trademark of A-dec, Inc. DCI has no affiliation with A-dec and A-dec has not authorized DCI replacement parts to be used on or in connection with A-dec® products.



Air Intake Filter to fit A-dec®/W&H Lisa

PN **2812** Air Intake Filter (A-dec® #54.0067.00)

- Replace every 400 cycles
- 3 Micro filtration



Gasket to fit A-dec®/W&H Lisa

PN **2186** Gasket (A-dec® #54.0014.00)



1823

Water Line Parts to fit A-dec®/W&H Lisa

PN **1823** Water Supply Tubing

- Used in A-dec® #54.0029.00/54.0181.00 assemblies
- Water supply/drain tubing for A-dec Lisa sterilizer



Vacuum Pump Membrane Kit to fit A-dec®/W&H Lisa

PN **9420** Membrane Kit (A-dec® #54.0051.00)

Kit Includes:

- Diaphragms, Qty. 2
- Butterfly Valves, Qty. 4
- O-Rings, Qty. 2

A-dec® is a registered trademark of A-dec, Inc. These parts are manufactured by DCI to fit A-dec® equipment. DCI has no affiliation with A-dec and A-dec has not authorized DCI replacement parts to be used on or in connection with A-dec® products.

Easy Online Ordering



Water Pump to fit A-dec®/W&H Lisa

PN **9303** Water Pump (A-dec® #54.0049.00)

- 230 Volt



9423

EV Valves to fit A-dec®/W&H Lisa

PN **9423** EV5 (used in A-dec® #54.0090.00)
PN **9425** EV2/EV4 (used in A-dec® #54.0027.00)



2192

PN **2192** Midmark® M9 & M11 Vent Solenoid (old style)
(Midmark® #002-366-00)



2193

PN **2193** Midmark® M9 & M11 Fill Solenoid (old style)
(Midmark® #002-365-00)



M9 & M11 Fan

PN **2189** M9 & M11 Fan, 115V (Midmark® #015-1368-00)

A-dec® is a registered trademark of A-dec, Inc. These parts are manufactured by DCI to fit A-dec® equipment. DCI has no affiliation with A-dec and A-dec has not authorized DCI replacement parts to be used on or in connection with A-dec® products.

FEATURED



M11 Door Seal Kit

Midmark® M11 Door Seal Kits are manufactured by DCI to directly fit Midmark® autoclaves and meets the original manufacturer's specifications.



PN **2195** M11 Door Seal Kit
(Midmark® #002-0504-00 & #057-0790-00)

- Includes gasket, dam & hoop

FEATURED

M9 Door Seal Kit

DCI manufactures Midmark® M9 Door Seal Kits to fit Midmark® autoclaves directly and meets the original manufacturer's specifications.





PN **2194** M9 Door Seal Kit
(Midmark® #002-0361-01 & #057-0790-01)

- Includes gasket, dam & hoop

Easy Online Ordering



M9 & M11 Chamber Screens

PN **2320** M9 and M11 Chamber Screens (pkg of 2) (Midmark® #002-0360-00)



Midmark® / Ritter Style Thermostat M7 / M9 / M11

PN **2905** Thermostat (Midmark® #002-0370-00)



Midmark® / Ritter Style Relief Valve M9 & M11

PN **2816** Relief Valve (Midmark® #002-0359-00)

- Original OEM replacement
- 1/2" NPT
- Rated for 35 PSI



Midmark® / Ritter Style M7 Door Seal

PN **2117** Door Seal (Midmark® #H98134 & #33166)

- For use w/ Midmark® M7 & M7 Speedclave



Midmark® / Ritter Style M7, M9 & M11 Relief Valve

PN **2815** Relief Valve (Midmark® #H98089 & #11683)

- Original OEM replacement
- 1/8" NPT
- 38 PSI



MDT & Harvey Style Indicator Lamps

PN **8671** Solution Indicator Light, Red (MDT #250056901)
PN **8673** Temperature Indicator Light, Amber (MDT #250056921)
PN **8674** Sterile Indicator Light, Green (MDT #250056931)

- For use on: Aquaclave 10, 20 & 30, Chemiclave E, 4000, 5000, 5500 & 6000
- 125 VAC, 1/3 watt
- Includes Tinnerman® clip



2098

MDT & Harvey Style Door Gaskets

MDT & Harvey Style Door Seal are manufactured by DCI to directly fit MDT & Harvey autoclaves and meets the original manufacturer's specifications.


FEATURED



2098



2099



2108



2109

MDT & Harvey Style Door Gaskets

PN **2098** Door Seal for MDT GLS 8" (MDT #2-60834)

PN **2099** Door Seal for MDT GLS 10" (MDT #2-513005)

PN **2108** Door Seal for Chemiclave 5500, 7000 & Aquaclave 20 (MDT #280000301)

PN **2109** Door Seal for Chemiclave E, 4000, 5000 & Aquaclave 10 (MDT #250007801)

Easy Online Ordering



Pelton & Crane® Style Relief Valve

PN **2816** Relief Valve (P&C #004146)

- 1/2" NPT
- Brass pull ring for testing
- Fits OCM & OCR
- Rated for 35 PSI



Pelton & Crane® Style Delta Check Valve Kit

PN **2818** Pelton & Crane Delta Check Valve Kit (P&C #5440586)

- 1/8" NPT Female



Pelton & Crane® Style Delta Air Compressor 2000

PN **2906** Compressor (P&C #3325086)

- 115 Volt AC
- Fit all Delta models
- 24" Lead
- Includes check valve PN 2818

TECH TIP

Always be sure to change out your Statim tubing once it becomes contaminated with debris. Restrictions in the tubing cause longer drying cycles.

These parts are manufactured by DCI to fit Pelton & Crane® equipment. DCI has no affiliation with Pelton & Crane. DCI replacement parts are not manufactured under license or supervision of Pelton & Crane®.

Pelton & Crane® Style Door Seals & Gaskets

DCI manufactures Pelton & Crane® Style Door Seals to fit Pelton & Crane® autoclaves directly and meets the original manufacturer's specifications.



2100

FEATURED

Pelton & Crane® Style Door Seals & Gaskets

PN **2100** Door Seal for 8" OCM (P&C #004014)

- Meets original manufacturer's specifications

Easy Online Ordering



2100

Direct Replacement
The door seal is a direct replacement for Pelton & Crane® doors.

Meets Manufacturers Specs
8" Door Seal is intentionally designed to meet manufacturers specifications.

Pelton & Crane® Style Door Seals & Gaskets



2101

PN **2101** Door Seal for 10" OCR (P&C #004341)



2102

PN **2102** Door Seal & Dam for 8" Delta / Delta XL / Validator (P&C #1539241)



2103

PN **2103** Door Seal & Dam for 10" Delta / Delta XL / Validator (P&C #1539407)

PN **2104** Door Spacer For All 8" or 10" Delta / Delta XL / Validator (P&C #3322281)

- Meets original manufacturer's specifications



2104

DELTA & VALIDATOR DOOR SEALS
NOW INCLUDE DAM



Pelton & Crane® Style Fill / Vent Water Filter

PN **2111** Fill / Vent Filter (P&C #1881031 & #004326)

- For use w/ Pelton & Crane® models: Sentry, OCM, OCR, Validator 8 & 10, Delta 8 & 10, Delta XL 8 & 10
- 120 to 150 micron



Pelton & Crane® Style Reservoir Filter

PN **2157** Reservoir Filter (P&C #9432311)

- 120 micron brass filter w/ 3/8
- 24 FPT
- Fits Validator & Delta

TECH TIP

SEARCH OVER 5,000 OEM PART NUMBERS

SEARCH

Check out the A-dec® and Pelton & Crane® **Cross-Reference Guide** on page 347, a valuable resource for finding the correct OEM part.

LOOKING FOR OTHER MANUFACTURERS?
Visit **www.dcionline.com** and search DCI's extensive cross-reference database with **over 5,000 OEM part numbers!**

Quickly find what you need. Search by brand, category, keyword, or reference.

These parts are manufactured by DCI to fit Pelton & Crane® autoclaves.

A-dec® is a registered trademark of A-dec, Inc. These parts are manufactured by DCI to fit A-dec® equipment. DCI has no affiliation with A-dec and A-dec has not authorized DCI replacement parts to be used on or in connection with A-dec® products.



Statim Steam Bottle

PN **2120** Statim Steam Bottle

PN **2174** Statim Air Gap Kit (backflow prevention device)

PN **2125** High Temperature Teflon Tubing 21' Max Length

- No maintenance Statim Steam collection bottle
- Includes installation hardware
- Converts steam from Statim to liquid & routes to sink



2909



2911



2912

Statim Solenoid Valve Kit 2000 & 5000

PN **2910** Statim Solenoid Valve Kit 2000

PN **2911** Statim Solenoid Valve Kit 5000

PN **2909** Statim Solenoid Valve 2000 & 5000

PN **2912** Repair Kit for Solenoid Valve (DCI kits only)

PN **9341** Swivel Elbow Fitting for Exhaust Tubing

PN **9342** Straight Fitting for Exhaust Tubing

- 2-way normally closed
- Rated to 175 PSI
- 1/8"NPT
- 115 Volt AC
- Includes swivel push-in elbow fitting



SciCan® Relief Valve 2000 & 5000

PN **2817** SciCan® Relief Valve (SciCan® #01-106787S)

- 1/8" NPT
- 70 PSI



SciCan® Check Valve Kit 2000 & 5000

PN **2818** SciCan® Check Valve 2000 & 5000 (SciCan® #01-100574S)

- 1/8" NPT Female



SciCan® Air Compressor 2000

PN **2906** Compressor (SciCan® #01-100560S)

- 115 Volt AC
- Fits model 2000
- 24" Lead
- Includes check valve PN 2818



SciCan® Power Switch 2000 & 5000

PN **2895** Power Switch (SciCan® #01-100573S)

- Double pole / single throw
- 125-250 VAC
- Panel mount 3/4 x 1/2



SciCan® Cassette Switch Kit 2000


PN **2896** Cassette Switch Kit (SciCan® #01-00571S)

- Cherry micro switch
- 115 VAC
- 5 amp

Easy Online Ordering

Tuttnauer® Style Door Seals

Tuttnauer® Style Door Seal are manufactured by DCI to directly fit Tuttnauer® autoclaves and meets the original manufacturer's specifications.



2105

FEATURED



2106



2107

Tuttnauer® Style Door Seals

PN **2105** Door Seal for Tuttnauer® 1730 Series (Tuttnauer® #02610020)
PN **2106** Door Seal for Tuttnauer® 2340 Series, serial #8805 & below (Tuttnauer® #02610005)
PN **2107** Door Seal for Tuttnauer® 2540 Series (Tuttnauer® #02610023)

- Manufactured by DCI to fit Tuttnauer® autoclaves
- Meets original manufacturer's specifications



Tuttnauer® Style Indicator Lights

PN **8671** Lamp, Red (Tuttnauer® #P-77117-143)
PN **8673** Lamp, Amber (Tuttnauer® #P-77117-145)
PN **8674** Lamp, Green (Tuttnauer® #P-77117-144)

- 125 VAC – 1/3 watt
- Includes mounting clip



Tuttnauer® Style Relief Valve

PN **2889** 37 PSI Relief Valve (Tuttnauer® #03110003)
PN **2191** 40 PSI Relief Valve (Tuttnauer® #03110002)

- 1/4" MPT Relief



Tuttnauer® Style Power Switch

PN **2890** Power Switch (Tuttnauer® #01910172)

- Double pole / single throw
- 125-250 VAC / 16 amp
- Illuminated switch



Tuttnauer® Style Fan

PN **2907** Fan (Tuttnauer® #04203801)

Easy Online Ordering



Tuttnauer® Style Limit Switch

PN **2892** Main Valve Limit Switch (Tuttnauer® #01910191)

- Mounts to main valve assembly
- 2 1/2" arm
- 125-250 VAC / 15 amp
- Fits all models



Tuttnauer® Style Door Switch

PN **2891** Door Switch (Tuttnauer® #01910190)

- Wired normally open
- 125-250 VAC / 15 amp
- Fits all models



Tuttnauer® Style Circuit Breaker 7 Amp

PN **2898** 7 amp Circuit Breaker (Tuttnauer® #01910099)

- Push to reset
- 7 amp rating
- Fits model 1730 (230) Volt M&E



Tuttnauer® Style Circuit Breaker 15 Amp

PN **2899** 15 amp Circuit Breaker (Tuttnauer® #01910100)

- Push to reset
- 15 amp rating
- Fits models: 1730 (115) Volt M, E, MK, & EK, 1730 (230) Volt MK & EK 2340 / 2540 (115) Volt M & E, 2340 / 2540 (230) Volt M, E, MK, & EK 3870 (230) Volt M & E

NOTES

Scaler Parts

Retail pricing
available at
dciparts.com





326-328

Dentsply™
Foot Switches



329

Dentsply™
Water Regulators



330

Dentsply™ Solenoid
Valves & O-Ring



331

Q.D. Panels &
Mounting Brackets



332

Tubing & Holders

Cavitron® Plus™ Wired Foot Switch Replacement

The Cavitron® Plus™ Wired Foot Switch Replacement is an affordable replacement for Dentsply products. The Foot Switch features a traditional design, a wired connection and is a direct fit for Dentsply Cavitron®, Cavitron® Plus™ Scaler, and JET Plus™.



9415



Wired Connection
Direct replacement for Cavitron® Plus footswitch, this wired version is more affordable and provides a direct connection.

FEATURED

Cavitron® Plus™ Wired Foot Switch Replacement

PN **9415** Wired Replacement for Cavitron® Plus™ Scaler & Cavitron® JET Plus™

- Replacement for Dentsply #81674
- 2 Position
- 8′ Cord

Cavitron Select SPS Power Supply

The Cavitron® Select™ SPS™ Power Supply is a 2 position, 8′ cord power replacement for Dentsply products.



9414

FEATURED

Cavitron Select SPS Power Supply

PN **9414** Replacement PowSupply for 30K Cavitron® Select™ SPS™

- Replacement for Dentsply #674022001
- 2 Position
- 8′ Cord



DENTSPLY® Style Foot Switch

PN **9407** Foot Switch (DENTSPLY® #60473)

- 2 Position
- Fits various DENTSPLY® products



Cavitron Foot Switch

PN **9401** Cavitron Foot Switch For 3000 & 2002 (DENTSPLY® #61187)

- Single position switch
- 8' Cord



DENTSPLY® Style Bobcat Foot Switch

PN **9408** DENTSPLY® Bobcat Foot Switch (DENTSPLY® #77885)

- Single position switch
- 8' Cord



Cavitron SPS Type Foot Switch

PN **9405** Cavitron SPS Foot Switch (DENTSPLY® #565138002)

- 2 Position
- 8' Cord



Cavitron Select Type Foot Switch

PN **9400** Cavitron Select Type Foot Switch (DENTSPLY®™#565162002)

- Single Position Switch
- 8' Cord



Cavitron Select SPS Type Foot Switch

PN **9406** Cavitron Select SPS Type Foot Switch (DENTSPLY® #565162005)

- 2 Position
- 8' Cord



Dentsply™ Style Water Regulator w/ Extended Stem

PN **7209** Water Regulator w/ Extended Stem (Dentsply™ #79685)

- Fits Dentsply™ models w/ extended stem
- Includes 1/4" poly flow connector



Dentsply™ Style SPS Type Water Regulator

PN **7199** Dentsply™ SPS Type Water Regulator (Dentsply™ #80742)

- Fits Cavitron Jet w/ SPS Technology & Cavitron w/ SPS Technology

FEATURED



Dentsply™ Style Regulator

PN **7094** Water Regulator (Dentsply™ #60407)

- Includes 1/4 x 10-32 poly connector (0054)
- To fit the following units: Cavitron® 3000 & 2002, Prophy-Jet® 30, Cavi-Jet® 30, Cavi-Endo® 25, Cavi-Med

FEATURED



Luer Lock Fittings

PN **9276** Luer Lock Fittings, Cavitron In-Line Filter, pkg of 5



Bobcat Water Solenoid Valve Assembly

PN **9402** Bobcat Water Solenoid Valve Assembly (DENTSPLY® #77792)

- 24 Volt AC
- 1/8" FPT
- 3/32" Orifice
- For Cavi Jet 30 / Cavitron 2002/3000 / Cavi Endo / Cavi Med



Cavitron Water Solenoid Valve Assembly

PN **9404** Cavitron Water Solenoid Valve Assembly (DENTSPLY® #776030250)

- 24 Volt
- 1/8" FPT
- 3/32" Orifice



DENTSPLY® SPS Style Water Solenoid Valve

PN **2939** DENTSPLY® SPS Style Water Solenoid Valve (DENTSPLY® #571070003)

- Fits DENTSPLY® Cavitron SPS w/ SPS Technology & Cavitron Jet w/ SPS Technology
- 24 Volt DC
- 2, 1/8" FPT Ports



Cavitron Type Insert O-Rings

PN **2307** Cavitron Type Insert O-Rings (pkg of 12) (DENTSPLY® #62605)

- Autoclavable
- Fits Cavitron Jet Nozzle, SlimLine, P Style, Cavitron Med & Pel inserts

Know the OEM #? Need the DCI PN?

Use the *DCI Cross Reference Database* on **dciparts.com** to quickly search over 5,000 OEM PN's.

Air & Water Auxiliary Q.D. Panels



PN **6559** Gray Auxiliary Panel
PN **6569** White Auxiliary Panel

- Mounts in any vertical access panel up to 5/8" thick
- 1/4" Water quick connect w/ flow control
- Available in white or gray
- 3/8" Air quick connect w/ on/off switch
- Dimensions 3" x 4"

Valve / Switch / Q.D. Mounting Brackets



PN **7078** Single Mount, L: 1 1/2" H: 7/8" W: 3/4"
PN **7079** Dual Mount, L: 3" H: 7/8" W: 3/4"
PN **7114** Triple Mount, L: 3" H: 7/8" W: 3/4"

- 1/2" I.D. mounting holes
- White powder coat finish
- Used to mount toggles, indicators, Q.D.'s & air electric switches

3/4" & 1/2" I.D. Toggle Mounting Bracket



PN **7113** Q.D. Mounting Bracket, L: 3" H: 7/8" W: 3/4"

- One 1/2" mounting hole
- One 3/4" mounting hole
- White powder coat finish


640

Ultrasonic Scaler Tubing

PN **640** Straight (7 ft. Length)


631

Prophy Tubing 7 ft. Length

GRAY	BLACK	
631	**630**	For DENTSPLY® / Cavitron Prophy-Jet Model C-100 & C-200
636	**635**	For DENTSPLY® / Cavitron Prophy-Jet Model C-300 / Model 104 & Cavi-Jet Model G10

FEATURED


4562


5967

Electric Auto Holders

GRAY	WHITE	BLACK	
5967	**4562**	**5966**	Normally Open
5969	**4563**	**5968**	Normally Closed
5976			HVE Normally Closed

- Holder assembly w/ low voltage switch for direct activation of electrical accessory
- On/off lockout toggle, 5966-5969
- 125 Volts AC / DC 5 amps

VIDEO Visit the DCI Video Library for a demonstration on adjusting automatic holders.



Cavitron Handpiece Sleeve Assembly

PN **5912** Sleeve Assembly

- Adapts handpiece assembly to fit standard holders
- Molded plastic w/ set screw

PN	PAGE #
0004	176
0005	177
0006	174
0007	177
0008	177
0010	176
0011	176
0012	175
0013	176
0014	175
0015	176
0016	176
0017	176
0018	176
0019	190
0020	190
0021	190, 215
0022	191
0023	191, 215
0024	191
0025	191
0027	191
0030	190
0031	190
0032	190
0033	190
0034	190
0035	190
0036	190
0037	190
0038	190
0040	190
0041	190
0042	189
0044	189
0045	190
0047	189
0048	189
0049	189
0050	189
0051	189
0052	189
0053	189
0054	184, 189
0055	190
0056	190

PN	PAGE #
0057	190
0058	189
0059	189
0060	189
0061	189
0062	183
0063	182
0064	180, 183, 215
0065	183, 215
0066	181
0067	178
0068	178
0069	181
0070	179, 215
0071	179, 215
0072	179, 180, 215
0073	178
0074	178, 215
0075	96, 178, 215
0076	179
0077	179, 180, 215
0078	179, 180, 215
0079	179
0080	182
0081	182
0082	181, 215
0083	181, 215
0084	87, 88, 96, 178
0085	87, 88, 96, 178
0086	182
0087	182
0089	179
0090	183
0091	183
0092	185
0093	186
0094	184
0096	186
0097	186
0098	186
0099	186
0100	188
0102	188
0105	181
0112	186
0113	186
0114	190

PN	PAGE #
0119	189
0120	77
0121	77
0122	77
0123	77
0124	77, 215
0125	186
0127	187
0131	185
0133	185
0135	187
0136	187
0137	187
0138	187
0139	187
0140	186
0141	186
0142	186
0143	185
0144	185
0145	185
0146	186
0147	186
0148	186
0149	185
0150	185
0151	185
0152	184
0153	184
0154	184
0155	185
0157	185
0158	185
0159	186
0160	186
0165	66
0166	66
0167	182
0168	170, 180
0171	180, 250
0181	182
0182	182
0183	182
0184	182
0185	182
0187	178, 180, 215
0188	178, 180, 215

PN	PAGE #
0189	178, 180, 215
0197	179, 180, 215
0198	179, 180, 215
0199	179
0200	179
0801	188
0806	187
0807	187
0808	187
0809	187
0811	185
0812	185
0813	188
0815	188
0823	187
0824	187
0826	187
0832	187
0834	186
0835	184
0836	185
0837	186
0838	185
0839	185
0840	185
0841	185
0842	185
0843	187
0844	187
0845	187
0846	187
0847	187
0850	191, 305
0851	191
0852	191
0853	191
0854	191
0855	191
0856	191
0858	191, 305
0864	189
0866	182
0867	183
0868	182
0869	182
0870	184

PN	PAGE #
0872	184
0873	184
0880	187
0881	187
0882	187
0884	188
0886	188
0889	188
0890	188
0891	184
0892	184
0897	185
0899	183
0900	185
0904	188
0907	186
0911	144
0914	187
0917	186
0918	186
0920	188
0921	188
0922	188
0923	188
0936	189
0942	183
0943	191
0944	191
0945	191
0946	191
0947	191
0948	191
0949	81
0951	180, 181, 215
0952	180, 181, 215
0954	77, 203
0956	77
0957	77
0958	77
0959	192
0960	192
0961	192
0962	192
0964	192
0965	192
0966	192
0967	192

PN	PAGE #
0968	192
0970	192
0971	192
0972	192
0973	192
0974	192
0975	192
0976	192
0977	192
0978	192
0979	192
0980	192
0981	192
0982	192
0983	192
0991	178
0992	180, 205, 206
0993	180
0994	192
120N	77
120T	77
121N	77
121T	77
222	196
231B	196
231C	196
231R	196
231	196
232B	196
232C	196
232R	196
232	196
233B	196
233C	196
233R	196
233	196
235B	196, 242
235C	196, 242
235R	196, 242
235	196, 242
236B	196
236C	196
236R	196
236	196
242B	198
242R	198
242	198

PN	PAGE #
243B	198
243R	198
243	198
246B	198
246R	198
246	198
252B	197
252R	197
252	197
253B	197
253R	197
253	197
255B	198
255R	198
255	198
256B	198
256R	198
256	198
322B	82, 195
322R	82, 195
322T	82, 195
322	82, 195
322CT	82, 195
332	196
343B	198
343R	198
343	198
348B	198
348R	198
348	198
349B	198
349R	198
349	198
350B	198
350R	198
350	198
360	75
361	75
362	75
364	75
402B	82, 195
402R	82, 195
402T	82, 195
402	82, 195
402CT	82, 195
421B	197

PN	PAGE #
421R	197
421	197
422B	197
422R	197
422	197
423B	197
423R	197
423	197
425B	197
425R	197
425	197
426B	197
426R	197
426	197
427B	197
427R	197
427	197
428B	197
428R	197
428	197
431B	82, 194
431R	82, 194
431T	82, 194
431	82, 194
431CT	82, 194
432B	82, 194
432R	82, 194
432T	82, 194
432	82, 194
432CT	82, 194
433B	82, 194
433R	82, 194
433T	82, 194
433	82, 194
433CT	82, 194
435B	82, 194, 242
435R	82, 194, 242
435T	82, 194, 242
435	82, 194, 242
435CT	82, 194, 242
436B	82, 194
436R	82, 194
436T	82, 194
436	82, 194
436CT	82, 194
441T	194

Easy Online Ordering

PN	PAGE #
445T	194
446T	194
451	75
453	75
455	75
459	75
510B	197
510R	197
510	197
511B	197, 244
511R	197, 244
511	197, 244
512B	197
512R	197
512	197
513B	197
513R	197
513	197
582	75
583	75
630	196, 332
631	196, 332
635	196, 332
636	196, 332
640	196, 332
645R	196
645	196
646R	196
646	196
653	142, 197, 244
654	142, 197
701	199
703	199
704	199, 304
705	199, 304
706	199
707	199, 304
708	199
709	199, 304
713	199
714	199
715	199
716	199
717	199
718	199
719	199

PN	PAGE #
720	199
721	199
722	199
731	198
732	198
733	198
734	198
737	198, 243
739	198
742	198
743	198
744	198
752	199
1201B	200
1201R	200
1201	200
1202B	200
1202R	200
1202	200
1203B	200
1203R	200
1203	200
1204B	200
1204R	200
1204	200
1205B	200
1205R	200
1205	200
1206B	200
1206R	200
1206	200
1207B	200
1207R	200
1207	200
1208B	200
1208R	200
1208	200
1401B	200
1401R	200
1401	200
1402B	200
1402R	200
1402	200
1403B	200
1403R	200
1403	200
1404B	200

PN	PAGE #
1404R	200
1404	200
1405B	200
1405R	200
1405	200
1406B	200
1406R	200
1406	200
1407B	200
1407R	200
1407	200
1408B	200
1408R	200
1408	200
1409B	200
1409R	200
1409	200
1417B	200
1417R	200
1417	200
1418B	200
1418R	200
1418	200
1419B	200
1419R	200
1419	200
1550	222
1555	222
1560	222
1561	222
1602B	200
1602R	200
1602	200
1603B	200
1603R	200
1603	200
1605B	200
1605R	200
1605	200
1608B	200
1608R	200
1608	200
1701B	200, 250
1701R	200, 250
1701	200, 250
1702B	200, 250
1702R	200, 250

PN	PAGE #
1702	200, 250
1703B	200, 250
1703R	200, 250
1703	200, 250
1706B	200, 250
1706R	200, 250
1706	200, 250
1708B	200, 250
1708R	200, 250
1708	200, 250
1823	310
2003	297
2005	300
2006	297
2008	297
2011	300
2012	296
2013	301
2016	299
2019	306
2028	303, 306
2030	291, 292
2040	92
2050	291
2051	153, 291
2052	291
2054	304, 306
2060	92
2073	291
2075	291
2076	153, 291
2080	177
2081	177
2096	304, 306
2098	314
2099	314
2100	316
2101	317
2102	317
2103	317
2104	317
2105	321
2106	321
2107	321
2108	314
2109	314
2110	92, 158

PN	PAGE #
2111	318
2117	313
2120	319
2125	319
2128	306
2135	301
2137	306
2139	307
2148	304
2149	304
2150	165
2151	165
2152	165
2155	305
2156	305
2157	318
2166	300
2170	296
2174	319
2186	310
2189	311
2191	322
2192	311
2193	311
2194	312
2195	312
2201	96, 170, 215, 217
2202	96, 217
2203	96, 170, 172, 215, 217, 233, 251
2204	217
2205	144, 170, 217
2206	116, 218
2207	116, 218, 258
2208	116, 217
2209	116, 217
2210	141, 144, 170, 218, 246, 258
2211	96, 217
2212	96, 217
2214	217
2215	152, 171, 218
2217	217
2218	170, 217
2220	217
2221	109, 218
2223	218

PN	PAGE #
2224	218
2225	170, 217, 232
2228	218
2229	217, 235, 251
2230	96, 217, 232, 251
2231	217
2232	217
2233	170, 217
2234	172, 217
2235	218
2236	218
2237	218
2238	170, 218
2239	150, 153, 218
2240	109, 218
2241	218
2242	96, 217, 241
2243	116, 218
2244	217
2245	218
2246	218
2247	217
2252	217
2253	116, 215, 218
2254	79, 116, 215, 218
2255	215, 217
2256	116, 215, 217
2257	79, 116, 218
2259	96, 217
2260	96, 217
2261	217
2262	217
2263	96, 217
2264	96, 217
2266	96, 217
2267	96, 215, 217
2268	79, 218
2269	218
2270	218
2271	182, 217
2280	217
2281	79, 217
2282	79, 217
2284	79, 218
2285	217
2286	79
2287	79

PN	PAGE #
2288	79
2289	170, 218
2293	96, 217
2295	79
2297	65, 218
2298	217
2299	79
2302	291
2303	291
2305	96, 217, 241
2307	330
2309	116, 217
2310	249
2312	249
2320	313
2395	153, 290
2396	153, 290
2400	299
2414	294
2415	307
2417	300
2419	293
2420	293
2421	298
2422	294
2423	294
2424	298
2433	221
2434	221
2435	221
2436	221
2437	221
2454	220
2460	220
2478	278
2481	299
2485	295
2487	293
2489	300
2493	220
2496	220
2501	299
2502	301
2509	293
2513	301
2516	220
2524	221

PN	PAGE #
2530	221
2540	294
2545	294
2550	301
2566	293
2567	304, 306
2572	301
2604	307
2606	293
2619	294
2633	203, 294
2640	220
2647	295
2649	294
2676	303
2677	304
2678	304
2691	279
2692	297
2694	293
2696	294
2697	294
2699	293
2702	293
2703	293
2711	294
2723	292
2733	270
2734	270
2761	279
2794	284
2799	285
2801	278
2802	278
2803	278
2804	278
2806	278
2807	278
2808	278
2809	278
2810	283
2812	310
2813	295
2814	78
2815	313
2816	313, 315
2817	319

PN	PAGE #
2818	315, 320
2821	298
2826	152, 300
2827	166
2828	166
2829	166
2830	166
2831	166
2832	166
2833	302
2834	302
2835	302
2837	303
2838	303
2839	303
2841	303
2842	303
2843	303
2844	303
2845	303
2846	302
2848	300
2856	152, 300
2857	301
2858	302
2862	210, 292
2868	296
2869	296
2870	296
2874	306
2875	306
2876	306
2877	306
2878	306
2879	305
2880	305
2881	305
2884	306
2885	261
2886	264
2888	261
2889	322
2890	322
2891	323
2892	323
2895	320
2896	320
2898	323
2899	323
2900	292
2901	292
2902	292
2904	292
2905	313
2906	315, 320
2907	322
2909	319
2910	319
2911	319
2912	319
2920	295
2921	295
2923	299
2925	297
2928	285
2929	285
2930	285
2931	285
2932	298
2934	156
2935	298
2939	166, 330
2940	299
2941	302
2942	302
2943	283
2945	295
2946	129, 280
2947	296
2948	129, 280
2950	299
2951	299
2952	282
2953	282
2954	278
2955	278
2956	278
2957	278
2958	278
2960	268
2961	268
2962	282
2963	282
2964	282
2965	266
2966	268
2967	282
2968	282
2969	292
2970	292
2971	292
2972	129, 280
2973	129, 280
2980	278
3021	92, 158
3024	92
3030	92
3033	91, 204
3034	88
3036	89, 96
3040	92
3042	92
3045	89
3049	92
3054	90, 241
3055	90, 241
3056	90, 241
3059	90, 96
3060	90, 96
3061	90, 96
3065	85, 87, 96
3066	87, 257
3070	92, 93, 241
3071	89, 96
3072	89
3074	89, 96
3076	88
3080	92
3085	87, 96, 257
3086	89, 96
3088	89, 96
3089	85, 96
3090	88, 93, 96, 233, 241, 246
3092	89, 96
3093	88, 96
3096	91, 204
3097	91, 204
3098	87
3099	87
3180	90, 96
3181	90
3182	90
3211	91
3320	89, 96
3325	89
3349	89
3350	89
3355	89
3357	89
3359	89
3361	89
3369	89
3370	89
3375	89
3379	89
3398	89
3404	89
3405	89
3406	89
3429	86
3457	87
3459	87
3461	87
3463	87
3464	87
3470	88
3474	88
3475	88
3476	88
3477	88
3478	88
3479	88
3481	88
3482	88
3483	88
3484	88
3491	85, 87, 96
3600	84
3601	84
3602	84
3603	84
3604	84
3605	84
3606	84
3607	84
3608	84

PN	PAGE #
3609	84
3610	84
3615	84
3631	85
3633	96
3635	85
3636	85
3637	85, 96
3638	85
3640	85
3641	85
3642	85
3643	85
3644	85
3645	85
4049	11
4060	79
4076	79
4080	79
4084	79
4086	79
4087	79
4088	79
4089	79
4090	79
4093	158
4096	79
4098	79
4102	44
4106	44
4111	79
4120	40
4121	40
4128	30
4129	30
4152	258
4198	53
4199	104
4222	128
4272	127
4273	127
4274	127
4276	127
4282	182
4289	19, 21, 35, 37, 39, 41, 43, 45, 124
4291	35, 37, 39, 41, 43, 45, 124
4370	36
4376	26
4378	50, 228
4380	80, 158, 254
4381	81, 254
4382	80, 158, 254
4400	48
4401	48
4415	46
4416	46
4421	80, 158, 254
4425	80, 158, 254
4426	80, 158, 254
4427	80, 158, 254
4428	80, 158
4430	81, 254
4432	80, 158, 254
4433	81, 254
4434	81, 254
4435	80, 158
4437	253
4438	80, 158
4444	123
4445	47, 49, 123
4446	52, 254
4467	3, 5, 7, 15, 23, 24, 26, 32, 34, 36
4468	3, 5, 7, 23, 24
4469	32
4470	19, 21, 34
4477	24
4478	24
4502	42
4506	42
4520	38
4521L	32
4521	19, 21, 38
4526	28
4528	28
4529	28
4530	28
4542	14
4561	118
4562	120, 332
4563	120, 332
4564	118
4566	118
4568	118, 257
4576	118
4578	118
4579	118
4580	120
4581	120
4582	120
4583	120
4585	120
4586	120
4592	119
4706	78, 205
4710	77
4711	77
4726	78
4728	78
4731	78
4732	78
4733	78
4734	78
4735	78
4736	78
4738	77
4762	25, 27, 29, 31, 128
4763	25, 27, 29, 31, 128
4764	25, 29, 128
4765	25, 29, 128
4788	63
4790	65
4812	126
4813	126
4820	126
4824	3, 126
4825	126
4855	126
4868	118
4869	118, 257
4905	128
4906	128
4907	128
4908	128
4920	126
4924	3, 126
4955	126
5060	105, 243
5061	105, 243
5062	105, 243
5063	105
5064	105
5065	105
5066	105
5067	105
5068	105
5070	100
5080	100
5082	100, 101, 116
5083	100, 101
5084	100, 116
5088	100
5090	100
5092	100, 101, 116
5093	100, 116
5101	111
5102	111
5104	99
5107	98, 116
5108	98, 116
5111	105
5112	98
5124	99
5131	98
5145	101, 116
5148	101
5150	101
5161	101
5165	98, 116
5166	98, 116
5168	100, 116
5169	100, 116
5171	101, 116
5172	101, 116
5184	101
5185	101
5190	100
5214	99
5217	98, 116
5218	98, 116
5220	105
5222	98
5312	111, 242
5313	111, 242
5314	111, 242

PN	PAGE #
5363	102
5364	25, 27, 29, 31, 47, 49, 102
5365	102
5366	102
5367	102
5368	102
5369	102
5370	102
5371	102
5372	103
5373	25, 27, 29, 31, 47, 49, 103
5374	103
5375	103
5376	3, 7, 103
5377	3, 7, 103
5378	23, 103
5380	3, 7, 23, 102
5381	102
5382	102
5431	104
5432	7, 23, 25, 27, 29, 31, 47, 49, 104
5433	104
5512	110, 242
5582	113, 307
5585	113
5586	113, 307
5620	108, 207
5621	108, 207
5622	108, 207
5623	108
5645	101, 116
5650	101
5655	101
5660	101
5664	101
5667	101
5670	101, 116
5672	101, 116
5680	105
5681	105
5720	107
5740	107
5742	107, 116
5750	107, 116, 243
5751	107
5752	107
5754	107, 116, 215, 243
5755	108, 116
5757	107
5758	107
5765	106
5767	106
5781	224
5782	224
5810	109
5811	109
5812	109
5813	109
5814	109
5817	110
5818	110
5820	110
5821	109
5822	111, 257
5823	111, 257
5825	109, 124
5827	109, 124
5831	109
5832	110
5835	112, 305
5836	112, 305
5837	112, 305
5840	5, 9, 108
5845	108
5851	112
5853	112
5860	109
5864	109
5865	109
5866	109
5872	109
5873	109
5877	109
5880	120
5881	120
5882	120
5883	120
5884	120
5885	120
5887	110
5888	109
5889	110
5900	121
5903	121
5905	121
5910	121
5912	332
5914	118
5915	121
5918	121
5920	121
5923	121
5925	121
5929	121
5930	121
5931	121
5932	121
5933	121
5934	121
5940	119
5941	121, 134
5942	121, 134
5943	121, 134
5945	119
5947	122, 134, 161, 214
5948	122, 134, 161, 214, 258
5950	119
5960	119
5961	121, 134
5962	121, 134
5963	121, 134
5965	119
5966	120, 332
5967	120, 332
5968	120, 332
5969	120, 332
5970	119
5971	134
5972	134
5976	120, 332
5983	122, 134, 161, 214, 257
5987	118
5988	118
5989	122, 134, 161, 214
5997	134
5998	134
6003	144
6004	144
6011	258
6012	258
6013	258
6014	258
6016	258
6018	258
6022	144
6033	144
6034	144
6036	144
6037	170, 172
6038	144
6039	144
6042	141, 144, 246
6046	140, 144, 245
6047	144
6048	144
6049	144
6052	144
6053	144
6054	144
6056	144
6057	144
6070	143, 144, 244, 245
6093	140, 144
6094	140, 144, 258
6095	143, 144, 244
6096	141, 144, 245
6097	141, 246
6098	141, 142, 144, 245, 246, 248
6102	143, 244
6103	143, 244
6104	143, 244
6106	143, 244
6107	143, 244
6110	143, 244
6111	143, 244
6112	143, 244
6113	143, 244
6132	140, 144, 258
6161	140
6162	140
6163	140, 257
6165	140, 258
6166	139, 258
6300	139
6301	139

PN	PAGE #
6303	139
6304	139
6305	138
6306	142, 244
6307	138
6309	139
6310	136
6311	136
6313	139
6314	138
6315	138
6317	138
6320	138
6321	138
6322	136
6324	138
6325	138
6326	139
6327	139
6332	138
6335	136
6336	138
6337	138
6338	138
6339	138
6400	139
6403	139
6405	138
6407	138
6409	139
6410	136
6411	136
6414	138
6415	138
6416	138
6420	138
6421	138
6422	138
6423	136
6424	138
6426	139
6432	138
6435	136
6436	138
6437	138
6438	138
6559	53, 164, 331
6569	53, 164, 331
6800	223
6801	223
6802	223
6803	223
6804	223
6805	223
6806	223
6807	224
6808	224
6812	224
6813	224
6814	207
6815	207
6816	207
6817	207
6818	110, 242
6820	223
6821	111, 257
6822	225
7000	159
7001	159, 214, 255
7009	161
7010	159
7012	159, 214, 255
7013	159
7014	161, 214
7015	159
7016	159, 214, 255
7017	159
7020	159
7021	159, 214, 255
7022	165
7024	161
7025	159
7026	159, 214, 255
7027	159, 214, 255
7028	170
7030	159
7031	159
7035	159
7036	159
7037	159
7038	161, 214
7039	161, 214
7040	160
7042	159
7045	160
7050	159
7052	159, 214, 255
7054	159
7055	160
7056	160
7058	134, 170
7059	159, 160, 170
7060	214
7064	134, 170
7065	170
7068	154, 156, 256
7069	159, 160, 170, 255
7070	157, 214
7071	157
7073	157
7075	157
7078	164, 214, 331
7079	164, 331
7080	164, 212, 240
7082	210
7084	164, 212, 240
7085	165
7087	164, 212, 240
7089	164, 212, 240
7090	165, 214
7092	165
7094	149, 329
7095	156
7096	156
7097	156
7099	147
7100	147
7101	134
7102	134, 213
7103	170
7104	170
7109	209
7111	177
7112	177
7113	164, 331
7114	164, 331
7115	184
7116	209
7117	148
7119	147
7120	147
7122	172
7123	161, 214
7124	161, 214
7125	147
7126	147, 172
7127	172
7128	172
7133	154, 170, 256
7134	209
7135	147
7139	154, 256
7140	165, 214, 256
7141	165, 256
7143	214
7150	160, 238
7151	160, 214, 238, 255
7152	160
7154	159, 160
7155	160, 238
7156	160, 238, 255
7157	159
7158	160
7160	161, 238
7161	161, 238
7163	161, 238
7164	161, 214, 238
7166	160, 214, 238
7167	160, 238
7168	161, 238, 256
7169	161, 238, 256
7176	159
7185	155, 253
7186	155
7187	155, 253
7197	159
7199	149, 329
7203	149
7204	149
7205	149
7206	149
7208	147, 172
7209	149, 329
7212	147
7220	148
7222	148
7223	148, 150
7225	150

PN	PAGE #
7226	171, 246
7227	171
7228	171
7229	171
7234	153
7235	171
7236	153
7238	150, 153
7239	153
7241	150
7242	150, 295
7246	152
7247	147, 152, 172, 247
7248	152, 247
7250	152
7251	152
7252	150
7253	152, 171
7254	150
7260	151
7262	206
7265	151
7267	78, 205
7268	152, 304
7270	150, 240, 257
7274	151
7279	151
7280	161, 240
7281	78, 151, 205
7282	152
7283	153
7285	161, 240
7287	148, 253
7288	148, 253
7289	147
7290	152
7291	147, 152
7302	154, 256
7304	154
7305	154
7306	154
7307	154
7309	154, 256
7311	147, 172
7321	81, 158, 257
7322	209
7324	209
7325	209
7326	209
7328	209
7329	209
7330	210
7332	210
7338	174
7350	156
7351	156
7352	156
7800	162
7801	162
7802	162
7803	162
7810	162
7811	162
7812	162
7813	162
7817	162
7821	162
7823	163
7827	163
7831	163, 222
7835	163
7836	163
7842	163
7843	163
7845	163
7847	163
7850	163
7851	163
7852	163
7900	162
7901	162
7902	162
7903	162
7910	162
7911	162
7912	162
7913	162
7917	162, 163
7921	162
7923	163
7927	163
7931	163
7935	163
7936	163
7945	163
7947	163
7950	163
7951	163
8001	129
8002	129, 280
8006	129
8010	129, 280
8012	127
8013	26, 28, 30, 127, 250
8021	206
8024	206
8031	206
8032	206
8034	93, 141, 206, 241, 246
8037	66
8038	66
8039	66
8045	208
8046	127
8047	127
8051	127
8054	208, 215
8055	208
8058	208
8059	91, 204
8060	202
8061	202
8062	202
8063	205
8067	218
8068	214, 218
8070	144
8071	215
8072	215
8074	208
8078	208
8082	208
8086	216
8089	202
8090	208
8092	216
8094	206
8095	216
8110	210
8111	211
8112	211
8113	211
8114	261, 267, 268
8115	210
8119	66
8126	65, 242
8128	65
8134	66
8134QS	65, 66
8136	66
8137	63, 64, 124
8139	63
8139QS	35, 37, 39, 41, 43, 45, 47, 49, 63
8143	32, 62, 63
8143QS	62, 63
8144	63
8144QS	63
8145	63
8145QS	63
8146	66
8147	66
8158	170
8162	63, 64, 124
8164	15, 17, 65
8177	64
8177QS	64
8178	64
8178QS	23, 25, 27, 29, 31, 35, 37, 39, 41, 43, 45, 47, 49, 64
8179	64
8179QS	64
8180	64
8180QS	64
8181	64
8181QS	64
8182	64
8182QS	64
8183	64
8183QS	64
8184	64
8184QS	64
8185	122
8186	122
8203	146
8218	131, 276
8222	127
8223	122

PN	PAGE #
8230	125
8231	125
8237	122
8241	122
8242	123
8244	122
8253	35, 37, 39, 41, 43, 45, 124
8259	33, 35, 37, 39, 41, 43, 45, 124
8294	3, 35, 37, 39, 41, 43, 45, 125
8301	146
8303	35, 37, 39, 41, 43, 45, 125
8304	35, 37, 39, 41, 43, 45, 125
8305	122
8306	35, 37, 39, 41, 43, 45, 125
8307	35, 37, 39, 41, 43, 45, 125
8308	35, 37, 39, 41, 43, 45, 124
8309	35, 37, 39, 41, 43, 45, 124
8310	146
8311	70, 74
8312	146
8313	71, 74
8314	146
8316	146
8320	146
8321	146
8322	146
8323	146
8324	146
8326	146
8327	146
8329	19, 21, 25, 27, 29, 31, 146
8331	123
8332	123
8333	123
8334	123
8335	123
8336	19, 21, 35, 37, 39, 41, 43, 45, 125
8337	19, 21, 33, 35, 37, 39, 41, 43, 45, 125
8338	33, 35, 37, 39, 41, 43, 45, 125
8343	123
8349	25, 29, 128
8353	74
8356	35, 37, 39, 41, 43, 45, 125
8357	35, 37, 39, 41, 43, 45, 125
8364	123
8378	33, 35, 37, 39, 41, 43, 45, 124
8379	33, 35, 37, 39, 41, 43, 45, 124
8389	103
8390	126
8393	126
8397	127
8398	127
8400	19, 21, 129
8402	122
8404	74
8407	122
8408	130, 131, 276
8409	131, 276
8410	129, 250
8411	129
8413	129
8414	129
8421	131, 276
8429	127
8430	127
8431	131, 276
8432	131, 276
8438	130, 288
8449	131, 276
8450	131, 276
8453	131, 276
8454	131, 276
8463	11, 131, 276
8464	131, 276
8465	131, 276
8466	131, 276
8470	130, 131, 269, 276
8471	130, 131, 276
8472	130, 131, 211, 276
8474	130, 131, 276
8475	130, 131, 276
8476	130, 131, 276
8478	131, 276
8482	11
8488	130, 288
8489	3, 35, 37, 39, 41, 43, 45, 125
8493	5, 7, 9, 132, 287
8497	5, 7, 9, 130, 288
8500	5, 7, 9, 132, 287
8506	132, 288
8515	5, 7, 9, 132, 287
8522	5, 7, 9, 132, 287
8538	5, 7, 9, 132, 287
8552	5, 7, 9, 132, 287
8561	5, 7, 9, 130, 288
8568	130, 288
8600	267
8601	268
8602	266
8603	264
8611	199
8612	199
8613	199
8614	199
8615	199
8616	199
8617	124
8618	124
8619	260
8620	203
8621	204, 215
8622	203
8625	205
8627	78, 205
8628	78, 205
8631	264
8632	123
8633	123
8634	35, 37, 39, 41, 43, 45, 125
8636	267
8647	25, 27, 29, 31, 128
8649	206
8650	206
8651	206
8652	242
8655	206
8660	199
8663	199
8664	199
8668	204
8669	65
8669QS	65
8671	313, 322
8673	313, 322
8674	313, 322
8683	267, 268, 274
8684	274
8687	266, 273
8688	261, 265, 273
8692	275
8693	275
8694	275
8696	274
8697	203, 269
8699	210, 266
8700	269
8729	122
8730	122
8781	180, 215
8814	75
8815	75
8821	216
8822	216
8823	216
8824	216
8825	216
8826	216
8827	216
8828	216
8829	216
8830	216
8831	216
8832	216
8833	216
8834	216
8835	216
8836	216
8837	216
8838	216
8839	216
8840	216
8841	216
8842	216

PN	PAGE #
8843	216
8844	216
8845	216
8846	216
8847	216
8848	216
8849	216
8850	216
8851	216
8852	216
8853	216
8854	216
8855	216
8856	216
8857	216
8858	216
8859	216
8860	216
8861	216
8862	216
8863	216
8864	216
8865	216
8866	216
8867	216
8868	216
8869	216
8870	216
8871	216
8884	216
8885	180, 215
8886	216
8887	216
8888	216
8890	265, 273
8907	146
8908	146
8909	146
8912	131, 276
8913	131, 276
8914	131, 276
8917	5, 7, 9, 132, 287
8918	5, 7, 9, 130, 288
8919	5, 7, 9, 132, 288
8920	130, 288
8921	7, 11, 131, 276
8922	131, 276

PN	PAGE #
8923	25, 27, 29, 31, 128
8928	64
8928QS	21, 25, 27, 29, 31, 64
8938	260
8939	131, 276
8940	131, 276
8941	15, 17, 65
8942	65
8943	65
8944	65
8945	131, 276
8946	65
8947	65
8949	131, 276
8952	131, 276
8956	25, 29, 128
8959	264
8969	7, 11, 131, 276
8972	131, 276
8986	11, 131, 276
8987	131, 276
9001	208
9002	230, 246, 247, 248
9003	230
9004	230, 247, 248
9005	230
9007	235
9010	141, 245, 246, 258
9012	141, 142, 144, 230, 235, 245, 246
9013	248
9014	248
9015	248
9016	248
9017	248
9019	236
9021	249
9023	236
9024	249
9025	233, 236, 249
9026	141, 245
9027	235
9028	93, 96, 241
9029	141, 142, 144, 245, 246
9035	249
9036	249
9037	249

PN	PAGE #
9038	249
9039	246
9042	249
9043	208
9046	235
9048	248
9049	141, 245
9050	235, 248
9051	235
9052	235
9053	250
9054	250
9055	250
9056	250
9057	250
9058	250
9059	250
9060	250
9061	250
9062	233, 250
9063	250
9064	250
9065	233
9066	141, 233, 246
9067	233
9068	233
9069	233
9070	233
9071	250
9080	251, 252
9081	251, 252
9082	141, 246
9083	251, 252
9084	251, 252
9085	251, 252
9086	251, 252
9087	252
9088	251
9089	251
9090	251
9093	248
9094	248
9095	248
9097	156, 247
9098	247, 248
9105	247
9106	247, 248

PN	PAGE #
9107	247
9108	247
9109	248
9114	233
9115	233
9116	233
9117	236
9118	148, 256
9121	142, 246
9123	$9.60
9124	142, 246
9125	141, 245
9127	247
9134	256
9140	247
9141	141, 245
9142	248
9143	248
9144	142, 246
9146	235
9147	235
9148	235
9149	236
9150	93, 241
9151	235
9152	235
9153	235
9154	232
9155	149
9157	231, 232
9158	231, 232
9160	141, 245
9161	231, 232
9163	247
9164	248
9165	248
9166	142, 246
9167	232, 234
9168	232, 234
9169	232, 234
9171	142, 246
9172	239
9173	239
9177	243
9180	236
9184	249
9186	93, 241

PN	PAGE #
9187	148, 247
9188	148, 247
9224	129
9234	208
9235	208
9236	208
9237	237
9240	284
9242	284
9243	240
9244	284
9245	284
9247	286
9248	286
9249	286
9254	286
9257	232
9258	286
9260	283
9270	211
9275	148, 256
9276	329
9277	222
9279	211
9280	211
9281	211
9282	211
9283	211
9284	211
9285	211
9286	91, 93, 204, 241
9287	91, 204
9288	202
9289	203, 269
9290	239
9292	239
9293	239
9298	239
9299	239
9302	226
9303	311
9304	261
9305	237
9306	237
9307	237
9308	231, 237
9309	231, 237
9310	226
9311	232
9312	232
9313	237
9314	237
9315	234
9316	202
9317	92, 239
9318	232
9319	232
9320	231
9323	237
9324	234
9325	202
9326	93, 241
9327	242
9328	235
9329	139, 143
9330	177
9331	177
9332	177
9333	177
9334	237
9335	237
9336	237
9337	237
9338	189
9339	189
9340	207
9341	189, 319
9342	189, 319
9343	189
9347	93, 241
9348	71, 74
9350	199, 305
9351	199, 305
9352	199
9353	199
9356	210
9358	70, 71, 74
9359	74
9360	76, 272
9361	76, 272
9362	76, 272
9363	76, 272
9364	260, 273
9365	275
9368	275
9370	275
9372	76, 272
9373	76
9374	76, 272
9377	265, 273
9378	74
9390	260
9391	260
9392	260
9395	70, 71, 72, 73, 76, 272
9400	328
9401	328
9402	330
9404	166, 330
9405	328
9406	328
9407	328
9408	328
9410	231
9411	230
9412	230
9413	230
9414	327
9415	326
9420	310
9423	311
9424	311
9425	311
9475	73
9476	73
9477	73
9478	73
9479	73
9480	73
9481	24, 26, 28, 30, 32, 34, 36, 38, 40, 42, 44, 46, 48, 73
9482	73
9483	3, 5, 7, 15, 17, 23, 73
9484	73
9485	73
9486	73
9487	73
9488	73
9489	73
9490	73
9491	73
9492	73
9499	70, 71, 72, 73
9567	279
9568	279
9569	279
9570	271
9571	271
9572	271
9575	263
9576	262
9577	263
9578	263
9579	263
9580	263
9581	262
9582	262
9583	262
9584	271
9587	283
9588	283
9589	283
9601	96
9602	144
9603	75
9604	75
9614	112
9615	112
9616	112
9617	112
9631	124
9632	112
9633	112
9634	112
9648	87, 96
9649	170
9651	87, 96
9659	96
9670	87, 96
9674	88, 89, 96
9675	134
9677	96
9700	203
9704	92
9705	202
9706	202
9741	144

PN	PAGE #
9746	144, 258
9750	134
9784	176
9785	176
9786	176
9787	176
9789	144
9790	172
9796	134, 170
9797	144
9833	134
9872	73
9873	73
9874	73
9875	73
9876	3, 5, 7, 15, 17, 23, 71
9877	71
9878	24, 26, 28, 30, 32, 34, 36, 40, 42, 44, 46, 48, 71
9879	71
9880	71
9881	3, 5, 7, 15, 17, 23, 71
9882	71
9883	24, 26, 28, 30, 32, 34, 36, 40, 42, 44, 46, 48, 71
9884	71
9885	3, 5, 7, 15, 17, 23, 70
9886	24, 26, 32, 34, 36, 46, 70
9887	70
9888	70
9889	3, 5, 7, 15, 17, 23, 70
9890	70
9891	24, 26, 32, 34, 36, 38, 46, 70
9892	70
9893	70
9894	70
9895	71
9896	71
9897	71
9898	24, 26, 28, 30, 32, 34, 36, 38, 40, 42, 44, 46, 48, 71
9899	71
9900	3, 5, 7, 15, 17, 23, 71
9901	71

PN	PAGE #
9902	71

A-DEC® PN	DESCRIPTION	DCI PN
0.02060201	O-Rings to fit A-dec®/W&H Roto Quick Couplers; Pkg of 3	4736
0.02201800	5-Hole HP Gasket	0124
0.02207300	6-Pin HP Gasket	4710
0.02207610	Bulb to fit A-dec®/W&H Handpieces, 3.5 V 750MA	9361
1.02675200	In-line Filter to fit A-dec®/W&H Assistina, 1/4"	2814
001.002.00	Screw, Slotted Truss Head, 2-56 x 1/8, Stainless Steel; Pkg of 10	9025
001.010.00	Screw, Socket Head, 6-32 x 5/8, Zinc; Pkg of 25	9056
001.021.00	Screw, Socket Head, 4-40 x 1/2, Stainless Steel; Pkg of 25	9061
001.023.00	Screw, Phillips Pan Head, 6-32 x 1-1/4, Stainless Steel; Pkg of 25	9128
001.024.00	Screw, Socket Head, 4-40 x 3/8, Stainless Steel; Pkg of 25	9060
001.026.00	Screw, Socket Head, 6-32 x 7/8, Stainless Steel; Pkg of 25	9057
001.033.00	Screw, Socket Head, 6-32 x 3/8, Zinc; Pkg of 25	9054
001.034.00	Screw, Socket Head, 6-32 x 1/4, Zinc; Pkg of 10	9021
001.034.01	Screw, Socket Head, 6-32 x 1/4, Zinc; Pkg of 25	9058
001.042.00	Screw, Socket Head, 6-32 x 1/2, Zinc; Pkg of 25	9055
001.070.00	Screw, Socket Head, 2-56 x 1/2, Zinc; Pkg of 25	9063
001.073.00	Screw, Slotted Pan Head, 6-32 x 1/4, Zinc; Pkg of 10	9024
001.089.00	Screw, Socket Head, 1/4-20 x 5/8, Zinc; Pkg of 25	9064
002.011.00	Screw, Socket Head, 6-32 x 1, Stainless Steel; Pkg of 25	9071
002.024.00	Screw, Socket Head, 4-40 x 3/4, Zinc; Pkg of 25	9062
002.097.00	Screw, Socket Button Head, 4-40 x 5/16, Stainless Steel	9051
003.078.00	Screw, Socket Head, 4-40 x 1/4, Zinc; Pkg of 25	9059
004.005.01	10-32 Washer, Plastic; Pkg of 100	0072
004.036.00	Washer, Nylon, .142 I.D. x .312 O.D.; Pkg of 50	9042
004.057.00	Brass Washer; Pkg of 10	9171
004.137.00	Washer for Water Bottle Cap	8136
007.001.00	Setscrew, Socket, 6-32 x 1/8, Stainless Steel	9065
007.002.00	Setscrew, Socket, 6-32 x 3/16, Stainless Steel; Pkg of 10	9022
007.051.00	Screw, Socket Cap Set, 10-32 x 1/2 Steel	9833
009.005.00	Ball Driver, 3/32"	9700
009.008.00	Hemostat	9325

A-DEC® PN	DESCRIPTION	DCI PN
009.013.00	O-Ring Tool Kit	9316
009.015.00	Umbilical Tubing Stringer, 12'	8094
009.018.00	Hex Wrench Set, Standard	9705
009.035.00	Tubing Stripper	8621
010.002.00	Retaining Ring, External, .18 I.D.; Pkg of 10	9035
010.013.00	Retaining Ring, Internal, 3/8 O.D.; Pkg of 10	9036
010.017.00	Retaining Ring, Internal, 1/4 O.D.; Pkg of 10	9037
010.019.00	Retaining Ring, External, .094 I.D.; Pkg of 10	9038
010.056.00	Foot Control Tower Spring Clip	6095
011.016.00	Foot Control Dowel Pin	0911
011.024.00	Pin, Dowel, .062 x .460; Pkg of 10	9032
011.038.01	Pin, Dowel, .062 x .430; Pkg of 10	9033
011.039.00	Pin, Dowel, .062 x .450; Pkg of 10	9034
013.004.00	Compression Spring, .88 x .420 O.D. x .037 Wire Dia.; Pkg of 10	9122
013.011.00	Compression Spring; Pkg of 10	9125
013.019.00	Compression Spring, .45 x .175 O.D. x .016 Wire Dia.; Pkg of 10	9124
013.022.00	Spring for FC II; Pkg of 10	9026
013.025.00	Spring Helical Comp.; Pkg of 10	9027
013.032.00	Spring, Conical .260 / .350 O.D.; Pkg of 10	9095
013.038.00	Syringe Button Spring, Conical; Pkg of 10	9028
017.007.01	Foot Control Bumper Pad, Gray; Pkg of 28	8070
018.022.00	Plug Hole, Domed; Pkg of 10	9176
021.004.00	1/8" MPT Hex Nipple	0094
021.007.00	1/4" MPT x FPT Street Elbow	0840
021.010.00	1/8" MPT Pipe Plug, Hex Head	0097
021.012.00	1/4" x 1/8" MPT Reducing Nipple	0836
021.014.00	1/8" FPT Cross	0096
021.016.01	10-32 Hex Plug; Pkg of 100	0189
021.016.04	10-32 Hex Plug; Pkg of 10	0073
021.020.00	1/8" MPT Pipe Plug, Socket Head	0099
021.027.00	10-32 Cross Connector, Female	0064
021.028.00	1/4" MPT Pipe Plug, Hex Head	0159
021.029.00	10-32 x 1/8" MPT Bushing	0091
021.030.00	1/4" FPT x 1/8" FPT Reducing Coupler	0133

A-dec®, Cascade®, Century Plus®, Century®, Continental®, Decade®, Performer®, Preference®, Preference Collection®, Radius®, A-dec 500® and A-dec 300® are registered trademarks of A-dec®, Inc . DCI has no affiliation with A-dec and A-dec has not authorized DCI replacement parts to be used on or in connection with A-dec® products.

Easy Online Ordering

A-DEC® PN	DESCRIPTION	DCI PN
021.032.00	1/8" Coupler, Female	0092
021.034.01	10-32 Connector Female; Pkg of 5	0063
021.042.00	1/8" MPT Adapters x 3/8" Compression Tube	0100
022.001.00	FTG 1/4 Poly x 1/8 MPT	0053
022.003.00	1/4" Poly x 1/8" MPT Elbow	0061
022.005.01	1/4" Poly Sleeve; Pkg of 10	0023
022.009.00	1/4" Poly Plug; Pkg of 5	0025
022.014.00	3/8" Poly Nut & Sleeve; Pkg of 5	0020
022.015.01	3/8" Poly Sleeve; Pkg of 10	0022
022.016.00	1/4" Poly x 1/8" FPT	0057
022.019.00	1/4" Poly Tee	0036
022.021.00	3/8" Poly x 1/8" MPT	0051
022.023.00	3/8" Poly x 1/4" FPT	0055
022.025.00	3/8" Poly x 1/8" MPT Elbow	0059
022.027.00	1/4" Poly x 1/4" FPT	0056
022.028.00	3/8" Poly x 1/4" MPT	0050
022.029.00	1/4" Poly Nut & Sleeve; Pkg of 5	0021
022.039.00	1/4" Poly Union	0032
022.043.00	3/8" Poly x 3/8" Compression Tube	0864
022.044.00	3/8" Poly Union	0031
022.045.00	3/8" Poly Tee	0035
023.001.00	10-32 x 1/8", Barb; Pkg of 100	0188
023.001.03	1/8" Barb, Washer and Sleeve Kit; Pkg of 10	0075
023.004.03	1/16" Barb, Washer and Sleeve kit; Pkg of 10	0074
023.004.04	10-32 x 1/16", Barb; Pkg of 100	0187
023.005.01	1/16" Barb x 1/8" MPT	0067
023.014.02	1/16" Barb Tee, Plastic; Pkg of 10	0082
023.019.03	1/16" In-line Barb; Pkg of 10	0077
023.022.01	1/8" Barb x 10-32 Female x 1/8" Barb Tee; Pkg of 5	0076
023.029.00	1/8" x 1/4" Barb Adapter Kit	9111
023.030.02	1/8" Barbed Tubing Plugs; Pkg of 10	0066
023.045.04	1/8" In-line Barb; Pkg of 10	0078
023.057.01	1/4" Barbed Tubing Plugs; Pkg of 10	0105
023.070.00	Barb Restrictor 1/16 x 10-32	13886
023.088.00	1/4 Q.D. Barb to fit A-dec® 500 & 300 Control Block, Vinyl Tubing	9336
023.094.01	1/16" x 1/16" Inline Tubing Q.D., Swivel, Assy; Pkg of 5	0868
023.095.01	1/8" x 1/8" Inline Tubing Q.D., Swivel, Assy; Pkg of 5	0866
023.805.01	10-32 x 5/16", Barb; Pkg of 10	0171
024.010.00	Vacuum Tubing, 1-1/4" I.D., Corrugated Gray	706
024.015.00	Supply Tubing, 1/8", Poly Clear	1203
024.015.01	Supply Tubing, 1/8", Poly Clear; Roll of 100 ft.	1203R
024.028.00	Vacuum Tubing, 3/4" I.D., Corrugated Gray	704
024.037.00	Vacuum Tubing, 5/8" I.D., Corrugated Gray	703
024.071.00	FC Tubing, 5 Hole, Poly Gray	512
024.071.01	FC Tubing, 5 Hole, Poly Gray; Roll of 100 ft.	512R
024.074.00	Vacuum Tubing, 1" I.D., Corrugated Gray	705
024.076.00	Vacuum Tubing, 1-1/2" I.D., Corrugated Gray	707
024.090.04	Supply Tubing, 1/4", Poly Gray	1405
024.122.00	HP Tubing, 4 Hole, Asepsis Straight Black	431
024.123.00	HP Tubing, 4 Hole, Asepsis Straight Gray	432
024.130.00	HP Tubing, 3 Hole, Asepsis Straight Black	321
024.131.00	HP Tubing, 3 Hole, Asepsis Straight Gray	322
024.142.03	Saliva Ejector Tubing, 3/16" I.D., Vinyl Dark Surf	S615
024.144.03	Vacuum Tubing, 1/2" I.D., Smooth Asepsis Dark Surf	737
024.148.01	HP Tubing, 4 Hole, Asepsis Straight Dark Surf	435
024.148.04	HP Tubing, 4 Hole, Asepsis Straight Dark Surf; Roll of 100 ft.	435R
024.151.03	FC Tubing, 5 Hole, Poly Dark Surf	511
024.155.02	Syringe Sheath Tubing, 3 Hole, Dark Surf	645
024.202.01	Foot Control Sheath Tubing, 5 Hole, Asepsis, Dark Surf	653
024.218.03	Saliva Ejector Tubing, 3/16" I.D., Vinyl Gray	S601
024.220.01	Vacuum Tubing, 1/2" I.D., Corrugated Gray	701
024.221.01	Vacuum Tubing, 1/2" I.D., Smooth Asepsis Gray	733
024.223.02	Syringe Sheath Tubing, 3 Hole, Gray	646
024.229.01	Foot Control Sheath Tubing, 5 Hole, Asepsis, Gray	654
024.232.01	Vacuum Tubing, 1-3/4" I.D., Corrugated Gray	708
025.002.01	Cable Tie, Adjustable, 8"; Pkg of 10	8058
025.007.01	1/8" Uni-Clamp, 2-Piece; Pkg of 10	0089

A-dec®, Cascade®, Century Plus®, Century®, Continental®, Decade®, Performer®, Preference®, Preference Collection®, Radius®, A-dec 500® and A-dec 300® are registered trademarks of A-dec®, Inc . DCI has no affiliation with A-dec and A-dec has not authorized DCI replacement parts to be used on or in connection with A-dec® products.

A-DEC® PN	DESCRIPTION	DCI PN
025.007.02	1/8" Uni-Clamp, 2-Piece; Pkg of 100	0199
025.015.01	1/4" Clamp Sleeve; Pkg of 10	0070
025.015.02	1/4" Clamp Sleeve; Pkg of 100	0197
025.019.01	Cable Tie-Mount, Adjustable; Pkg of 10	8045
025.036.01	Cable Tie, Adjustable, 4"; Pkg of 10	8054
026.001.00	1/4" Poly Q.D. Panel Mount w/ Shut-off, Female	0011
026.007.00	3/8" Q.D. Female x 1/4" MPT w/ Shut-off	0016
026.015.00	1/4" Q.D. Female x 1/8" MPT w/ Shut-off	0018
026.020.00	1/4" Poly Q.D. w/ Shut-off, Male 1/4"	0014
026.022.00	3/8" Poly Q.D. Panel Mount w/ Shut-off, Female	0010
026.029.00	1/4" Q.D. Female x 1/4" MPT w/ Shut-off	0017
026.033.01	Syringe Valve Cores; Pkg of 10	3090
026.035.00	1/4" Poly Q.D. w/o Shut-off, Male	0015
026.036.00	Valve Mounting Bracket, Single	7078
026.040.00	3/8" Poly Q.D. w/o Shut-off, Male	0013
026.043.00	3/8" Poly Q.D. w/ Shut-off, Male	0012
026.062.00	Manual Shut-Off Valve, 1/2" Compression x 3/8" Compression	7099
026.065.00	1/4" Q.D. Panel Mount x 10/32 w/ Shut-off, Female	0006
026.066.00	Air Filter Moisture Separator w/ 5 Micron Filter	7239
026.073.02	Check Valve	7081
026.074.00	Shuttle Valve, 1/8"	7090
026.083.01	Rectangular Air Gauge	7270
026.118.00	Round Pressure Gauge, Panel Mount, 0-100 PSI	7265
026.125.00	Female Q.D. to fit A-dec®, Self Contained Water	9172
026.130.00	Q.D. Kit to fit A-dec®, Air	9290
026.132.00	Female Q.D. to fit A-dec®, Air	9291
026.134.00	Q.D. Kit to fit A-dec®, City Water	9292
026.157.00	Female Q.D. to fit A-dec®, City Water	9173
026.158.00	Manual Shut-Off Valve, 1/2" FPT Inlet	7100
026.160.01	Plug to fit A-dec® 500 & 300 Control Block; Pkg of 5	9237
026.161.00	1/8 Q.D. Barb to fit A-dec® 500 & 300 Control Block, Vinyl Tubing	9337
026.174.01	1/8 Q.D. Barb to fit A-dec® 500 & 300 Control Block; Pkg of 5	9334
026.175.01	3/16 Q.D. Barb to fit A-dec® 500 & 300 Control Block; Pkg of 5	9335
028.008.00	Plug, Solids Collector, Red, 1/2" O.D. x 1/4" I.D.; Pkg of 10	9177
030.001.02	O-Ring, Buna-n, .029 I.D. x .040 Width, -001; Pkg of 12	2225
030.002.02	O-Ring, Buna-n, .042 x .050 Width, -002; Pkg of 12	2230
030.003.02	O-Ring, Buna-n, .056 I.D. x .060 Width, -003; Pkg of 12	2201
030.004.02	O-Ring, Buna-n, .070 I.D. x .070 Width, -004; Pkg of 12	2229
030.005.02	O-Ring, Buna-n, .101 x .070 Width, -005; Pkg of 12	2231
030.006.02	O-Ring, Buna-n, .114 I.D. x .070 Width, -006; Pkg of 12	2203
030.007.00	O-Ring, Buna-n, .145 I.D. x .070 Width, -007; Pkg of 12	2232
030.008.00	O-Ring, Buna-n, .176 I.D. x .070 Width, -008; Pkg of 12	2205
030.009.01	O-Ring, Buna-n, .208 I.D. x .070 Width, -009; Pkg of 12	2233
030.010.00	O-Ring, Buna-n, .239 I.D. x .070 Width, -010; Pkg of 12	2214
030.011.02	O-Ring, Buna-n, .301 I.D. x .070 Width, -011; Pkg of 12	2234
030.012.02	O-Ring, Buna-n, .364 I.D. x .070 Width, -012; Pkg of 12	2210
030.013.02	O-Ring, Buna-n, .426 I.D. x .070 Width, -013; Pkg of 12	2207
030.014.02	O-Ring, Buna-n, .489 I.D. x .070 Width, Pkg of 12	2312
030.015.02	O-Ring, Buna-n, .551 x .070 Width, -015; Pkg of 12	2235
030.016.00	O-Ring, Buna-n, .614 I.D. x .070 Width, -016; Pkg of 12	2236
030.017.00	O-Ring, Buna-n, .676 I.D. x .070 Width, -017; Pkg of 12	2237
030.018.00	O-Ring, Buna-n, .739 I.D. x .070 Width, -018; Pkg of 12	2215
030.019.03	O-Ring, Buna-n, .801 I.D. x .070 Width, -019; Pkg of 12	2238
030.020.00	O-Ring, Buna-n, .864 I.D. x .070 Width, -020; Pkg of 12	2223
030.021.02	O-Ring, Buna-n, .926 I.D. x .070 Width; Pkg of 12	2270
030.023.02	O-Ring, Buna-n, 1.051 I.D. x .070 Width, -023; Pkg of 12	2239
030.026.01	O-Ring, Buna-n, 1.239 I.D. x .070 Width, Pkg of 12	2310
030.034.02	O-Ring, Buna-n, 2.114 I.D. x .070 Width, -034; Pkg of 12	2240
030.110.00	O-Ring, Buna-n, .362 I.D. x .103 Width, -110; Pkg of 12	2241

A-dec®, Cascade®, Century Plus®, Century®, Continental®, Decade®, Performer®, Preference®, Preference Collection®, Radius®, A-dec 500® and A-dec 300® are registered trademarks of A-dec®, Inc . DCI has no affiliation with A-dec and A-dec has not authorized DCI replacement parts to be used on or in connection with A-dec® products.

Easy Online Ordering

A-DEC® PN	DESCRIPTION	DCI PN
033.003.01	O-Ring, Viton, .056 I.D. x .060 Width; Pkg of 12	2305
033.014.00	O-Ring, Viton, .489 I.D. x .070 Width, -014; Pkg of 12	2243
034.002.01	O-Ring, Viton, .042 I.D. x .050 Width, -002; Pkg of 12	2261
034.012.01	O-Ring, Viton, .364 I.D. x .070 Width, -012; Pkg of 12	2257
034.013.01	O-Ring, Viton, .426 I.D. x .070 Width, -013; Pkg of 12	2254
034.014.01	O-Ring, Ethylene Propylene, .489 I.D. x .070, -014; Pkg of 12	2228
034.107.01	O-Ring, Ethylene Propylene, .206 I.D. x .103 Width; Pkg of 12	2298
035.003.01	O-Ring, Buna-n, .029 I.D. x .040 Width; Pkg of 12	2245
035.004.01	O-Ring, Buna-n, .240 I.D. x .033 Width; Pkg of 12	2244
035.025.01	O-Ring, Buna-n, .070 I.D. x .040 Width; Pkg of 12	2211
035.048.01	O-Ring, Viton, .114 I.D. x .070 Width, -006; Pkg of 12	2242
035.050.01	O-Ring, Viton, .070 I.D. x .040 Width; Pkg of 12	2263
036.003.00	Supply Tubing, 1/8", Poly Yellow	1208
036.003.01	Supply Tubing, 1/8", Poly Yellow; Roll of 100 ft.	1208R
036.004.00	Supply Tubing, 1/8", Poly Blue	1202
036.004.01	Supply Tubing, 1/8", Poly Blue; Roll of 100 ft.	1202R
036.005.00	Supply Tubing, 1/8", Poly Red	1207
036.005.01	Supply Tubing, 1/8", Poly Red; Roll of 100 ft.	1207R
036.011.00	Tubing 1/8 Poly Purple 100' RL	1211
036.011.01	Tubing 1/8 Poly Purple 100' RL	1211R
036.019.00	Supply Tubing, 1/8", Poly White	1209
036.019.01	Tubing 1/8 Poly White 100' RL	1209R
036.020.00	Supply Tubing, 1/8", Poly Black	1201
036.020.01	Supply Tubing, 1/8", Poly Black; Roll of 100 ft.	1201R
036.026.00	Supply Tubing, 1/8", Poly Gray	1205
036.026.01	Supply Tubing, 1/8", Poly Gray; Roll of 100 ft.	1205R
036.031.00	Supply Tubing, 3/8", Poly Yellow	1608
036.031.01	Supply Tubing, 3/8", Poly Yellow; Roll of 100 ft.	1608R
036.033.02	Supply Tubing, 3/8", Poly Blue	1602
036.034.00	Supply Tubing, 3/8", Poly Gray	1605
036.034.01	Supply Tubing, 3/8", Poly Gray; Roll of 100 ft.	1605R
036.043.00	Supply Tubing, 1/4", Poly Dark Surf	1418
036.043.01	Supply Tubing, 1/4", Poly Dark Surf; Roll of 100 ft.	1418R
036.052.00	Supply Tubing, 1/4", Poly Orange	1406
036.053.00	Supply Tubing, 1/4", Poly Blue	1402
036.053.01	Supply Tubing, 1/4", Poly Blue; Roll of 100 ft.	1402R
036.066.00	Supply Tubing, 1/4", Poly Clear	1403
036.103.03	Supply Tubing, 1/4", Poly Yellow	1408
036.114.01	Supply Tubing, 5/16", Poly Yellow	1708
036.115.01	Supply Tubing, 5/16", Poly Orange	1706
036.116.01	Supply Tubing, 5/16", Poly Blue	1702
041.059.00	Multi-Function Foot Switch Push-Button Switch	9260
041.119.00	Multi Function Foot Switch Rocker Switch	2810
041.264.00	Starter, Fluorescent Light	9375
041.265.00	Ballast, 120V, Task Light, Fluorescent	9376
041.317.00	Bulb to fit A-dec® Power Optic HP Tubing, 3.5V 750MA	9363
90.1043.00	Switch 3 Position Replaced by 2885	9183
041.372.00	Potentiometer	9258
041.513.00	Light Bulb, 12 VAC 55 Watt	8688
041.709.00	Bulb to fit A-dec® Light, 6300, 17 VAC 95 Watt	9364
042.583.00	CPU Vent	6819
042.584.00	Delta Soap Dispenser, Chrome	9302
042.586.00	Soap Dispenser Bottle Replacement	9310
043.001.00	Tray, Stainless Steel, 9-3/4" x 13-1/2"	8013
044.158.00	Air Electric Switch, 10 PSI, Normally Open	7084
044.159.00	Air Electric Switch, 10 PSI, Normally Closed	7089
044.181.00	Air Electric Switch, 25 PSI, Normally Open	7080
044.183.00	Chair Limit Switch to fit A-dec®, Stop Function	9244
044.184.00	Chair Limit Switch	2794
044.184.01	Chair Limit Switch to fit A-dec®, Base or Back Function	9240
046.123.00	Circuit Breaker to fit A-dec®, Cascade 6300, 10 Amp	2888
049.004.01	Valve Cleaning HVE Brush; Pkg of 5	5620
049.005.01	Valve Cleaning Surgical Suction Tip Brush, Pkg of 5	5622
060.002.00	Loctite, Threadlock 242, .34 oz	8021
10.0010.02	High Volume Suction Aspirator Tip	5355

A-dec®, Cascade®, Century Plus®, Century®, Continental®, Decade®, Performer®, Preference®, Preference Collection®, Radius®, A-dec 500® and A-dec 300® are registered trademarks of A-dec®, Inc . DCI has no affiliation with A-dec and A-dec has not authorized DCI replacement parts to be used on or in connection with A-dec® products.

A-DEC® PN	DESCRIPTION	DCI PN
10.0440.00	Foot Control Spring, .093 O.D.; Pkg of 10	9029
10.0600.00	Stem w/ O-Ring (Button) AVS Locking to fit A-dec®	9174
11.0440.00	Dry Oral Cup	5840
11.0490.00	Dry Oral Cup Liners; Pkg of 1000	5845
11.1075.00	Replacement A-dec® Autoclavable Short Vacuum Valve w/ Quick Disconnect	5060
11.1105.00	Air Saliva Ejector Kit	5255
11.1177.00	Replacement A-dec® Autoclavable Extended Vacuum Valve w/ Quick Disconnect	5061
11.1191.00	Solids Collector Disposable Screen to fit A-dec® Cascade; Pkg of 144	6818
11.1284.01	Solids Collector Disposable Screen to fit A-dec® 500/300; Pkg of 144	5512
12.0183.00	Saliva Ejector Tip Push-on Autoclavable, Black	5750
12.0183.01	Saliva Ejector Tip Push-on Autoclavable, Gray	5754
12.0195.00	Saliva Ejector Tip Screw-on Autoclavable, Black	5740
12.0500.00	Water Saliva Ejector Kit	5256
12.0953.00	Air Pilot Valve, 2-Way, Normally Open	7071
12.1100.00	Replacement A-dec® Autoclavable Saliva Ejector w/ Quick Disconnect	5062
13.0375.00	Male Q.D. to fit A-dec®, Self Contained Water	9298
13.0381.00	Male Adjustable Q.D. to fit A-dec®, City Water	9299
13.0384.00	Male Q.D. to fit A-dec®, Air	24660
14.0010.00	AVS 1 Quart Bottle	5582
14.0416.00	750 ml Plastic Bottle w/ Cap & Pick-Up Tube	8128
16.0562.00	Storage Tub, Includes Hinge, Dividers, & Lid	8410
16.0566.00	Storage Tub Lid	8414
16.0568.00	Storage Tub Hinge	8413
19.0100.00	In-Line Filter, 10-32 Port	7251
19.0220.01	Filter Disc, Bronze, 5/8 O.D. x 1/16; Pkg of 5	9039
19.0230.00	Spring, Compression, .560 O.D. x .65; Pkg of 10	9127
22.0040.00	Spring Compression .30" O.D. Pkg of 10	9030
22.0060.00	Foot Control Poppet, Plastic; Pkg of 10	9010
22.0083.00	Piston Assy to fit A-dec® Foot Control	9160
22.0110.00	Foot Control Cover	6070
22.0135.00	Compression Spring; Pkg of 10	9123
22.0440.02	Diaphragm, 1"; Pkg of 10	9002

A-DEC® PN	DESCRIPTION	DCI PN
22.0460.00	Spring, Conical .255/.295 O.D.; Pkg of 10	9098
22.0462.00	Toggle Only, Detented, Black	7058
22.0462.01	Toggle Only, Detented, Gray	7064
22.0580.00	Compression Spring; Pkg of 10	9066
22.0774.01	Diaphragm to fit A-dec® Century Pac; Pkg of 10	9003
22.0776.00	Water Coolant Valve Stem to fit A-dec® Auto-Pac & Auto Block; Pkg of 3	9165
22.0778.00	Foot Control Relay Valve Stem w/ O-Rings	6098
22.0780.00	Syringe Tubing, 2-Hole, Straight Black	221
22.0999.00	Air Coolant Valve Stem, to fit A-dec® Auto-Pac & Auto Block	9164
23.0020.02	Syringe Button, Valve Core	3080
23.0039.00	Syringe Lever, Left, Plastic	2035
23.0041.00	Syringe Lever, Right, Plastic	2034
23.0048.00	Syringe Button, Lever Syringe	3070
23.0173.00	Double Flow Restrictor	9317
23.0196.01	Gasket to fit A-dec® Recirculator; Pkg of 5	9322
23.0198.01	Diaphragm to fit A-dec® Recirculator; Pkg of 5	9321
23.0230.00	Syringe Tubing, 2-Hole, Asepsis Coiled Black	231C
23.0230.01	Syringe Tubing, 2-Hole, Asepsis Coiled Gray	232C
23.0790.00	Syringe Tubing, 3-Hole, Coiled Black	331C
23.0790.01	Syringe Tubing, 3-Hole, Coiled Gray	332C
23.0872.00	Syringe Tip, Autoclavable, to fit A-dec® Syringes	3054
23.0872.01	Syringe Tip, Autoclavable, to fit A-dec® Syringes; Pkg of 5	3055
23.0872.02	Syringe Tip, Autoclavable, to fit A-dec® Syringes; Pkg of 50	3056
23.0886.00	Collet Cone, Brass; Pkg of 5	2041
23.0887.00	Collet Cone, Plastic	2040
23.1090.00	Syringe Tip Kit	3030
23.1093.00	Lever Syringe Repair Kit	9326
23.1193.00	Retaining Screw to fit A-dec® Syringes; Pkg of 5	9150
23.1232.01	Syringe Button Assy to fit A-dec® Syringes	9186
24.0100.03	Air On/Off Indicator, Red	7280
24.0128.01	Air Valve Repair Kit, White Body	9105
24.0129.00	Water Valve Repair Kit, Black Body	9093
24.0132.00	Piston w/O-Ring	9106

A-dec®, Cascade®, Century Plus®, Century®, Continental®, Decade®, Performer®, Preference®, Preference Collection®, Radius®, A-dec 500® and A-dec 300® are registered trademarks of A-dec®, Inc . DCI has no affiliation with A-dec and A-dec has not authorized DCI replacement parts to be used on or in connection with A-dec® products.

A-DEC® PN	DESCRIPTION	DCI PN
24.0135.00	Air Valve, Housing, White Body	9097
24.0136.01	5-Hole Gasket; Pkg of 10	9005
24.0137.01	9-Hole Gasket; Pkg of 10	9004
24.0170.01	Single Shut Off Valve Assembly & Filter, Air	9187
24.0175.01	Single Shut Off Valve Assembly & Filter, Water	9188
24.0182.02	Mini Regulator, 10-32 Input, Self-Relieving	7205
24.0229.00	Housing, Filter, Air/Water	9108
24.0234.00	Filter Element, 40 Micron	7247
24.0234.01	Filter Element, 40 Micron; Pkg of 6	7248
24.0251.01	Mini Regulator, 10-32 Input, Non-Relieving	7203
24.0355.00	Water Valve, Housing, Black Body	9094
28.0503.01	Light Shield to fit A-dec® 6300	9390
28.0566.00	Locking Tab to fit A-dec® Pivot Arm	9184
28.0758.00	Circuit Breaker 10 Amp	9304
28.1012.00	Light Shield Bracket Assy to fit A-dec® Cascade; Pkg of 2	8619
28.1584.00	Replacement A-dec® 6300 Track Flexarm Cable Assy for Lights after April 1, 2004	9578
28.1585.00	Replacement A-dec® 6300 Wall & Preference Mount Cable Assy for Lights after April 1, 2004	9577
28.1586.00	Replacement A-dec® 6300 Post Mount Cable Assy for Lights after April 1, 2004	9579
28.1587.00	Replacement A-dec® 6300 Ceiling Mount Cable Assy for Lights after April 1, 2004	9575
28.1604.00	Replacement A-dec® 6300 Track & Trolley Cable Assy for Lights after April 1, 2004	9580
28.2838.00	Light Cable Assy, to fit A-dec 571, 216"	9576
29.0050.01	Gasket, Clear to fit A-dec® Century Pac Auto Block; Pkg of 10	9009
29.0100.00	Drive Air Adjustment Screw to fit A-dec®; Pkg of 3	9023
29.0810.00	Micro Valve Stem w/ O-Rings, 2-Way to fit A-dec®	9013
29.0820.00	Micro Valve Stem w/ O-Rings, 3-Way to fit A-dec®	9014
29.0830.00	Stem w/ O-Rings 2-Way	9015
29.0831.00	Valve Stem, to fit A-dec® Century II Block, w/o Water Retraction	9050
29.0835.00	Valve Stem, to fit A-dec® Century II Block, w/ Water Retraction	9048
29.0840.00	Valve Stem w/O-Rings, to fit A-dec® Century II Toggle Cartridge, 3-Way	9016
29.0972.00	Valve Stem, to fit A-dec® Auto-Pac & Auto Block, Water Valve; Pkg of 3	9109
30.0731.00	Stem Shut Off Valve w/ O-Rings to fit A-dec®	9163

A-DEC® PN	DESCRIPTION	DCI PN
33.0008.01	Cup Filler Valve, Momentary, 2-Way, Black	7167
33.0009.00	Toggle Valve, Side Ported, 2-Way, Black	7040
33.0025.00	Air Bleed Valve, to fit A-dec® Excellence & IC Holders	9152
33.0025.01	Air Bleed Valve, to fit A-dec® Cascade Continental	9153
33.0034.01	Toggle Valve, Momentary, 2-Way, Normally Closed, Gray	7021
33.0036.00	Toggle Only, Momentary, Black	7028
33.0036.01	Toggle Only, Momentary, Gray	7065
33.0048.03	Toggle Valve, Side Port, 3-Way, Black	7155
33.0048.04	Toggle Valve, Side Port, 3-Way, Gray	7156
33.0080.00	Rear Ported Valve, 3-Way, Black	7160
33.0080.01	Rear Ported Valve, 3-Way, Gray	7161
33.0096.00	Rear Ported Valve, 2-Way, Black	7163
33.0103.00	Water Coolant Valve Stem to fit A-dec® Century II	9019
33.0104.03	Toggle Routing Valve, Side Ported, Black	7150
33.0104.04	Toggle Routing Valve, Side Ported, Gray	7151
33.0106.00	Stem w/ O-Rings Micro Selector	9018
33.0117.00	Air Coolant Valve Stem to fit A-dec® Century II	9180
33.0132.00	Air bleed Valve to fit A-dec® Unitized Holder, 90 Degree Barb	9151
33.0134.00	Foot Control Micro Valve Assy, 2-Way	6003
33.0138.00	Holder Valve, Auto HP, Normally Closed, Side Port	5948
34.0003.00	Poppet to fit A-dec® Vacuum Drain Actuator	9159
34.0043.00	Relay Valve, Tooth Dryer	9243
35.0574.01	Gasket to fit A-dec® Century II Supply Manifold; Pkg of 10	9008
35.0824.02	Chair Adapter to fit A-dec® Priority	8515
35.1742.00	Chair Adapter to fit A-dec® Cascade	8522
38.0054.02	Foot Control Diaphragm, 3/4"; Pkg of 10	9012
38.0074.01	Foot Control Toggle, Gray	6049
38.0075.00	Toggle F.C. Black	6100
38.0075.03	Foot Control Toggle Kit, Dark Surf	6113
38.0075.04	Foot Control Toggle Kit, Gray	9329
38.0087.00	Micro Valve Stem w/ O-Rings to fit A-dec®, 2-Way, Balanced	9017
38.0102.00	Needle Valve Stem to fit A-dec®, Fine Control, w/ O-Ring	9067

A-dec®, Cascade®, Century Plus®, Century®, Continental®, Decade®, Performer®, Preference®, Preference Collection®, Radius®, A-dec 500® and A-dec 300® are registered trademarks of A-dec®, Inc . DCI has no affiliation with A-dec and A-dec has not authorized DCI replacement parts to be used on or in connection with A-dec® products.

A-DEC® PN	DESCRIPTION	DCI PN
38.0104.00	Piston, to fit A-dec® Century Water Valve, w/ O-Ring	9069
38.0106.00	End Cap, to fit A-dec® Century Water Valve, w/ O-Ring	9068
38.0118.01	Gasket, to fit A-dec® Century Pac, 2.36 x .285; Pkg of 10	9047
38.0120.01	Diaphragm to fit A-dec® Century Pac, 1.240 x 2.375 x .013; Pkg of 10	9006
38.0178.00	Control Block Cover w/ Screws Only to fit A-dec® Century II	9328
38.0179.02	Diaphragm, to fit A-dec® Century II, Front Cap, 3/4 x 1"; Pkg of 10	9046
38.0186.02	Gasket to fit A-dec® Century II Control Block; Pkg of 10	9007
38.0193.01	Tie Bolt Kit, to fit A-dec® Century II, 3 block	9149
38.0194.01	Tie Bolt Kit, to fit A-dec® Century II, 4 block	9117
38.0208.00	Spring, Extension	9121
38.0211.00	Valve Stem Assy to fit A-dec® Foot Control	9166
38.0213.00	Foot Control Spool	6022
38.0223.02	Control Block to fit A-dec® Century II	9146
38.0237.00	Foot Control Retaining Ring, Dark Surf	6107
38.0246.00	Foot Control Stem Assy	6096
38.0319.00	Foot Control Shroud, No Holes, Gray	6047
38.0319.02	Foot Control Shroud, No Holes, Dark Surf	6102
38.0320.00	Foot Control Shroud, 1-Hole for Button, Gray	6057
38.0320.02	Foot Control Shroud, 1-Hole for Toggle, Dark Surf	6103
38.0321.00	Foot Control Shroud, 2-Hole, Gray	6053
38.0321.02	Foot Control Shroud, 2-Hole, Dark Surf	6104
38.0450.00	Foot Control, Standard w/ Signal Relay, Gray Tubing	6400
38.0451.00	Foot Control, Chip Blower w/ Signal Relay, Gray Tubing	6405
38.0452.00	Foot Control, Wet/Dry w/ Signal Relay, Gray Tubing	6410
38.0453.00	Foot Control, Scaler w/ Signal Relay, Gray Tubing	6420
38.0454.00	Foot Control, Wet/Dry & Chip Blower w/ Signal Relay, Gray Tubing	6415
38.0504.07	Tie Bolt Kit, to fit A-dec® Century Plus, 3 block	9114
38.0504.08	Tie Bolt Kit, to fit A-dec® Century Plus, 4 block	9116
38.0504.09	Tie Bolt Kit, to fit A-dec® Century Plus, 5 block	9115
38.0507.01	Gasket, Clear, to fit A-dec® Century Plus Control Block; Pkg of 10	9158

A-DEC® PN	DESCRIPTION	DCI PN
38.0510.00	Drive Air Stem to fit A-dec® Century Plus Control Block	9311
38.0516.00	Stem Flow w/ O-Ring Assy	9257
38.0517.00	Air Bleed Cartridge to fit A-dec® Century Plus; Pkg of 3	9167
38.0518.00	Flush Check Valve Cartridge to fit A-dec® Century Plus Control Block; Pkg of 3	9168
38.0519.01	Diaphragm to fit A-dec® Century Plus Control Block; Pkg of 10	9161
38.0520.00	Coolant Water Cartridge to fit A-dec® Century Plus Control Block; Pkg of 3	9169
38.0526.00	Air Coolant Stem w/ O-Ring to fit A-dec® 500	9313
38.0537.01	Service Kit to fit A-dec® Century Plus Control Block	9154
38.0550.01	Gasket, Red, to fit A-dec® Century Plus Control Block; Pkg of 5	9157
38.0604.00	Foot Control Toggle Assy, 3-Way, Dark Surf	6110
38.0610.00	Foot Control Button Assy for Chip Blower, 2-Way, Dark Surf	6111
38.0612.00	Foot Control Button Assy for Scaler, 3-Way, Dark Surf	6112
38.0648.00	Dry Block Kit to fit A-dec® Century Plus	9315
38.0711.01	Diaphragm to fit A-dec® Performer Control Block, Pkg of 5	9319
38.0763.00	Foot Control Shroud, 1-Hole for Button, Dark Surf	6106
38.1601.00	Foot Control, Wet/Dry & Scaler, Dark Surf	6306
38.1799.01	Cartridge Retaining Ring to fit A-dec® 500; Pkg of 5	9305
38.1780.00	Water Cartridge to fit A-dec® 500 Block Water Cartridge	9307
38.1783.00	Dry Cartridge to fit A-dec® 500 Block	9306
38.1785.01	Drive Air Stem to fit A-dec® 300/500 Control Block	9323
38.1787.01	Diaphragm to fit A-dec® 500 Control Block; Pkg of 5	9309
38.1808.01	Adjustment Key to fit A-dec® 500; Pkg of 4	9314
38.1832.00	Foot Control Toggle Assy, Gray	6132
38.1833.01	Diaphragm to fit A-dec® 300 Control Block; Pkg of 5	9308
39.0790.00	Non-Slip Pad, 6" x 11.5"	8222
40.0270.00	Syringe Water Heater, Air Actuated On/Off, 110/120 VAC	3211
40.0281.00	Flow Restrictor	7022
40.0756.01	Diaphragm to fit A-dec® Vacuum Drain; Pkg of 5	9318
40.0772.00	Stem to fit A-dec® Vacuum Valve w/ O-Ring	9162
40.0849.00	Cuspidor Bowl	5311

A-dec®, Cascade®, Century Plus®, Century®, Continental®, Decade®, Performer®, Preference®, Preference Collection®, Radius®, A-dec 500® and A-dec 300® are registered trademarks of A-dec®, Inc . DCI has no affiliation with A-dec and A-dec has not authorized DCI replacement parts to be used on or in connection with A-dec® products.

Easy Online Ordering

A-DEC® PN	DESCRIPTION	DCI PN
42.0085.00	Cuspidor Screen	5312
42.0537.03	Toggle Valve, Momentary, Rear Ported, 2-Way, Black	7168
42.0683.03	Toggle Valve, Momentary, Rear Ported, 2-Way, Gray	7169
42.0701.00	Valve Mounting Bracket, Double	7079
50.0056.00	Rubber Gasket 4-Hole Terminal	0123
50.0116.00	Gasket 3-Hole Terminal Rubber	0122
50.0271.00	Handpiece Pressure Tester w/ 0-60 PSI Gauge	7263
54.0014.00	Gasket to fit A-dec®/W&H Lisa Sterilizer	2186
54.0049.00	Water Pump to fit A-dec®/W&H Lisa Sterilizer	9303
54.0051.00	Vacuum Pump Service Kit to fit A-dec®/W&H Lisa Sterilizer (HX10P3)	9420
54.0066.01	Inline Water Filter to fit A-dec®/W&H Lisa Sterilizer	9422
54.0067.00	Air Intake Filter to fit A-dec®/W&H Sterilizer	2812
55.1934.00	Drawer Push Latch w/ Screws	6807
56.0339.00	Bracket 2 Position Assy 1/4 x 3/8	7113
61.0197.00	Hydraulic Oil	2691
61.1679.00	Toe Board Cover to fit A-dec® Model 1040	2806
61.2065.00	Chair Limit Switch, Back Function, to fit A-dec® Cascade 1040	9242
61.3048.00	Replacement Membrane to fit A-dec® Chair Foot Control	2943
65.0208.00	Assistant Stool Cylinder, 45mm Dia.	2962
65.0209.00	Assistant Stool Cylinder, 45mm Dia. to fit A-dec®	2963
65.0227.00	Doctor Stool Cylinder, 45mm Dia.	2964
65.1625.03	Caster, Soft Wheel for Hard Floors, Surf	2948
65.1625.04	Caster, Soft Wheel For Hard Floors, Gray	2946
75.0035.01	Cuspidor Screen 2 1/2", Gray; Pkg of 144	5313
75.0911.01	Diaphragm to fit A-dec® Air Switch Century Plus; Pkg of 5	9320
82.0305.02	Toggle Routing Valve, 2-Way, Gray	7001
90.0003.00	3/8" Compression Tube x 10-32 Female	7112
90.0010.00	Repair Kit to fit A-dec® Foot Control I	9141
90.0012.00	Service Kit to fit A-dec® Auto-Pac & Auto Block Air Valve	9142
90.0014.00	Service Kit to fit A-dec® Auto-Pac & Auto Block Water Valve	9143
90.0030.00	Service Kit to fit A-dec® Air Filter Regulator	9139

A-DEC® PN	DESCRIPTION	DCI PN
90.0040.00	Service Kit to fit A-dec® Air & Water Regulator	9145
90.0070.00	Service Kit to fit A-dec® Water Filter Regulator	9138
90.0090.00	Shut Off Valve Service Kit	9140
90.0304.00	Front Cap Kit to fit A-dec® Century II Control Block	9147
90.0312.00	Repair Kit to fit A-dec® Foot Control II	9049
90.0313.00	Repair Kit to fit A-dec® Foot Control, Lever Style	9144
90.0319.00	Repair Kit to fit A-dec® Vacuum Drain Actuator	9137
90.0321.00	Rebuild Kit to fit A-dec® Century II Block, w/o Water Retraction	9052
90.0370.00	Q.D. Kit to fit A-dec®, Bottled Water	9293
90.0460.03	750ml Water Bottle Kit	9327
90.0463.01	Lamp Socket to fit A-dec® 6300	2887
90.0593.00	Service Kit to fit A-dec® Foot Control III	9082
90.1031.00	Capacitor to fit A-dec® Chairs	9245
90.1039.00	Power Switch, 125 Vac 15 Amp	8114
90.1043.00	Intensity Switch to fit A-dec® 6300, High / Med / Low	2885
90.1053.00	Replacement A-dec® Cascade 6300 Cable Kit for Lights Prior to April 1, 2004	9583
90.1054.00	Replacement A-dec® Performer & Pre-Cascade 6300 Cable Kit from Light Through Flexarm to Postbox	9581
90.1314.00	Replacement Upgrade Toggle Kit A-dec® 371 Light Cable Assy	9582
97.0280.02	Wilkerson Filter Element & O-Ring	7226
98.0010.00	Tool to fit A-dec® Syringes	9286
98.0072.00	Sleeve Tool, Plastic, 1/8" & 1/4"	8060
98.0090.01	Lubricant, Silicone, .04 oz; Pkg of 5	8034
98.0180.00	3-Hole HP Metal Nut	121N
98.0190.00	4-Hole HP Nut Auto Tapered	120N
98.0261.01	ISO 5-Hole Power Optic HP Tubing, Coiled, Dark Surf	8760
98.0262.02	ISO 5-Hole Power Optic HP Tubing, 7', Dark Surf	8953
98.0262.14	ISO 5-Hole Power Optic HP Tubing, 12', Dark Surf	8955
98.0305.00	HP Tubing, 3-Hole w/ CT, Asepsis Coiled, Black	321CT
98.0305.01	HP Tubing, 3-Hole w/ CT, Asepsis Coiled, Gray	322CT
98.0310.00	3-Hole Terminal Metal Connector Only	0121
98.0445.00	HP Tubing, 4-Hole w/ CT, Asepsis Coiled, Black	431CT
98.0445.01	HP Tubing, 4-Hole w/ CT, Asepsis Coiled, Gray	432CT

A-dec®, Cascade®, Century Plus®, Century®, Continental®, Decade®, Performer®, Preference®, Preference Collection®, Radius®, A-dec 500® and A-dec 300® are registered trademarks of A-dec®, Inc . DCI has no affiliation with A-dec and A-dec has not authorized DCI replacement parts to be used on or in connection with A-dec® products.

A-DEC® PN	DESCRIPTION	DCI PN
98.0450.00	4-Hole Terminal	0120
98.0510.00	HP Tubing, 3-Hole w/ CT, Asepsis Straight, Black	321T
98.0536.00	HP Tubing, 4-Hole w/ CT, Asepsis Straight, Black	431T
98.0660.00	Tubing HP Exhaust Muffler	0949
98.0867.02	Control Adjustment Key to fit A-dec® Cascade / Decade 4400; Pkg of 5	9324
98.0879.00	HP Tubing, 4-Hole w/ CT, Asepsis Straight Dark Surf	435T
98.0885.00	ISO-C 6-Pin Power Optic HP Tubing, 7', Dark Surf	8990
98.1093.00	HP Tubing, 3-Hole w/ CT, Asepsis Straight, Gray	322T
98.1094.00	HP Tubing, 4-Hole w/ CT, Asepsis Straight, Gray	432T
98.1095.00	ISO 5-Hole Power Optic HP Tubing, 7', Gray	8933
98.1096.00	ISO-C 6-Pin Power Optic HP Tubing, 7', Gray	8996
98.1111.00	ISO 5-Hole Power Optic HP Tubing, 12', Gray	8977
98.1112.00	ISO-C 6-Pin Power Optic HP Tubing, 12', Gray	8998
98.1113.00	HP Tubing, 4-Hole w/ CT, 12', Asepsis Straight, Gray	445T
99.0528.00	Holder Assy, Standard, Black	5945
99.0528.01	Holder Assy, Standard, Gray	5965
99.0537.00	Holder, Auto HP, w/ Lockout Toggle, Black	5940
99.0537.01	Holder, Auto HP, w/ Lockout Toggle, Gray	5960
99.0541.00	Holder Replacement, Auto HP, Black	5941
99.0541.01	Holder Replacement, Auto HP, Gray	5961
99.0547.00	Holder, Electric Auto, Normally Open, Black	5966
99.0547.01	Holder, Electric Auto, Normally Open, Gray	5967
99.0550.00	Holder Replacement, Standard, Black	5942
99.0550.01	Holder Replacement, Standard, Gray	5962

Pelton & Crane® Products

P&C® PN	DESCRIPTION	DCI PN
2218	O-Ring 55-85 Buna-n Bulk Y	11749
2252	O-Ring, Viton, .053 I.D. x .064 Width; Pkg of 12	2252
3025	Block Syringe Assy	3025
3085	Syringe Button w/ Spring, Quick Clean	3085
4007	Union Tee 5/16 Comp	0136
4014	Pelton & Crane Door Seal, OCM, 8"	2100
4146	Relief Valve, Midmark / Ritter M9 & M11, Pelton & Crane® OCM & OCR	2816
4341	Pelton & Crane® Door Seal, OCR, 10"	2101
4430	HP Tri-Block Diaphragm	4430
4433	HP Quad-Block Diaphragm	4433
4924	Pelton & Crane® Head Gasket; Pkg of 3	2671
4925	Pelton & Crane® Valve Plate Gasket; Pkg of 3	2672
4930	Pelton & Crane® Motor End Gasket; Pkg of 3	2674
5070	Pelton & Crane® Motor Isolator Spring; Pkg of 12	2673
5088	Standard Autoclavable Saliva Ejectors, w/ Quick Disconnect & Threaded Tip	5088
5159	1/4" MPT x FPT Street Elbow	0840
5171	Economy Autoclavable Extended, Vacuum Valve Lever	5171
5174	Swivel Q.D. HVE w/ O-Ring, P&C	5174
5670	Economy Autoclavable Saliva Ejector Lever	5670
5810	Vacuum Canister Kit Black	5810
5866	Vacuum Canister Cap w/ O-Ring, Bracket Mounted, Gray	5866
5888	Vacuum Canister Cap w/ O-Ring, Bottom & Side Mounted, Gray	5888
5998	Stem w/ O-Rings for Auto HP Holder Valve, Normally Open	5998
6132	Foot Control Toggle Assy, Gray	6132
6702	Pelton & Crane® Knuckle Washer, LF II; Pkg of 12	8698
6777	Pelton & Crane® Light Shield, LF I	8600
7054	Side Port Needle Valve	7054
7084	Air Electric Switch, 10 PSI, Normally Open	7084
7096	Power Switch, 125 Vac 15 Amp	8114
7132	Pelton & Crane® Water Relay w/ Flow Control	7139

A-dec®, Cascade®, Century Plus®, Century®, Continental®, Decade®, Performer®, Preference®, Preference Collection®, Radius®, A-dec 500® and A-dec 300® are registered trademarks of A-dec®, Inc . DCI has no affiliation with A-dec and A-dec has not authorized DCI replacement parts to be used on or in connection with A-dec® products.

Easy Online Ordering

P&C® PN	DESCRIPTION	DCI PN
7427	Pelton & Crane® Chairman Chair Switch, Black Toggle	9248
7428	Pelton & Crane® Chairman Chair Switch, White Toggle	9247
7898	Pelton & Crane® Chairman Chair Switch, Auto Position, Red Push Button	9249
7899	Pelton & Crane® Chairman Chair Switch, Auto Return, Black Push Button	9254
11032	1/4" Poly Q.D. Panel Mount w/ Shut-off, Female	0011
11064	10-32 Coupler, Male; Pkg of 5	0062
11064	10-32 Coupler, Male	0062-1
11069	10-32 Cross Connector, Female	0064
11069	10-32 Cross Connector, Female	0064-1
11070	10-32 Tee Connector, Female	0065
11092	1/8" Barb x 10-32 Female x 1/8" Barb Tee; Pkg of 5	0076
11092	1/8" Barb x 10-32 Female x 1/8" Barb Tee	0076-1
11094	1/16" In-line Barb	0077-1
11097	1/8" In-line Barb; Pkg of 10	0078
11097	1/8" In-line Barb	0078-1
11100	1/16" x 1/8" In-line Barb; Pkg of 10	0079
11100	1/16" x 1/8" In-line Barb	0079-1
11155	4-Hole Terminal	0120
11217	Barb Press In 3/16"	0985
11217	Barb Press In 3/16"	11217
11217	Barb Press In 3/16"	0985
11493	Garden Hose Washer	0850-1
11624	Supply Tubing, 1/4", Poly Clear	1403
11723	O-Ring, Buna-n, .176 I.D. x .070 Width ,-008; Pkg of 12	2205
11727	O-Ring, Buna-n, .426 I.D. x .070 Width, -013; Pkg of 12	2207
11737	O-Ring, Buna-n, .180 I.D. x .040 Width; Pkg of 12	2212
11779	O-Ring, Buna-n, .676 I.D. x .070 Width, -017; Pkg of 12	2237
11797	O-Ring, Buna-n, 2.109 I.D. x .139 Width; Pkg of 12	2246
11797	-227 O-Ring Bulk	2246-1
12149	Cuspidor Screen	5312
12159	Knob Only, Needle Valve, Gray	7069
12173	Block Syringe Alternative-Elct	3032
12188	Cuspidor Bowl	5311
12208	Valve Cleaning HVE Brush; Pkg of 5	5620

P&C® PN	DESCRIPTION	DCI PN
12208	Valve Cleaning HVE Brush	5620-1
12209	Valve Cleaning SE Brush; Pkg of 5	5621
12209	Valve Cleaning SE Brush	5621-1
12354	Actuator Lever for 5960, Gray	5972
12490	Toggle Valve, Momentary, 3-Way, Normally Closed, Black	7025
12490	Valve Momentary 3-Way N.C.	7025-1
12517	Needle Valve w/ Knob, Gray	7052
12527	Water Relay, Retracting	7350
12624	Rectangular Air Gauge	7270
12638	Cart Frame, Small U-Frame	8006
12643	Tray, Stainless Steel, 9-3/4" x 13-1/2"	8013
12736	Block Pin Mount-Anodize / Grn	12736
12822	Storage Tub, Includes Hinge, Dividers, & Lid	8410
12830	Bar Holder Tub	8399
12923	Bushing .50 I.D. .625 O.D. 1" LG Brz	8284
12929	Pin Spring 3/16 O.D. x 1/2 LG SS Y	12929
12953	Nut Hex 6-32 SST	9714
13006	Washer .510 x .990 x .031THK White Delrin	13006
13007	Washer .201 x .46 x .062 Nylatron	13007
13053	SCR FH SOC 10-32 x 3/8 SST Y	13053
13060	SCR SET SOC 10-32 x 1/4 OP STL	9844
13066	SCR SOC CAP 6-32 x 1/2 SST Y	13066
13070	SCR BH SOC 10-32 x 1/4 SST Y	13070
13075	SCR BH SOC 10-32 x 1/2 SST	9795
13077	Screw SST	9861
13083	SCR.BH.SOC 10-32 x 3/8 SST	9072
13085	SCR BH SOC 8-32 x 1/4 SST	13085
13203	Automatic HP Tri-Block	4421
13269	SCR BH SOC 6-32 x 3/8 SST	9794
13501	Toggle Cartridge Valve, Momentary, 3-Way, Normally Closed, Gray	7813
3321820	Pelton & Crane® LFII Dimmer Switch	2960
13606	SCR BHSC 1/4-20 x 3/4 SST Y	13606
13612	Toggle Valve, On/Off, 3-Way, Gray	7016
13613	Toggle Valve, On/Off, 3-Way, Gray	7016
13614	Toggle Routing Valve, 2-Way, Gray	7001
13707	1/16" Cross Connector, Metal	0952

P&C® PN	DESCRIPTION	DCI PN
13777	Bushing, Light Post, 1-7/8 x 1-3/8	8471
13779	Vacuum Canister Side Port w/ Bracket	5872
13866	Economy Autoclavable Saliva Ejector w/ Quick Disconnect	5660
14129	Swivel SE w/ O-Ring Anodized	5671
14149	SCR FH SOC 6-32 x 1/4 SST Y	14149
14183	Pin .062 DIA x .35 LG SST	9647
14219	Cap Bottle w/ PS-22 Seal 28 mm x 19.0 mm	8126
14391	Screw Button HD SOC 6-32 x 3/4	9754
14528	Tubing Stripper	8621
14571	Toggle Valve, Side Port, 3-Way, Gray	7156
14693	O-Ring, Buna-n, .270 I.D. x .070 Width; Pkg of 12	2260
14693	O-Ring, 5-052 Buna	2260-1
14827	Tip Assist. Arm	8268
14845	Block, Mount, Tri-Block	14845
14846	SCR BH SOC 6-32 x 1/2 SST	14846
14880	Water Relay, Non-Retracting	7068
014901	Pelton & Crane® Light Reflector Bushing, LF II; Pkg of 2	8700
14911	Flow Restrictor	7022
15155	Adjustable Cuspidor Hinge	4152
15179	Side Port Needle Valve	7054
15180	2-Way N.C. Toggle Valve Gray	7158
15181	Shroud Upper Cuspidor	6709
15197	Knob Only, Needle Valve, Gray	7069
15205	Pin-Stop	15205
15227	SCR SOC CAP 10-32 x 5/8 SST Y	15227
3322646	Pelton & Crane® LF II Dimmer Switch Knob	2961
15532	Pivot Telescoping Arm	15532
15541	Pin Dowell .250 DIA x 7/8 LG SST Y	15541
15542	Pin Dowell .1875 DIA x 3/4 LG SST Y	15542
15591	Clip FC Support	15591
15599	Shuttle Valve, 1/8"	7090
15613	SCR. SOC CAP 1/4-20 x 3/4 SST	15613
15622	Cart Frame, Standard H-Frame	8001
15640	Screw, Flat Head, Socket Head, 1/4-20 x 1 SST	15640
15701	Valve Moment, 3-Way NC Side Port Gray Toggle	7013
15717	Syringe Quick Disconnect Sleeve, Autoclavable	3325

P&C® PN	DESCRIPTION	DCI PN
15805	Toggle Cuspidor Aluminum	7024
15889	750 ml Plastic Bottle w/ Cap & Pick-Up Tube	8128
15975	Cart End Cap, Dome Shape, Gray	9224
16010	Toggle Valve, Momentary, 3-Way w/ Special Toggle	7009
16011	Toggle Valve, Momentary, 2-Way w/ Special Toggle	7014
16024	Vacuum Canister 1/2" Plug HVE Port	5811
16065	Plug Dome .375 Gray	9239
16087	SCR SET CP 1/4-28 x 1/4 SST	16087
16135	Valve Rear Ported 3-Way	7162
16218	Utility Center, Premium, Less Frame & Cover	8327
16253	SCR. FH. PHIL. #2 x .375 LG TYPE A SST Y	16253
16311	Washer for Water Bottle Cap	8136
16366	Solids Collector Disposable Screen	5823
16420	Holder, 3-Position, Holds SE & HVE by Base	8333
16421	Holder, 4-Position, Holds 2 HVE's by Base	8335
16479	Holder, Auto HP, Molded, Normally Closed, White	4561
16480	Holder, Standard, Molded, White	4566
16660	Barb, 1/16 for Water System Manifold	0165
16661	Barb, 1/8 for Water System Manifold	0166
16749	Pelton & Crane® Gas Spring Adjusting Tool	8697
16850	Nut 4-Hole Plated (Brass)	16850
17019	O-Ring, Buna-n, .799 I.D. x .103 Width; Pkg of 12	2297
17019	O-Ring, Buna-n, .799 I.D. x .103 Width	2297-1
18997	Automatic HP Quad-Block	4425
19035	Foot Control, Wet / Dry, Sterling Tubing	6322
19035	FC Disc Type Wet / Dry w/ 10' Sterling Gray Tubing	6323
19037	Foot Control, Wet / Dry & Chip Blower, Sterling Tubing	6324
19189	2-Way N.C. Toggle Valve Gray	7158
19189	Toggle Valve, Momentary, Rear Ported, 2-Way, Gray	7169
19315	Toggle Valve, On/Off, 2-Way, Gray	7012
19316	Push Button Valve, Momentary, 2-Way, Normally Closed, Black	7030-1
19350	Holder Auto Molded Assy (White)	19350
19350	Holder Auto Molded White w/ Marus, Gray Tubing	4567
19509	FC Disc Type Wet / Dry w/ 10' Sterling Gray Tubing	6323
19511	Holder, Standard, Molded, Gray	4568

Easy Online Ordering

P&C® PN	DESCRIPTION	DCI PN
19514	Holder, Auto HP, Molded, Normally Closed, Gray	4869
19682	Bottle Adapter w/ Washer, Water Bottle Quick-Switch	8943
19685	Pin Dowel .125 x 1.5 LG; Replaced by 9662	19685
19685	Pin Dowel .125 x 1.5 LG	9662
19819	Stem w/o Gage Port Q.D.	19819
22438	Pelton & Crane® Light Reflector, LFI & LF +	8610
23940	Pelton & Crane® Light Reflector Bushing, LF II; Pkg of 2	8700
040262	Transformer, Input 110-120V, Output 9VDC 1 AMP	8966
040267	5-Hole Lamp Module, Red Gasket	8813
040274	Bottle 2 Liter w/o Logo Blow Molded	8169
040343	Vacuum Tubing, 1/2" I.D., Smooth Asepsis Sterling	742
040423	FC Tubing, 2-Hole, Poly Sterling	246
040735	Swivel Q.D. SE P&C Anodized	17986
041202	Syringe, Standard, Quick-Clean, Less Tubing & Kit	3430
41207	Syringe Repair Kit, Quick-Clean	3066
041759	Caster, Soft Wheel For Hard Floors, Gray	2946
041772	Assistant Stool Cylinder, 45mm Dia.	2962
041789	Doctor Stool Cylinder, 45mm Dia.	2964
041812	Vacuum Tubing, 3/4" I.D., Corrugated Sterling	715
042067	5-Hole Lamp Module, Black Gasket	8773
042103	Foot Control, Wet/Dry & Chip Blower, Sterling Tubing	6324
042811	Vacuum Tubing, 1/2" I.D., Asepsis Gray	731
042812	Vacuum Tubing, 5/8" I.D., Asepsis Sterling	739
042929	Rectangular Air Gauge	7270
42942	H-Frame Assembly DCI	15622
42942	Cart Frame, Standard H-Frame	8001
043217	HP Muffler & Oil Collector	7321
043990	Shut Off Valve Bowl Rinse 1500 Cuspidor	043990
43990	Time Delay Valve, Cuspidor Assy	9275
044251	Saliva Ejector Basket, Plastic; Pkg of 10	5755
044251	Saliva Basket Plastic Bulk	5755-1
044255	Vacuum Valves 1/2" Quick Disconnect Swivel	5082
044255	Swivel Pelton w/o Pin w/ O-Ring	5138
044255	Swivel Q.D. HVE Alum w/ O-Ring	5173
44257	10-32 Swivel Elbow	0167

P&C® PN	DESCRIPTION	DCI PN
45004	Deluxe Power Pack	8937
045431	Venturi Y Tube Assy	5245
045606	Cart Frame, Small U-Frame	8006
45831	Flow Adjusting Screw w/ O-Ring	2110
045962	FC Tubing, 3-Hole, Poly Sterling	349
045972	Vacuum Tubing, 1-3/4" I.D., Corrugated Sterling	719
045980	HVE Autocl. Premium w/ Q.D P&C	5072
045982	HVE Short Autocl w/ Q.D P&C	5200
045992	HP Muffler & Oil Collector	7321
046015	Adapter S.E. P&C, Dull Finish	20213
046015	Premium Autoclavable Saliva Ejectors 3/16" Quick Disconnect Swivel	5092
46017	3/8" Poly Q.D. w/ Shut-off, Male	0012
047038	Doctor's Stool Cylinder	2953
047039	Assistant's Stool Cylinder	2952
47185	Holder Valve, Auto HP, Normally Open, Side Port	5947
47186	Holder Valve, Auto HP, Normally Open, Rear Port	5989
047425	Solids Collector Disposable Covered Screen, 2 1/8"	5889
47732	Bottle Water Blow Molded .750 ml, w/ Grip, w/o Logo	8637
49855	Mini Regulator, 10-32 Input, Self-Relieving	7205
49871	Holder Auto Electric Molded N.O. Marus, Gray	4570
50468	Counter Top Mounted HVE, Chrome Bezel	5781
50581	Counter Top Mounted HVE, Nickel Bezel	5782
50677	Automatic HP Quad-Block	4425
050678	Pelton & Crane® Water Relay w/ Flow Control	7132
50684	Round Pressure Gauge, Panel Mount, 0-100 PSI	7265
50978	10-32 x 1/8" MPT Pipe Tee	0899
51820	Valve Assy 3000 Unit Head Handle P&C	5959
51886	Rear Ported Valve, 3-Way, Gray	7161
52244	Automatic HP Quin-Block	4427
52771	Block Syringe Assy	3025
52772	Water Relay Combo Valve Repair Kit	7133
53668	Manual Shut-Off Valve, 1/2" FPT Inlet	7100
054294	Standard Autoclavable Vacuum Valves Lever & Spool Assembly	5168
054295	Standard Autoclavable Saliva Ejector Lever & Spool Assembly	5169
56977	Valve Pilot Assy P&C	5979

P&C® PN	DESCRIPTION	DCI PN
58306	Valve Pilot N.O. Assy P&C	5928
58451	Air Electric Switch, 10 PSI, Normally Closed	7089
58463	Duck Bill Barb	0168
61223	Toggle Valve Replacement Cartridge, On/Off, 3-Way, Normally Closed, Blue w/ Gray Toggle	7903
61484	Barb 1/16 Double Ended Duckbill	0177
062804	Pelton & Crane® Premium Autoclavable Saliva Ejector, Flush Top, Long Quick Disconnect	5232
062806	Precision Comfort Premium Autoclavable Saliva Ejectors 3/16" Quick Disconnect Swivel w/ O-Ring	5217
62808	Adapter Standard HVE w/o Pin Pelton & Crane®	5180
120208	Valve Cleaning HVE Brush; Pkg of 5	5620
3322646	Pelton & Crane® LF II Dimmer Switch Knob	2961
1539241	Pelton & Crane® Door Seal, Delta, Delta XL, Validator, 8"	2102
1539407	Pelton & Crane® Door Seal, Delta, Delta XL, Validator, 10"	2103
1881031	Pelton & Crane® Fill / Vent Water Filter	2111
1897763	1/16" In-line Barb; Pkg of 10	0077
1897763	1/16" In-line Barb	0077-1
1898928	1/8" Uni-Clamp, 2-Piece; Pkg of 10	0089
1898928	1/8" Uni-Clamp, 2-Piece	0089-1
3003410	Holder, Auto HP, w/ Lockout Toggle, Gray	5960
3303075	O-Ring, Buna-n, .042 x .050 Width, -002; Pkg of 12	2230
3305153	Kit Syringe Autocl w/ Tip P&C	3063
3305161	Syringe Tubing Sleeve, Autoclavable	3036
3306177	Syringe Tip, Autoclavable, Quick-Change, Long; Pkg of 5	3061
3321598	Pelton & Crane® Light Shield, LF II; Pkg of 2	8601
3321820	Pelton & Crane® LFII Dimmer Switch	2960
3321853	Power Switch, 125 Vac 15 Amp	8114
3321879	Pelton & Crane® Light Bulb, 24 VAC 150 Watt	8683
3321887	Pelton & Crane® Light Reflector, LF II	8932
3322281	Pelton & Crane® Door Spacer, Delta, Delta XL, Validator, 8" & 10"	2104
3322646	Pelton & Crane® LF II Dimmer Switch Knob	2961
3324782	Repair Kit, Autoclavable HVE	5145
3324816	Repair Kit, Autoclavable SE	5645
3324915	Regulator 1/8 NPT 4 Port w/ Plugs	12589
3324915	Norgren Regulator Only, Non-Relieving	7220
3336679	Holder Assy, Vacuum, Gray	5970
3336992	Pelton & Crane® Light Socket, LF I, LF II, LF III	8636
4205360	FC Disc Type Wet / Dry / Chip Blow	6316

P&C® PN	DESCRIPTION	DCI PN
4700840	Filter Element, 40 Micron	7247
4700840	Filter Element, 40 Micron; Pkg of 6	7248
5472621	SE Premium w/ Swivel Assy	5095
9431388	Solids Collector Disposable Screen Pelton & Crane® Spirit ; Pkg of 144	6821
9432311	Pelton & Crane® Reservoir Filter	2157
9442583	Saliva Ejector Tip Push-on Autoclavable, Gray	5754
002R004	10-32 x 1/16", Barb; Pkg of 100	0187
002R015	Kit 8-32 x 1/16" Barb/Washer; Pkg of 10	0084
002R019	1/8" Barb Tee, Plastic; Pkg of 10	0083
002R019	1/8" Barb Tee, Plastic	0083-1
002R022	10-32 x 1/16" Barb Elbow, Plastic; Pkg of 10	0080
002R022	10-32 x 1/16" Barb Elbow, Plastic	0080-1
003R012	1/8" MPT Adapters x 3/8" Compression Tube	0100
004R002	1/4" Poly Q.D. w/ Shut-off, Male 1/4"	0014
004R006M	1/4" Q.D. Panel Mount x 10/32 w/ Shut-off, Female	0006
005R001	1/4" Clamp Sleeve	0070-1
007R003	O-Ring, Buna-n, .056 I.D. x .060 Width, -003; Pkg of 12	2201
007R006	O-Ring, Buna-n, .114 I.D. x .070 Width, -006; Pkg of 12	2203
007R010	O-Ring, Buna-n, .239 I.D. x .070 Width, -010; Pkg of 12	2214
007R013	O-Ring, Buna-n, .426 I.D. x .070 Width, -013; Pkg of 12	2207
007R016	O-Ring, Buna-n, .614 I.D. x .070 Width, -016; Pkg of 12	2236
007R019	O-Ring, Buna-n, .801 I.D. x .070 Width, -019; Pkg of 12	2238
010R013	10-32 Washer, Plastic; Pkg of 100	0072
010R082-1	Washer for Water Bottle Cap	8136
015R017	Potentiometer	9258
017R020	Caster, Cart, Gray	2946
020R010	Manual Shut-Off Valve, 1/2" FPT Inlet	7100
50678	Pelton & Crane® Water Relay w/ Flow Control	7132
13612	Toggle Cartridge Valve, On/Off, 3-Way, Normally Closed, Gray	7803
15537BL	Mount Clamp Tray-Anodized / Grained	12778
15538BL	Mount Pin Tray-Anodized / Grained	12781
19035	FC Disc Type Wet / Dry w/ 10' Sterling Gray Tubing	6323
20-5501	1/8" Clamp Sleeve; Pkg of 10	0071
20-5501	1/8" Clamp Sleeve	0071-1

P&C® PN	DESCRIPTION	DCI PN
30R360	Non-Slip Pad, 6" x 11.5"	8222
33 03 075	O-Ring, Buna-n, .042 x .050 Width, -002; Pkg of 12	2230
3349D	Syringe Less Tubing & Kit, Continental, Autoclavable	3349
3450D	Syringe, Continental, Quick Clean, Less Tubing & Kit	3450
46R143	Solids Collector Disposable Screen, 2 1/8"; Pkg of 100	5887
55R012	Standard Autoclavable Saliva Ejectors w/ Quick Disconnect	5090
55R027M	Mini Regulator, 10-32 Input, Non-Relieving	7203
55R030M	Rectangular Air Gauge	7270
55R044M	Round Pressure Gauge, 0-160 PSI	7260
55R102M	Check Valve w/Ball, 1/16" Barb	7140
55R197	Flow Control Valve w/ Knob, Gray	7056
55R346	Single Shut Off Valve Assembly & Filter, Air	9187
55R347	Single Shut Off Valve Assembly & Filter, Water	9188
5811D	Vacuum Canister 1/2" Plug HVE Port	5811
60R188	Holder Valve, Auto HP, Normally Closed, Side Port	5948
60R218	Valve Pilot Non-Exhausting	60R218
62R049	Stud Filter Cover	62R049
62R050	Filter Element, 40 Micron	7247
62R053	Filter Cover Nut	62R053
62R054	9 Hole Gasket; Pkg of 10	9004
62R064	Diaphragm, 1"; Pkg of 10	9002
62R071	Water Valve, Housing, Black Body	9094
62R074	Spring, Conical .260 / .350 O.D.; Pkg of 10	9095
62R076	Valve Relay Assy Black 1 Hole N	9130

NOTES

Easy Online Ordering

RETURN PROCEDURE

OVERSTOCK RETURNS

Items must be in original condition to be eligible for return; no credit will be issued on used, installed, damaged or incomplete returns (no partial packages).

Customized, obsolete, discontinued and upholstery items will not be accepted for credit.

Returns will not be accepted once one year has passed since the original invoice date.

15% Restocking fee will be applied on overstock Reliance Operatory Equipment returns.

- Before returning the product, call DCI Customer Service for a Return Authorization Number. Please have the following information when you call:
  - Customer number
  - Part numbers and quantities for all return items
  - The corresponding DCI invoice or order number
- Carefully package all return items to prevent shipping damage. Please contact DCI Customer Service for proper packaging materials if needed.
- Write the Return Authorization Number on the outside of the package and reference the number on any accompanying items and paperwork.
- Ship to DCI at the shipping address below.

ONE YEAR GUARANTEE

DCI has put significant time and effort into designing, manufacturing or selecting all the fine products within this catalog. Therefore we are able to fully guarantee every product we sell to be free of manufacturing defects for one year from the time of purchase (except fiber optic tubing which is warrantied for six months and power optic light bulbs, lamp modules and light bulbs which have an "out of box" warranty).Should any product fail, DCI will repair or replace the product at no charge to the customer.

- Before returning the product, call DCI Customer Service for a Return Authorization Number. Please have the following information when you call:
  - Reason for return/type of failure
  - Customer number
  - Part numbers and quantities for all return items
  - The corresponding DCI invoice or order number
- Write the Return Authorization Number on the outside of the package and reference the number on any accompanying items and paperwork.
- Ship to DCI at the shipping address below.

RETURNS SHIPPING ADDRESS:

DCI, ATTN: Returns, 705 S. Springbrook Road, Building B, Newberg, OR, 97132-0228, U.S.A.

MAILING ADDRESS: **DCI**, P.O. Box 228, Newberg, OR, 97132-0228, U.S.A.

THIRD PARTY TRADEMARK NOTICE

A-dec®, Cascade®, Century Plus®, Century®, Continental®, Decade®, Performer®, Preference®, Preference Collection®, Radius®, A-dec 500® and A-dec 300® are registered trademarks of A-dec®, Inc. of Newberg, Oregon. Dentech® is a registered trademark of Alliance H., Inc. of Sumas, Washington. Midmark® is a registered trademark of Midmark Corp. of Versailles, Ohio. Tapmaster® is a registered trademark of Tapmaster Inc. of Calgary, Canada. Pelton & Crane™ is a trademark of Pelton & Crane of Charlotte, North Carolina. Marus™ is a trademark of Marus Dental International of Newberg, Oregon. DENTSPLY® is a registered trademark of DENTSPLY International Inc. of York, Pennsylvania. Belmont® is a registered trademark of Takara Belmont USA, Inc. of Somerset, New Jersey. Tuttnauer® is a registered trademark of Tuttnauer USA Company, Ltd. of Hauppauge, New York. DentalEZ® is a registered trademark of DentalEZ, Inc. of Malvern, Pennsylvania. SciCan® is a registered trademark of SciCan Ltd. of Canonsberg, Pennsylvania. RAMVAC® is a registered trademark of RAMVAC Dental Products, Inc. of Spearfish, South Dakota. The parts described in this catalog are manufactured by DCI to fit products manufactured and sold by third parties under the foregoing third party trademarks.

FOR THE LATEST VERSION,
CHECK OUT OUR ONLINE PARTS CATALOG

PARTS CATALOG

PARTS WEBSITE

DCI Corporate Office
705 S Springbrook Rd
Newberg, OR 97132
customerservice@dcionline.com
1-800-624-2793
Mon to Fri 5am-5pm PST

dciparts.com
2388/February-2026-004/AS
©2026 DCI